

ltem No		Quantity	Rate	Amount
	SECTION NO. 6			
	BILL NO. 6			
	METALWORK			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	STEEL WELDED SCREENS, GATES, ETC			
	Screens and gates			
1	Service gate size 900 x 2100mm high including repairs to hinges, sliding bolt and locks etc. No	2		
	Carried Forward to Summary of Section No. 3		R	
	Section No. 3 Bill No. 6 Metalwork		K	



ltem No			Quantity	Rate	Amount
	SECTION NO. 7				
	BILL NO. 7				
	TILING				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	WALL TILES				
	Ceramic tiles (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall tile grout including all square cutting and waste to:				
1	Walls.	m2	4		
2	Walls in narrow widths not exceeding 300mm.	m2	1		
	FLOOR TILES				
	Ceramic floor tiles (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor tile grout including all square cutting and waste to:				
3	Floors.	m2	12		
	Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 7 Tilling			R	



ltem No		Quantity	Rate	Amount
	SECTION NO. 8			
	BILL NO. 8			
	PLUMBING AND DRAINAGE			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	RAINWATER DISPOSAL			
	Gratings, covers, etc			
1	Precast concrete stormwater inlet 370mm x 600mm frame	1		
	SANITARY FITTINGS			
	Wash Hand Basins			
2	Surface mounted 500mm x 500mm white glazed semi- recessed wash hand vanity basin (PC: R 1000) with single tap hole complete with single lever tap (PC: R500) and including angle valves and chrome connectors including pop up waste, connected in position complete with an approved waterproof sealer.	1		
	<u>Toilets</u>			
3	Close-coupled WC suite (PC : R1 500) comprising pan with double flap heavy duty wooden seat and matching 9 litre cistern.	1		
	Carried to Collection		R	
	Section No. 3 Bill No. 8 Plumbing and Drainage			



4	Paraplegic close-coupled WC suite (PC : R4 000) comprising pan with matching 9 litre cistern and purpose made CP side flush lever (left or right) supplied with purpose made urea seat and cover plate.	No	1		
	Bowl Urinals				
5	Stainless bowl urinal (PC: 1500) including hanger brackets, trap and associated parts fitted complete including urinal flush valve with shut of valve including all necessary connections to urinal.	No	1		
	Taps				
6	Supply and installation of tap (PC R300)	No	1		
	SOIL DRAINAGE				
	Extra over heavy duty (Class 34) 110mm diameter uPVC sewer and drain pipes for fittings				
7	Roding eye cover oval	No	1		
	REPAIR AND MAINTENANCE				
8	Service existing Water Closet pan and cistern including unblocking if required and supply new lids to cisterns and toilet seats.	No	6		
9	Service existing Wash Hand Basin including unblocking if required.	No	5		
10	Service existing urinal including flush mechanism including unblocking if required.	No	3		
	Carried to Collection			R	F
	Section No. 3				-
	Bill No. 8 Plumbing and Drainage				
- 1				II.	1



	COLD WATER RETICULATION INSTALLATION				
	All rates supplied in this Bill of Quantities will be deemed to include scaffolding to any height and fixing of cold and hot water pipes up to and including roof height. All pipes suspended from concrete slabs, roof, ceiling, etc. shall be deemed to include in the rates, all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete slab. For the complete supply, delivery and installation of supply piping, as specified, piping to include piping between geysers on roof. All cold and hot water pipes are to be chased into walls except where pipes are to be surface-mounted on wall face or run in ceiling voids or inside ducts, and fixed with standard type pipe saddlers and brackets at 1000mm maximum.				
	Supply and install Pexial Pex multilayer pipes in compliance with SANS ISO 15874				
11	Ø32mm pipe	m	10		
12	Ø26mm pipe	m	3		
13	Ø20mm pipe	m	3		
14	Ø16mm pipe	m	3		
	FITTINGS				
	Supply and install PP-R multilayer faser fibre pipes in compliance with SANS ISO 15874 part 2 PN 20 SDR 7.4 Blue and Red colour – 20 x 2.8mm capillary brass threaded type fittings.				
15	Ø16mm Equal T-piece	No	4		
16	Ø20mm Equal T-piece	No	4		
17	Ø26mm Equal T-piece	No	4		
	Carried to Collection			R	
	Section No. 3 Bill No. 8 Plumbing and Drainage				



18	Ø32mm Equal T-piece	No	Ĭ	ı	ĺ	T
			4			
19	Ø20mm Ø20mm Ø16mm UN-Equal T-piece	No	4			
20	Ø26mm Ø26mm Ø20mm Equal T-piece	No	4			
21	Ø32mm Ø36mm Ø26mm UN-Equal T-piece	No	6			
22	Reducer: Ø32mm x Ø26mm	No	6			
23	Reducer: Ø26mm x Ø20mm	No	6			
24	Reducer: Ø20mm x Ø16mm	No	6			
25	Reducer: Ø32mm x Ø26mm	No	6			
26	Ø50mm Female couplings	No	6			
27	Ø40mm Female couplings	No	6			
28	Ø32mm Female couplings	SUM	5			
29	Ø26mm Female couplings	No	5			
30	Ø20mm Female couplings	No	5			
31	Ø16mm Female couplings	No	5			
32	Ø32mm Elbow: 90°	No	5			
33	Ø26mm Elbow: 90°	No	6			
34	Ø20mm Elbow: 90°	No	6			
35	Pipe clamps and hangers	sum	1			
	THREADED VALVES					
36	Ø32mm isolating gate valve on cold water main pipes	No	1			
	Carried to Collection			R		+
	Section No. 3					-
	Bill No. 8 Plumbing and Drainage					
l	-					



37	Ø26mm isolating gate valve on cold water main pipes	No	2	2	
38	Ø20mm isolating gate valve on cold water main pipes	No	2	2	
39	Ø16mm isolating gate valve on cold water main pipes	No	4		
	SANITARY DRAINAGE INSTALLATION				
	These bills of quantities form part of and must be read in conjunction with the Technical Specifications and Drawings, which contain the full descriptions of the work to be done and material and equipment to be used. Unless otherwise described in these bills of quantities, reference should be made to the Technical Specifications for the full meaning of descriptions of work to be done and materials and equipment to be used in this service. All materials, equipment, fixings, brackets, etc, are to be supplied by the Contractor unless otherwise stated. SANITARY DRAINAGE PIPING HDP butt welded including electro fusion couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2:2004				
	PIPING				
40	Ø56mm	m	15		
41	Ø75mm	m	20		
42	Ø110mm	m	20		
	PIPE FITTINGS				
43	Ø56mm fitting; 90°elbow	No	30		
44	Ø110mm fitting; 45°elbow	No	7		
	Carried to Collection			R	
	Section No. 3 Bill No. 8 Plumbing and Drainage				



45	Ø110mm fitting; 95°elbow, with Ø50mm vent horn inspection	No	7		
46	Ø110mm fitting; 95°elbow, plain	No	7		
47	Ø56mm x Ø56mm x Ø56mm fitting; 90° Equal T- Piece	No	14		
48	Ø110mm x Ø110mm x Ø50mm branch fitting; 87.5° swept entry, lateral branch junction	No	7		
49	Ø110mm x Ø110mm x Ø110mm fitting; 87.5° swept entry, lateral branch junction	No	7		
50	Ø110mm x Ø56mm fitting; concentric reducer	No	2		
51	Ø110mm straight pan collars/connector	No	6		
52	Ø56mm vent one way valve	No	3		
	WASTE TRAPS				
53	50mm 'Dutton' flexi rubber "P" trap complete with coupling clamps.	No	6		
	PROVISIONAL SUM				
	Allow the amount for adjustment of Mechanical engineering services to be used at the discretion of the principal agent and deducted in whole or in part if not required:				
54	For Decommissioning and Removal of existing damaged piping and fittings including making good on chased walls and openings.		ltem		25 000.00
55	For Unblocking existing main lines		Item		15 000 00
56	For Supply and Installation of any other item not included in the bill required to complete installations.		Item		15 000.00
	Carried to Collection Section No. 3 Bill No. 8			R	
	Plumbing and Drainage				



Section No. 3		Ĩ	Ī
Bill No. 8			
Plumbing and Drainage			
COLLECTION			
	Page		Amount
Total Brought Forward from Page No.	No 112		
	113		
•	114		
	115		
	116		
	117		
Carried Forward to Summary of Section No. 3		R	
Section No. 3 Bill No. 8			
Plumbing and Drainage			



Item No		Quantity	Rate	Amount
	GENERAL PURPOSE POWER OUTLETS AND LIGHTING			
	CONDUITS			
	Supply and installation of galvanised steel conduit complete with all accessories including couplings, bending and fixings as specified:			
1	20mm - surface mounted m	10		
	CONDUIT BOXES			
	Supply and install conduit boxes complete with all accessories including conduit terminations			
2	60mm round, 25mm deep for 20mm conduit mounted flush in wall or fixed to surface No	26		
	Steel outlet boxes excluding covers:			
3	100mm x 50mm x 50mm conduit box.	3		
4	100mm x 100mm x 50mm conduit box. No	4		
	WIRING AND CONDUCTORS			
	Supply and install PVC insulated copper conductors in required colours, drawn into conduit or trunking:			
5	2.5mm² m	1 400		
6	4mm² m	600		
7	2.5mm² B.C.E.W. m	1 000		
	LIGHT SWITCHES			
	Carried to Collection		R	
	Section No. 3 Bill No. 9 Electrical Installation			
: *		.53		



8	Supply, install and connect flush mounted light switch complete with cover plate and all accessories: 16A 1 lever 1 way. LUMINAIRES	No	1		
9	Supply, install and connect luminaires mounted as specified, complete with lamps, control gear and all accessories: 18W surface mounted bulkhead LED light fitting. SOCKET OUTLETS	No	26		
10	Supply, install and connect Switched socket outlets mounted flush in wall or as specified, complete with cover plates and all accessories: 16A Double switch socket outlet (White). ISOLATORS	No	3		
11	Supply and install Isolators mounted as specified complete with cover plates and all accessories. Double pole	No	1		
	Supply, install and connect reticulation cables installed in existing sleeves.				
12	6 mm² 3-core PVC/SWA/PVC Cable	m	30		
13	6 mm ² 3-core PVC/SWA/PVC Cable Terminations	No	2		
	DISTRIBUTION BOARD				
14	Unit Distribution Board	No	1		
	Carried to Collection			R	
	Section No. 3 Bill No. 9 Electrical Installation				



Section No. 3		ĺ	
Bill No. 9			
Electrical Installation			
COLLECTION			
Total Brought Forward from Page No.	Page No 119 120		Amount
Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 9 Electrical Installation		R	



ltem No		Quantity	Rate	Amount
	SECTION NO. 10			
	BILL NO. 10			
	GLAZING			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	GLAZING TO STEEL			
	4mm Clear float glass			
1	Panes exceeding 0,1m2 and not exceeding 0,5m2	2 1		
	4mm Obscure glass			
2	Panes exceeding 0,1m2 and not exceeding 0,5m2	2 1		
	MIRRORS			
	8 mm Float glass silver backed mirror detail with bevelled edges glued to and including 16mm superwood frame fixed with chrome cupped mirror screws to wall all in accordance with Architects detail:			
3	Size 400 mm x 600 mm.	5		
	Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 10 Glazing		R	



	Hillbe	row, Fordsbu	g & Braamfoi
	Quantity	Rate	Amount
SECTION NO. 11			
BILL NO. 11			
PAINTWORK			
<u>User note</u>			
NOTE: The Tenderer is referred to the relevant Clauses in separate document Model Preambles for Trades (Edition), the Department of Public Works docume PW 371 Specification of Materials and Methods to used and to the Supplementary Preambles which incorporated at the front of these Bills of Quantities. The following finishes, including primers and	L999 nt No. be are		
subsequent coats are to be those manufactured by "Plascon Paints" and of the highest type and qualit specified.			
Plascon new work painting specification document applied when pricing work accordingly.	to be		
Attention is drawn to the measurement rules in the measuring system regarding paint colours which refollows: "4. Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and "Transparent" (in accordance with the Natural Colour System (NCS) adopted by the SA National Standard and "5. Paintwork in one colour group may be given."	ead as et our s)"		
extra over paintwork in another colour group"	i		
PAINTWORK ETC TO NEW WORK			
ON WOOD			
Carried to Collection No. 3	tion	R	
Bill No. 11 Paintwork			



	Prepare, stop and apply one coat primer and two coats Professional Eggshell Enamel paint on:					
1	General surfaces.	m2	14			
	PAINTWORK TO PREVIOUSLY PAINTED SURFACES					
	SUPPLEMENTARY PREAMBLES					
	PREPARATORY WORK TO EXISTING WORK					
	Previously painted plastered surfaces					
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth.					
	Previously painted metal surfaces					
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal					
	Previously painted wood surfaces					
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth					
	COLOURS					
	Unless otherwise described paintwork on ceilings shall be deemed to be in the "White" colour group and paintwork on all other components shall be deemed to be in the "Pastel" colour group in accordance with the Natural Colour System (NCS) adopted by the SA National Standards				1 11	
	Carried to Collection			R		-
	Section No. 3 Bill No. 11 Paintwork					



	ON FLOATED PLASTER				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth, apply one coat Plascon Professional Plaster/Gypsum Primer(PP 700) and two coats Plascon Professional Low Sheen Pure Acrylic (PEM 1000) paint on existing water based paint surfaces:				
2	On interior walls	m2	65		
3	On interior ceilings	m2	83		
	Remove any loose and flaking residue by means of wire brushing and hydro blast with equipment 200 to 300 bars, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
4	On external walls	m2	132		
	ON METAL				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth apply one coat 'Plascon Universal Undercoat' and two coats 'Plascon Velvaglo Polyurethane Enamel' paint on existing enamel based paint surfaces:				
5	Pressed steel door frames.	m2	25		
	Carried to Collection Section No. 3 Bill No. 11 Paintwork			R	_



	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
6	On gates and screens	m2	18	3	
	Spot priming bare metal surfaces, one coat alkyd based universal undercoat and two coats superior quality universal enamel paint, on work in poor condition				
7	Rainwater downpipes not exceeding 300mm girth	m	27		
	ON WOOD				
	Remove any loose and flaking residue by means of wire brushing, sand down, wash with 'Polycell Sugar Soap' or weak spirits of salts, rinse and apply one coat Plascon Oil Wood Primer (UC2/UC17) and two coats Plascon Gloss Enamel (PSB800) paint on existing enamel surfaces:				
8	On doors	m2	24		
	Carried to Collection			D	+
	Section No. 3			R	_
	Bill No. 11 Paintwork				



Section No. 3		1		Ì
Bill No. 11				
Paintwork				
COLLECTION				
Total Brought Forward from Page No.	Page No 123 124 125 126		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 11 Paintwork		R		



ltem No			Quantity	Rate	Amount
	SECTION NO. 12				
	BILL NO. 12				
	EXTERNAL WORKS				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	CONCRETE BLOCK PAVING ETC				
	Take up and remove from site existing precast concrete etc.:				
1	60mm Interlocking paving blocks .	m2	5		
	Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured)				
2	60 mm Interlocking concrete paving blocks	m2	10		
	Re-lay existing concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications				
3	Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	10		
	Carried to Collection Section No. 3 Bill No. 12 External Works			R	



	Filling under floors, steps, paving, etc.		ĺ	ĺ	1
4	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content.	m3	2		
	Compaction of surfaces				
5	Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content.	m2	15		
	Concrete paving blocks shall comply with the requirements SANS1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three months)				
6	60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SANS 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	5		
	Treatment of existing paving blocks				
7	Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	150		
	TEMPORARY CONTAINER RENTAL				
	Carried to Collection			6	-
	Section No. 3			R	
	Bill No. 12 External Works				
			-		1



** * * * * * * * * * * * * * * * * * *		1			
The following prefabricated structures have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers.					
Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels:					
Note: Site must not slope more than 200mm over the area of the temporary building units.					
3 000 x 6 000mm High unit					
Deliver container to site and removal from site upon completion	No	1			
Monthly rental	No	1			
Carried to Collection			R		
Section No. 3 Bill No. 12 External Works					
	units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers. Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels: Note: Site must not slope more than 200mm over the area of the temporary building units. 3 000 x 6 000mm High unit Deliver container to site and removal from site upon completion Monthly rental Carried to Collection Section No. 3 311 No. 12	units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers. Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels: Note: Site must not slope more than 200mm over the area of the temporary building units. 3 000 x 6 000mm High unit Deliver container to site and removal from site upon completion No Monthly rental No Carried to Collection Section No. 3 Sill No. 12	units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers. Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels: Note: Site must not slope more than 200mm over the area of the temporary building units. 3 000 x 6 000mm High unit Deliver container to site and removal from site upon completion No	units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window bilinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers. Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels: Note: Site must not slope more than 200mm over the area of the temporary building units. 3 000 x 6 000mm High unit Deliver container to site and removal from site upon completion No 1 Monthly rental No 1 Carried to Collection R	units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers. Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels: Note: Site must not slope more than 200mm over the area of the temporary building units. 3,000 x 6,000mm High unit Deliver container to site and removal from site upon completion No Monthly rental No Carried to Collection R Section No. 3 Section No. 3 II No. 12



Section No. 3		1	1	
Bill No. 12				
External Works				
COLLECTION				
Total Brought Forward from Page No.	Page No 128 129 130		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 12 External Works		R		



SECTION SUMMARY - Loveday		Ĩ	
	Page No		Amount
Preliminaries	97		
Alteration	102		
Waterproofing	105		
Carpentry and Joinery	106		
Ironmongery	109		
Metalwork	110		
Tiling	111		
Plumbing and Drainage	118		
Electrical Installation	121		
Glazing	122		
Paintwork	127		
External Works	131		
		R	
Section No. 3			
	Preliminaries Alteration Waterproofing Carpentry and Joinery Ironmongery Metalwork Tiling Plumbing and Drainage Electrical Installation Glazing Paintwork	Preliminaries 97 Alteration 102 Waterproofing 105 Carpentry and Joinery 106 Ironmongery 109 Metalwork 110 Tiling 111 Plumbing and Drainage 118 Electrical Installation 121 Glazing 122 Paintwork 127 External Works 131	Preliminaries 97 Alteration 102 Waterproofing 105 Carpentry and Joinery 106 Ironmongery 109 Metalwork 1110 Tiling 111 Plumbing and Drainage 118 Electrical Installation 121 Glazing 122 Paintwork 127 External Works 131



tem No		Amount	
	SECTION NO. 1		
	BILL NO. 1		
	PRELIMINARIES AND GENERAL		
1	Preliminaries and Generals - City Deep Heidelberg Road, City Deep (ERF 74, City Deep).		
	Carried Forward to Summary of Section No. 4		
	Section No. 4 Bill No. 1 Preliminaries		-



ltem No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO.2			
	DEMOLITIONS AND ALTERATIONS			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
1	The alterations to the electrical and air conditioning reticulation installations shall be executed by selected sub-contractors (as elsewhere provided) and the Contractor shall be responsible for the co-ordination of such work with his own.	ltem		
2	Prices for the demolition of any portion of the structure shall include for its demolition complete with all surface finishes such as plaster, screeds, etc., all attached items of joinery such as skirtings, etc. and all reinforcement, conduit, pipes, lintels, etc. built into that portion of the structure and the removal from site thereof.	ltem		
3	Prices for the removal of doors and frames shall include for the removal of fanlights, ironmongery, architraves and other associated trim.	ltem		
4	Prices for the removal of windows shall include for the removal of glass, louvres, etc. attached to the windows.	ltem		
5	The Contractor is advised to take all dimensions affecting the existing building on the site as he will be held solely responsible for all new work being of the correct size.	Item		
	Carried to Collection		R	
	Section No. 4 Bill No. 2 Alteration			



6	All sizes for building up or forming openings are net and the Contractor must allow in his prices for extra labour and material, cutting and bonding new to existing brickwork, building square jambs, building cavities solid and removing old sills as necessary, and for making good junction of new plaster with old including all extra patching to work disturbed beyond the net size of the openings, which are to be formed or built up.	Item		
7	All materials and workmanship in building up, making good etc., are to match existing and where new materials abut existing, they are to be neatly joined to same.	ltem		
8	The contractor is advised to visit the site to acquaint himself with the types of construction and finishes so that he may price "to match existing" items where called for.	ltem		
9	"Making good" existing work where disturbed or damaged shall mean the provision of the necessary new material to match existing and the necessary workmanship so that a complete and perfect restoration is achieved to the satisfaction of the Architect.	ltem		
10	"Making good" where abutting walls etc. are removed shall mean the provision of the necessary material and workmanship in filling the gaps to match surrounding finishes so that a complete and perfect surface, is obtained to the satisfaction of the Architect.	ltem		
11	The rates for "taking out", "taking down" of windows, doors etc., from brickwork to remain are to include for making good all work disturbed to match surrounding finishes.	ltem		
12	Contractor to allow for removal of rubble, accumulated rubbish on site.	Item		
	Carried to Collection Section No. 4 Bill No. 2 Alteration		R	_



	Temporary barricades, screens, roofs, etc including removal				
13	Temporary wire mesh fencing as hoarding from construction site, total hight 3m with temp partition.	m	15		
14	Extra over fencing for gate 813 x 2032mm high, including steel frame, padlock, primer and two coats paint	No	1		
	Taking down and removing roofs, floors, panelling, ceilings, partitions, etc				
15	Corrugated sheet steel roof covering and timber purlins	m2	33		
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc	11			
16	Tiles to floors	m2	10		
17	Tiles to walls	m2	11		
	Taking out and removing piping, sanitary fittings, etc, including cutting off as necessary, disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
18	Vitreous china WC pan with cistern	No	1		
19	Vitreous china wash hand basin, including short lengths of piping, etc	No	1		
20	Urinal bowl fixed to walls.	No	1		
	MAKING GOOD OF FINISHES, ETC				
	Carried to Collection Section No. 4 Bill No. 2 Alteration			R	



	Treatment of existing tiles				
21	Existing tiled floors to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	66	5	
22	Existing tiled walls to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	227	7	
	Treatment of existing painted and face brick walls				
23	Existing face and painted walls to be powerwashed with high pressure water including soap. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	92		
	Making good cement screeds				
24	25mm Thick on floors in patches	m2	1		
	Making good gypsum plasterboard ceilings and timber brandering				
25	Ceilings in patches	m2	2		
	Making good internal cement plaster				
26	Walls in patches	m2	7		
	Carried to Collection			R	-
	Section No. 4				+
	Bill No. 2 Alteration				



Section No. 4				Ï
Bill No. 2				
Alteration				
COLLECTION				
Total Brought Forward from Page No.	Page No 134 135 136 137		Amount	
Carried Forward to Summary of Section No. 4		R		
Section No. 4 Bill No. 2 Alteration				_



Item Quantity Rate Amount **SECTION NO. 3 BILL NO 3 ROOF COVERINGS** User note NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. Where battens for roof coverings form part of the plate nailed timber roof truss design it shall be included under the roof construction in the "Carpentry and Joinery" trade and not under this trade PROFILED METAL SHEETING AND ACCESSORIES **Carried to Collection** Section No. 4 Bill No. 3 **Roof Covering**

No



<u>User note</u>					
Profiled metal sheeting is available in various thicknesses					
Usually Z275 spelter galvanising is used in inland areas and Z600 spelter galvanising for coastal areas. However galvanised sheeting is generally not used in coastal areas					
When the pitch of troughed roof covering is less than 5 degrees or if dustproofing is required then the description of roof coverings "with side laps sealed" is to be used					
Where roof coverings are fixed on top of rigid board insulation to purlins etc they are to be described as such					
Note that besides galvanised steel, sheeting is also available in corten steel, stainless steel, copper and aluminium					
0,5mm Z275 spelter galvanised corrugated sheet steel and accessories, fixed to timber purlins or rails					
Roof covering with pitches not exceeding 25 degrees	m2	33			
Ridge cap 550 mm girth three times bent and notched on site to suit roof profile.	m	13			
Headwall flashing 375 mm girth two times bent and notched on site to suit roof profile.	m	19			
SERVICING OF EXISTING STEEL ROOFS					
Contractors to check all flashings and roof coverings to locate leaks and allow for replacement of flashing and cleaning of existing gutters and downpipes as required.				1	
Roof covering with pitches not exceeding 25 degrees	m2	33			
Carried to Collection			R		
Section No. 4 Bill No. 3 Roof Covering					
J	ļ			l.	Į.



Section No. 4			
Bill No. 3			
Roof Covering			
COLLECTION			
Total Brought Forward from Page No.	Page No 139 140		Amount
Coming Forward to Survey and Complete No. 4			
Carried Forward to Summary of Section No. 4 Section No. 4 Bill No. 3 Roof Covering		R	



lem No			Quantity	Rate	Amount
	SECTION NO. 4				
	BILL NO 4				
	CARPENTRY AND JOINERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	SUPPLEMENTARY PREAMBLES				
	DOORS ETC				
	SUPPLEMENTARY PREAMBLES				
	SEMI- SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES				
1	40 mm Door size 813 mm x 2032 mm with commercial veneer backing.	No	2		
		NO	2		
2	40 mm Door size 912 mm \times 2955 mm with commerial veneer.	No	1		
	SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES				
3	40 mm Door size 813 mm x 2032 mm with commercial veneer.	No	1		
	Carried Forward to Summary of Section No. 4			R	
	Section No. 4 Bill No. 4 Carpentry and Joinery				



ltem No			Quantity	Rate	Amount
	SECTION NO. 5				
	BILL NO.5				
	IRONMONGERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	NOTE: Prices are to include for fixing ironmongery to softwood, hardwood or pressed metal door frames, etc.				
	Locks and furniture:				
ĵ	Supply (PC : R300) and installation of mortice lock and furniture.	No	1		
2	Supply (PC : R200) and installation of door handle.	No	18		
3	Supply (PC : R450) and installation of WC indicator bolt.	No	8		
4	Supply (PC: R50) and installation of door stop plugged and screwed to brickwork or concrete.	No	9		
5	Supply (PC : R2500) and installation of door closer fixed to frame.	No	1		
	Supply and fix the following ironmongery:				
6	32 mm Diameter stainless steel rear grab rail (Code SR2) from Chairman Industries bolted to wall with 6 mm diameter stainless steel bolts, all as the manufacturer's instructions.	No	1		
	Carried to Collection			R	
	Section No. 4 Bill No. 5 Ironmongery				



7	32 mm Diameter stainless steel side grab rail (Code DL2) from Chairman Industries ditto.	No	1		
	Carried to Collection			R	_
	Section No. 4 Bill No. 5 Ironmongery				



Section No. 4		Ĩ	1
Bill No. 5			
Ironmongery			
COLLECTION			
Total Brought Forward from Page No.	Page No 143		Amount
Carried Forward to Summary of Section No. 4		R	
Section No. 4 Bill No. 5 Ironmongery			



item No			Quantity	Rate	Amount	
	SECTION NO. 6					
	BILL NO. 6					
	METALWORK					
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.					
	STEEL WELDED SCREENS, GATES, ETC					
	Screens and gates					
1	Service gate size 900 x 2100mm high including repairs to hinges, sliding bolt and locks etc.	No	1			
2	Service steel 900 x 2100mm entrance doors including grinding off welded shut locks, repairs to hinges, locks etc.	No	1			
	Carried Forward to Summary of Section No. 4			R		_
	Section No. 4 Bill No. 6 Metalwork					
	MEIGINOIN					



ltem No			Quantity	Rate	Amount
	SECTION NO. 7				
	BILL NO. 7				
	TILING				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	WALL TILES				
	Ceramic tiles (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall tile grout including all square cutting and waste to:				
1	Walls.	m2	3		
2	Walls in narrow widths not exceeding 300mm.	m2	1		
	FLOOR TILES				
	Ceramic floor tiles (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor tile grout including all square cutting and waste to:				
3	Floors.	m2	10		
	Carried Forward to Summary of Section No. 4 Section No. 4 Bill No. 7 Tiling			R	



ltem No		Quantity	Rate	Amount
	SECTION NO. 8			
	BILL NO. 8			
	PLUMBING AND DRAINAGE			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	RAINWATER DISPOSAL			
	Gratings, covers, etc			
Ī	Precast concrete stormwater inlet 370mm x 600mm frame	1		
	SANITARY FITTINGS			
	Wash Hand Basins			
2	Surface mounted 500mm x 500mm white glazed semi- recessed wash hand vanity basin (PC: R 1000) with single tap hole complete with single lever tap (PC: R500) and including angle valves and chrome connectors including pop up waste, connected in position complete with an approved waterproof sealer.	1		
	Toilets			
3	Close-coupled WC suite (PC : R1 500) comprising pan with double flap heavy duty wooden seat and matching 9 litre cistern.	1		
	Carried to Collection		R	
	Section No. 4 Bill No. 8 Plumbing and Drainage			



4	Paraplegic close-coupled WC suite (PC : R4 000) comprising pan with matching 9 litre cistern and purpose made CP side flush lever (left or right) supplied with purpose made urea seat and cover plate.	No	1		
	Bowl Urinals				
5	Stainless bowl urinal (PC: 1500) including hanger brackets, trap and associated parts fitted complete including urinal flush valve with shut of valve including all necessary connections to urinal.	No	1		
	Taps				
6	Supply and installation of tap (PC R300)	No	1		
	SOIL DRAINAGE				
	Extra over heavy duty (Class 34) 110mm diameter uPVC sewer and drain pipes for fittings				
7	Roding eye cover oval	No	1		
8	450 x 450mm non metallic manhole cover	No	1		
	REPAIR AND MAINTENANCE				
9	Service existing Water Closet pan and cistern including unblocking if required and supply new lids to cisterns and toilet seats.	No	6		
0	Service existing Wash Hand Basin including unblocking if required.	No	4		
1	Service existing urinal including flush mechanism including unblocking if required.	No	3		
	Carried to Collection			R	
	Section No. 4 Bill No. 8 Plumbing and Drainage				



Section No. 4				ĺ
Bill No. 8				
Plumbing and Drainage				
COLLECTION				
Total Brought Forward from Page No.	Page No 148 149		Amount	
				_
Carried Forward to Summary of Section No. 4		R		_
Section No. 4 Bill No. 8 Plumbing and Drainage				
		1 1	1	



ltem No		Quantity	Rate	Amount
	GENERAL PURPOSE POWER OUTLETS AND LIGHTING			
	CONDUITS			
	Supply and installation of galvanised steel conduit complete with all accessories including couplings, bending and fixings as specified:			
1	20mm - surface mounted m	20		
	CONDUIT BOXES			
	Supply and install conduit boxes complete with all accessories including conduit terminations			
2	60mm round, 25mm deep for 20mm conduit mounted flush in wall or fixed to surface No	14		
	Steel outlet boxes excluding covers:			
3	100mm x 50mm x 50mm conduit box.	1		
4	100mm x 100mm x 50mm conduit box. No	1		
	WIRING AND CONDUCTORS			
	Supply and install PVC insulated copper conductors in required colours, drawn into conduit or trunking:			
5	2.5mm² m	1 200		
6	4mm² m	600		
7	2.5mm² B.C.E.W. m	900		
	LIGHT SWITCHES			
	Carried to Collection		R	
	Section No. 4 Bill No. 9			
	Electrical Installation			
I				



8	Supply, install and connect flush mounted light switch complete with cover plate and all accessories: 16A 1 lever 1 way. LUMINAIRES	No	1		
9	Supply, install and connect luminaires mounted as specified, complete with lamps, control gear and all accessories: 18W surface mounted bulkhead LED light fitting. SOCKET OUTLETS	No	14		
10	Supply, install and connect Switched socket outlets mounted flush in wall or as specified, complete with cover plates and all accessories: 16A Double switch socket outlet (White).	No	1		
11	Supply and install Isolators mounted as specified complete with cover plates and all accessories. Double pole	No	1		
	UNIT SUPPLY CABLE Supply, install and connect reticulation cables installed in existing sleeves.				
12	6 mm² 3-core PVC/SWA/PVC Cable	m	30		
13	6 mm ² 3-core PVC/SWA/PVC Cable Terminations	No	2		
	DISTRIBUTION BOARD				
14	Unit Distribution Board	No	1		
	Carried to Collection			R	
	Section No. 4 Bill No. 9 Electrical Installation				



Section No. 4			Î Î
Bill No. 9			
Electrical Installation			
COLLECTION			
Total Brought Forward from Page No.	Page No 151 152		Amount
			=:
Carried Forward to Summary of Section No. 4		R	
Section No. 4 Bill No. 9 Electrical Installation			



ltem No		Quantity	Rate	Amount
	SECTION NO. 10			
	BILL NO. 10			
	GLAZING			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	GLAZING TO STEEL			
	4mm Obscure glass			
1	Panes exceeding 0,1m2 and not exceeding 0,5m2 m2	1		
	MIRRORS			
	8 mm Float glass silver backed mirror detail with bevelled edges glued to and including 16mm superwood frame fixed with chrome cupped mirror screws to wall all in accordance with Architects detail:			
2	Size 400 mm x 600 mm. No	4		
	Carried Forward to Summary of Section No. 4		R	
	Section No. 4 Bill No. 10 Glazing			



ltem No		Quantity	Rate	Amount
	SECTION NO. 11			
	BILL NO. 11			
	<u>PAINTWORK</u>			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. The following finishes, including primers and subsequent coats are to be those manufactured by "Plascon Paints" and of the highest type and quality specified. Plascon new work painting specification document to be applied when pricing work accordingly. Attention is drawn to the measurement rules in the measuring system regarding paint colours which read as follows: "4. Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and "Transparent" (in accordance with the Natural Colour System (NCS) adopted by the SA National Standards)" and "5. Paintwork in one colour group may be given as			
	extra over paintwork in another colour group" PAINTWORK ETC TO NEW WORK			
	ON WOOD			
	Carried to Collection		R	
	Section No. 4 Bill No. 11 Paintwork			



Prepare, stop and apply one coat primer and two coats Professional Eggshell Enamel paint on:				
General surfaces.	m2	14	1	
PAINTWORK TO PREVIOUSLY PAINTED SURFACES				
SUPPLEMENTARY PREAMBLES				
PREPARATORY WORK TO EXISTING WORK				
Previously painted plastered surfaces				
Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth				
Previously painted metal surfaces				
Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal				
Previously painted wood surfaces				
Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth				
COLOURS				
Unless otherwise described paintwork on ceilings shall be deemed to be in the "White" colour group and paintwork on all other components shall be deemed to be in the "Pastel" colour group in accordance with the Natural Colour System (NCS) adopted by the SA National Standards				
Carried to Collection			R	_
Section No. 4 Bill No. 11 Paintwork				-

1



	ON FLOATED PLASTER				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth, apply one coat Plascon Professional Plaster/Gypsum Primer(PP 700) and two coats Plascon Professional Low Sheen Pure Acrylic (PEM 1000) paint on existing water based paint surfaces:				
2	On interior walls	m2	57		
3	On interior ceilings	m2	66		
	Remove any loose and flaking residue by means of wire brushing and hydro blast with equipment 200 to 300 bars, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
4	On external walls	m2	92		
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth apply one coat 'Plascon Universal Undercoat' and two coats 'Plascon Velvaglo Polyurethane Enamel' paint on existing enamel based paint surfaces:				
5	Doors	m2	4		
6	Pressed steel door frames.	m2	20		
	Carried to Collection Section No. 4 Bill No. 11			R	_
	Paintwork				



	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
7	On gates and screens	m2	157		
	Spot priming bare metal surfaces, one coat alkyd based universal undercoat and two coats superior quality universal enamel paint, on work in poor condition				
8	Rainwater downpipes not exceeding 300mm girth	m	36		
	ON WOOD				
	Remove any loose and flaking residue by means of wire brushing, sand down, wash with 'Polycell Sugar Soap' or weak spirits of salts, rinse and apply one coat Plascon Oil Wood Primer (UC2/UC17) and two coats Plascon Gloss Enamel (PSB800) paint on existing enamel surfaces:				
9	On doors	m2	17		
	1				
	Carried to Collection			R	-
	Section No. 4 Bill No. 11 Paintwork				



Section No. 4	1			
Bill No. 11				
Paintwork				
COLLECTION				
COLLECTION Total Brought Forward from Page No.	Page No 155 156 157 158		Amount	
Carried Forward to Summary of Section No. 4		R		
Section No. 4 Bill No. 11 Paintwork				



		Quantity	Rate	Amount
SECTION NO. 12				
BILL NO. 12				
EXTERNAL WORKS				
NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
CONCRETE BLOCK PAVING ETC				
Take up and remove from site existing precast concrete etc.:				
60mm Interlocking paving blocks .	m2	6		
Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured)				
60 mm Interlocking concrete paving blocks	m2	11		
Re-lay existing concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications				
Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	11		
Carried to Collection Section No. 4 Bill No. 12 External Works			R	
	EXTERNAL WORKS NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. CONCRETE BLOCK PAVING ETC Take up and remove from site existing precast concrete etc.: 60mm Interlocking paving blocks . Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured) 60 mm Interlocking concrete paving blocks Re-lay existing concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks. Carried to Collection Section No. 4 Bill No. 12	BILL NO. 12 EXTERNAL WORKS NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999) Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. CONCRETE BLOCK PAVING ETC Take up and remove from site existing precast concrete etc.: 60mm Interlocking paving blocks . m2 Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured) 60 mm Interlocking concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks. m2 Carried to Collection Section No. 4 Bill No. 12	SECTION NO. 12 BILL NO. 12 EXTERNAL WORKS NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. CONCRETE BLOCK PAVING ETC Take up and remove from site existing precast concrete etc.: 60mm Interlocking paving blocks . m2 6 Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured) 60 mm Interlocking concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks. m2 11 Carried to Collection Section No. 4 Bill No. 12	SECTION NO. 12 BILL NO. 12 EXTERNAL WORKS NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. CONCRETE BLOCK PAVING ETC Take up and remove from site existing precast concrete etc.: 60mm Interlocking paving blocks . m2 6 Remove and set-aside existing concrete paving blocks (re-instale elsewhere measured) 60 mm Interlocking concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks. m2 11 Carried to Collection R Section No. 4 Bill No. 12



Filling under floors, steps, paving, etc.			ľ		
Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content.	m3	3			
Compaction of surfaces					
Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content.	m2	17			
Concrete paving blocks shall comply with the requirements SANS1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three months)					
60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SANS 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	6			
<u>Treatment of existing paving blocks</u>					
Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	61			
TEMPORARY CONTAINER RENTAL					
		и			
Carried to Collection			R		-
	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content. Compaction of surfaces Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content. Concrete paving blocks shall comply with the requirements SANS1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three months) 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SANS 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks. Treatment of existing paving blocks Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas. TEMPORARY CONTAINER RENTAL Carried to Collection Section No. 4 Bill No. 12	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content. Compaction of surfaces Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content. Concrete paving blocks shall comply with the requirements \$AN\$1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three months) 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SAN\$ 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks. Treatment of existing paving blocks Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas. TEMPORARY CONTAINER RENTAL Carried to Collection Section No. 4 Bill No. 12	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content. Compaction of surfaces Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content. Concrete paving blocks shall comply with the requirements SANS1058:2012 edition specifications (Paving to be inspected and re-sand grouted affer three months) 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SANS 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks. Treatment of existing paving blocks Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas. Carried to Collection Section No. 4 Bill No. 12	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content. m3 3 Compaction of surfaces Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content. m2 17 Concrete paving blocks shall comply with the requirements 3ANS1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three months) 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SANS 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks. m2 6 Treatment of existing paving blocks Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas. m2 61 TEMPORARY CONTAINER RENTAL	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content. M3 3 Compaction of surfaces Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content. m2 17 Concrete paving blocks shall comply with the requirements \$AN\$1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three monifish) 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SAN\$ 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks. Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas. M2 61 TEMPORARY CONTAINER RENTAL Carried to Collection R Section No. 4 Bill No. 12



	General				
	The following prefabricated structures have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers.				
	Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels:				
	Note: Site must not slope more than 200mm over the area of the temporary building units.				
	3 000 x 6 000mm High unit				
8	Deliver container to site and removal from site upon completion	No	1		
9	Monthly rental	No	2		
	Carried to Collection			R	
	Section No. 4 Bill No. 12 External Works				



Section No. 4				Ī
Bill No. 12				
External Works				
COLLECTION				
Total Brought Forward from Page No.	Page No 160 161		Amount	
	,02			-
Carried Forward to Summary of Section No. 4		R		
Section No. 4 Bill No. 12 External Works				



	SECTION SUMMARY - City Deep			
Bill No		Page No		Amount
1	Preliminaries	133		
2	Alteration	138		
3	Roof Covering	141		
4	Carpentry and Joinery	142		
5	Ironmongery	145		
6	Metalwork	146		
7	Tiling	147		
8	Plumbing and Drainage	150		
9	Electrical Installation	153		
10	Glazing	154		
11	Paintwork	159		
12	External Works	163		
	Carried to Final Summary		R	
	Section No. 4		IX.	



ltem No		Amount	Ì
	SECTION NO. 1		
	BILL NO. 1		
	PRELIMINARIES AND GENERAL		
1	Preliminaries and Generals - Malvern Corner 31st & Jules Street, Malvern (ERF 460, Malvern).		
	Carried Forward to Summary of Section No. 5		
	Section No. 5 Bill No. 1 Preliminaries		



ltem No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO.2			
	DEMOLITIONS AND ALTERATIONS			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
ī	The alterations to the electrical and air conditioning reticulation installations shall be executed by selected sub-contractors (as elsewhere provided) and the Contractor shall be responsible for the co-ordination of such work with his own.	Item		
2	Prices for the demolition of any portion of the structure shall include for its demolition complete with all surface finishes such as plaster, screeds, etc., all attached items of joinery such as skirtings, etc. and all reinforcement, conduit, pipes, lintels, etc. built into that portion of the structure and the removal from site thereof.	ltem		
3	Prices for the removal of doors and frames shall include for the removal of fanlights, ironmongery, architraves and other associated trim.	ltem		
4	Prices for the removal of windows shall include for the removal of glass, louvres, etc. attached to the windows.	ltem		
5	The Contractor is advised to take all dimensions affecting the existing building on the site as he will be held solely responsible for all new work being of the correct size.	ltem		
	Carried to Collection		R	
	Section No. 5 Bill No. 2 Alteration			



6	All sizes for building up or forming openings are net and the Contractor must allow in his prices for extra labour and material, cutting and bonding new to existing brickwork, building square jambs, building cavities solid and removing old sills as necessary, and for making good junction of new plaster with old including all extra patching to work disturbed beyond the net size of the openings, which are to be formed or built up.	lten		
7	All materials and workmanship in building up, making good etc., are to match existing and where new materials abut existing, they are to be neatly joined to same.	Item	1	
8	The contractor is advised to visit the site to acquaint himself with the types of construction and finishes so that he may price "to match existing" items where called for.	ltem	1	
9	"Making good" existing work where disturbed or damaged shall mean the provision of the necessary new material to match existing and the necessary workmanship so that a complete and perfect restoration is achieved to the satisfaction of the Architect.	ltem		
10	"Making good" where abutting walls etc. are removed shall mean the provision of the necessary material and workmanship in filling the gaps to match surrounding finishes so that a complete and perfect surface, is obtained to the satisfaction of the Architect.	ltem		
11	The rates for "taking out", "taking down" of windows, doors etc., from brickwork to remain are to include for making good all work disturbed to match surrounding finishes.	ltem		
12	Contractor to allow for removal of rubble, accumulated rubbish on site.	Item		
	Carried to Collection		R	
	Section No. 5 Bill No. 2 Alteration			



	Temporary barricades, screens, roofs, etc including removal				
13	Temporary wire mesh fencing as hoarding from construction site, total hight 3m with temp partition.	m	1		
14	Extra over fencing for gate 813 x 2032mm high, including steel frame, padlock, primer and two coats paint	No	1		
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
15	Tiles to floors	m2	8		
16	Tiles to walls	m2	9		
	Taking out and removing piping, sanitary fittings, etc, including cutting off as necessary, disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
17	Vitreous china WC pan with cistern	No	1		
18	Vitreous china wash hand basin, including short lengths of piping, etc	No	1		
19	Urinal bowl fixed to walls.	No	1		
	MAKING GOOD OF FINISHES, ETC				
	Treatment of existing tiles				
20	Existing tiled floors to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	50		
	Carried to Collection			R	
	Section No. 5 Bill No. 2 Alteration				



21	Existing tiled walls to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	189		
	Treatment of existing painted and face brick walls				
22	Existing face and painted walls to be powerwashed with high pressure water including soap. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	123		
	Making good cement screeds				
23	25mm Thick on floors in patches	m2	1		
	Making good gypsum plasterboard ceilings and timber brandering				
24	Ceilings in patches	m2	2		
	Making good internal cement plaster				
25	Walls in patches	m2	6		
	Carried to Collection			R	
	Section No. 5 Bill No. 2 Alteration				



Section No. 5		1	1	
Bill No. 2				
Alteration				
COLLECTION				
COLLECTION Total Brought Forward from Page No.	Page No 166 167 168 169		Amount	
Carried Forward to Summary of Section No. 5		R		-
Section No. 5 Bill No. 2 Alteration		K		=



item No		Quantity	Rate	Amount
	SECTION NO. 3			
	BILL NO 3			
	ROOF COVERINGS			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. Where battens for roof coverings form part of the plate			
	nailed timber roof truss design it shall be included under the roof construction in the "Carpentry and Joinery" trade and not under this trade			
	PROFILED METAL SHEETING AND ACCESSORIES			
	Carried to Collection		R	
	Section No. 5 Bill No. 3 Roof Covering			



	<u>User note</u>				1	
	Profiled metal sheeting is available in various thicknesses					
	Usually Z275 spelter galvanising is used in inland areas and Z600 spelter galvanising for coastal areas. However galvanised sheeting is generally not used in coastal areas		¥2.			
	When the pitch of troughed roof covering is less than 5 degrees or if dustproofing is required then the description of roof coverings "with side laps sealed" is to be used					
	Where roof coverings are fixed on top of rigid board insulation to purlins etc they are to be described as such					
	Note that besides galvanised steel, sheeting is also available in corten steel, stainless steel, copper and aluminium					
	0.5mm Z275 spelter galvanised corrugated sheet steel and accessories, fixed to timber purlins or rails					
	Roof covering with pitches not exceeding 25 degrees	m2	20			
	Headwall flashing 375 mm girth two times bent and notched on site to suit roof profile.	m	10			
	SERVICING OF EXISTING STEEL ROOFS					
	Contractors to check all flashings and roof coverings to locate leaks and allow for replacement of flashing and cleaning of existing gutters and downpipes as required.					
	Roof covering with pitches not exceeding 25 degrees	m2	50			
	Comita d A. Calla d'					
	Carried to Collection			R		
	Section No. 5 Bill No. 3 Roof Covering					
1		J	J.		Į.	

1

2

3



Section No. 5	1		1
Bill No. 3			
Roof Covering			
COLLECTION			
Total Brought Forward from Page No.	Page No 171 172		Amount
	li de		
Carried Forward to Summary of Section No. 5 Section No. 5 Bill No. 3 Roof Covering		R	



ltem No		Quantity	Rate	Amount
	SECTION NO. 4			
	BILL NO 4			
	CARPENTRY AND JOINERY			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	SUPPLEMENTARY PREAMBLES			
	DOORS ETC			
	SUPPLEMENTARY PREAMBLES			
	SEMI- SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES			
1	40 mm Door size 813 mm x 2032 mm with commercial veneer backing.	1		
2	40 mm Door size 912 mm x 2955 mm with commerial veneer. No	1		
	Carried Forward to Summary of Section No. 5		R	
	Section No. 5 Bill No. 4 Carpentry and Joinery			



ltem No			Quantity	Rate	Amount
	SECTION NO. 5				
	BILL NO.5				
	IRONMONGERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	NOTE: Prices are to include for fixing ironmongery to softwood, hardwood or pressed metal door frames, etc.				
	Locks and furniture:				
1	Supply (PC : R200) and installation of door handle.	No	16		
2	Supply (PC : R450) and installation of WC indicator bolt.	No	8		
3	Supply (PC: R50) and installation of door stop plugged and screwed to brickwork or concrete.	No	8		
4	Supply (PC : R2500) and installation of door closer fixed to frame.	No	1		
	Supply and fix the following ironmongery:				
5	32 mm Diameter stainless steel rear grab rail (Code SR2) from Chairman Industries bolted to wall with 6 mm diameter stainless steel bolts, all as the manufacturer's instructions.	No	1		
6	32 mm Diameter stainless steel side grab rail (Code DL2) from Chairman Industries ditto.	No	1		
	Carried Forward to Summary of Section No. 5 Section No. 5 Bill No. 5 Ironmongery			R R	



ltem No		Quantity	Rate	Amount
	SECTION NO. 6			
	BILL NO. 6			
	METALWORK			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	STEEL WELDED SCREENS, GATES, ETC			
	Screens and gates			
1	Service steel 900 x 2100mm entrance doors including grinding off welded shut locks, repairs to hinges, locks etc.	3		
2	Service palisade gate 1400 x 2100mm including repairs to hinges, sliding bolt and locks etc.	1		
	Carried Forward to Summary of Section No. 5		R	
	Section No. 5 Bill No. 6 Metalwork		1	
1		1 1	I	



ltem No			Quantity	Rate	Amount
	SECTION NO. 7				
	BILL NO. 7				
	TILING				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	WALL TILES				
	Ceramic tiles (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall tile grout including all square cutting and waste to:				
1	Walls.	m2	3		
2	Walls in narrow widths not exceeding 300mm.	m2	1		
	Ceramic floor tiles (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor tile grout including all square cutting and waste to:				
3	Floors.	m2	8		
	Carried to Collection Section No. 5 Bill No. 7 Tilling			R	



4	Riser 170 mm high.	m	1		
	DIVIDING STRIPS				
5	M. Trim stainless steel square edge trim SQE0800 as supplied by Kirk Marketing as external corner to tiling.	m	1		
	Carried to Collection			R	_
	Section No. 5 Bill No. 7 Tiling				



Section No. 5		Ï	
Bill No. 7			
Tiling			
COLLECTION			
Total Brought Forward from Page No.	Page No 177 178		Amount
·			
Carried Forward to Summary of Section No. 5		R	
Section No. 5 Bill No. 7 Tiling			



ltem No			Quantity	Rate	Amount
	SECTION NO. 8				
	BILL NO. 8				
	PLUMBING AND DRAINAGE				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	RAINWATER DISPOSAL				
	Gratings, covers, etc				
1	Precast concrete stormwater inlet 370mm x 600mm frame	No	1		
	SANITARY FITTINGS				
	Wash Hand Basins				
2	Surface mounted 500mm x 500mm white glazed semi- recessed wash hand vanity basin (PC: R 1000) with single tap hole complete with single lever tap (PC: R500) and including angle valves and chrome connectors including pop up waste, connected in position complete with an approved waterproof sealer.	No	1		
	<u>Toilets</u>				
3	Close-coupled WC suite (PC : R1 500) comprising pan with double flap heavy duty wooden seat and matching 9 litre cistern.	No	1		
	Carried to Collection			R	
	Section No. 5 Bill No. 8 Plumbing and Drainage				



4	Paraplegic close-coupled WC suite (PC: R4 000) comprising pan with matching 9 litre cistern and purpose made CP side flush lever (left or right) supplied with purpose made urea seat and cover plate.	No	1	1	
	Bowl Urinals				
5	Stainless bowl urinal (PC : 1500) including hanger brackets, trap and associated parts fitted complete including urinal flush valve with shut of valve including all necessary connections to urinal.	No	1		
	Taps				
6	Supply and installation of tap (PC R300)	No	1		
	SOIL DRAINAGE				
	Extra over heavy duty (Class 34) 110mm diameter uPVC sewer and drain pipes for fittings				
7	Roding eye cover oval	No	1		
	REPAIR AND MAINTENANCE				
8	Service existing Water Closet pan and cistern including unblocking if required and supply new lids to cisterns and toilet seats.	No	6		
9	Service existing Wash Hand Basin including unblocking if required.	No	4		
0	Service existing urinal including flush mechanism including unblocking if required.	No	3		
	Carried to Collection			R	
	Section No. 5 Bill No. 8 Plumbing and Drainage				



	COLD WATER RETICULATION INSTALLATION				
	All rates supplied in this Bill of Quantities will be deemed to include scaffolding to any height and fixing of cold and hot water pipes up to and including roof height. All pipes suspended from concrete slabs, roof, ceiling, etc. shall be deemed to include in the rates, all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete slab. For the complete supply, delivery and installation of supply piping, as specified, piping to include piping between geysers on roof. All cold and hot water pipes are to be chased into walls except where pipes are to be surface-mounted on wall face or run in ceiling voids or inside ducts, and fixed with standard type pipe saddlers and brackets at 1000mm maximum.				
	Supply and install Pexial Pex multilayer pipes in compliance with SANS ISO 15874				
11	Ø32mm pipe	m	10)	
12	Ø26mm pipe	m	3	,	
13	Ø20mm pipe	m	3		
14	Ø16mm pipe	m	3		
	<u>FITTINGS</u>				
	Supply and install PP-R multilayer faser fibre pipes in compliance with SANS ISO 15874 part 2 PN 20 SDR 7.4 Blue and Red colour – 20 x 2.8mm capillary brass threaded type fittings.				
15	Ø16mm Equal T-piece	No	4		
16	Ø20mm Equal T-piece	No	4		
17	Ø26mm Equal T-piece	No	4		
	Carried to Collection			R	
	Section No. 5 Bill No. 8 Plumbing and Drainage				



	II.	31	Y	2	į.
18	Ø32mm Equal T-piece	No	4		
19	Ø20mm Ø20mm Ø16mm UN-Equal T-piece	No	4		
20	Ø26mm Ø26mm Ø20mm Equal T-piece	No	4		
21	Ø32mm Ø36mm Ø26mm UN-Equal T-piece	No	6		
22	Reducer: Ø32mm x Ø26mm	No	6		
23	Reducer: Ø26mm x Ø20mm	No	6		
24	Reducer: Ø20mm x Ø16mm	No	6		
25	Reducer: Ø32mm x Ø26mm	No	6		
26	Ø50mm Female couplings	No	6		
27	Ø40mm Female couplings	No	6		
28	Ø32mm Female couplings	SUM	5		
29	Ø26mm Female couplings	No	5		
30	Ø20mm Female couplings	No	5		
31	Ø16mm Female couplings	No	5		
32	Ø32mm Elbow: 90°	No	5		
33	Ø26mm Elbow: 90°	No	6		
34	Ø20mm Elbow: 90°	No	6		
35	Pipe clamps and hangers	SUM	1		
	THREADED VALVES				
36	Ø32mm isolating gate valve on cold water main pipes	No	1		
				,	
	Carried to Collection			R	
	Section No. 5			-	\vdash
	Bill No. 8 Plumbing and Drainage				



37	Ø26mm isolating gate valve on cold water main pipes	No	2	2	
38	Ø20mm isolating gate valve on cold water main pipes	No	2	2	
39	Ø16mm isolating gate valve on cold water main pipes	No	2	1	
	SANITARY DRAINAGE INSTALLATION				
	These bills of quantities form part of and must be read in conjunction with the Technical Specifications and Drawings, which contain the full descriptions of the work to be done and material and equipment to be used. Unless otherwise described in these bills of quantities, reference should be made to the Technical Specifications for the full meaning of descriptions of work to be done and materials and equipment to be used in this service. All materials, equipment, fixings, brackets, etc, are to be supplied by the Contractor unless otherwise stated. SANITARY DRAINAGE PIPING HDP butt welded including electro fusion couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2:2004				
	PIPING				
40	Ø56mm	m	15		
41	Ø75mm	m	20		
42	Ø110mm	m	20		
	PIPE FITTINGS				
43	Ø56mm fitting; 90°elbow	No	30		
44	Ø110mm fitting; 45°elbow	No	7		
	Carried to Collection			R	
	Section No. 5 Bill No. 8 Plumbing and Drainage				



45	Ø110mm fitting; 95°elbow, with Ø50mm vent horn inspection	No	7			
46	Ø110mm fitting; 95°elbow, plain	No	7			
47	Ø56mm x Ø56mm x Ø56mm fitting; 90° Equal T- Piece	No	14			
48	Ø110mm x Ø110mm x Ø50mm branch fitting; 87.5° swept entry, lateral branch junction	No	7			
49	Ø110mm x Ø110mm x Ø110mm fitting; 87.5° swept entry, lateral branch junction	No	7			
50	Ø110mm x Ø56mm fitting; concentric reducer	No	2			
51	Ø110mm straight pan collars/connector	No	6			
52	Ø56mm vent one way valve	No	3			
	WASTE TRAPS					
53	50mm 'Dutton' flexi rubber "P" trap complete with coupling clamps.	No	6			
	PROVISIONAL SUM					
	Allow the amount for adjustment of Mechanical engineering services to be used at the discretion of the principal agent and deducted in whole or in part if not required:					
54	For Decommissioning and Removal of existing damaged piping and fittings including making good on chased walls and openings.		ltem			25 000.00
55	For Unblocking existing main lines		ltem			15 000.00
56	For Supply and Installation of any other item not included in the bill required to complete installations.		Item		¥0	15 000.00
	Carried to Collection			R		
	Section No. 5 Bill No. 8 Plumbing and Drainage					



Section No. 5				
Bill No. 8				
Plumbing and Drainage				
COLLECTION				
Total Brought Forward from Page No.	Page No 180 181 182 183 184 185		Amount	
			,	
Carried Forward to Summary of Section No. 5		R		
Section No. 5 Bill No. 8 Plumbing and Drainage				



ltem No		Quantity	Rate	Amount	
	GENERAL PURPOSE POWER OUTLETS AND LIGHTING				
	CONDUITS				
	Supply and installation of galvanised steel conduit complete with all accessories including couplings, bending and fixings as specified:				
1	20mm - surface mounted m	20			
	CONDUIT BOXES				
	Supply and install conduit boxes complete with all accessories including conduit terminations				
2	60mm round, 25mm deep for 20mm conduit mounted flush in wall or fixed to surface No	12			
	Steel outlet boxes excluding covers:				
3	100mm x 50mm x 50mm conduit box.	1			
4	100mm x 100mm x 50mm conduit box. No	1			
	WIRING AND CONDUCTORS				
	Supply and install PVC insulated copper conductors in required colours, drawn into conduit or trunking:				
5	2.5mm² m	1 400			
6	4mm² m	400			
7	2.5mm² B.C.E.W. m	900			
	LIGHT SWITCHES				
					_
	Carried to Collection		R		
	Section No. 5 Bill No. 9				= [
	Electrical Installation				



8	Supply, install and connect flush mounted light switch complete with cover plate and all accessories: 16A 1 lever 1 way. LUMINAIRES Supply, install and connect luminaires mounted as	No	1		
9	specified, complete with lamps, control gear and all accessories: 18W surface mounted bulkhead LED light fitting. SOCKET OUTLETS	No	12		
10	Supply, install and connect Switched socket outlets mounted flush in wall or as specified, complete with cover plates and all accessories: 16A Double switch socket outlet (White). ISOLATORS	No	1		
11	Supply and install Isolators mounted as specified complete with cover plates and all accessories. Double pole UNIT SUPPLY CABLE	No	1		
	Supply, install and connect reticulation cables installed in existing sleeves.				
12	6 mm² 3-core PVC/SWA/PVC Cable	m	30		
13	6 mm² 3-core PVC/SWA/PVC Cable Terminations	No	2		
	DISTRIBUTION BOARD				
14	Unit Distribution Board	No	1		
	Carried to Collection Section No. 5 Bill No. 9 Electrical Installation			R	



Section No. 5		1	
Bill No. 9			
Electrical Installation			
COLLECTION			
Total Brought Forward from Page No.	Page No 187 188		Amount
Carried Forward to Summary of Section No. 5		R	
Section No. 5 Bill No. 9 Electrical Installation			



ltem No		Quantity	Rate	Amount
	SECTION NO. 10			
	BILL NO. 10			
	GLAZING			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	GLAZING TO STEEL			
	4mm Clear float glass			
1	Panes exceeding 0,1m2 and not exceeding 0,5m2 m2	1		
	4mm Obscure glass			
2	Panes exceeding 0,1m2 and not exceeding 0,5m2 m2	1		
	MIRRORS			
	8 mm Float glass silver backed mirror detail with bevelled edges glued to and including 16mm superwood frame fixed with chrome cupped mirror screws to wall all in accordance with Architects detail:			
3	Size 400 mm x 600 mm. No	4		
	Carried Forward to Summary of Section No. 5		R	
	Section No. 5 Bill No. 10 Glazing			



		Quantity	Rate	Amount
	SECTION NO. 11			
	BILL NO. 11			
	<u>PAINTWORK</u>			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. The following finishes, including primers and subsequent coats are to be those manufactured by "Plascon Paints" and of the highest type and quality specified. Plascon new work painting specification document to be applied when pricing work accordingly.			
1	Attention is drawn to the measurement rules in the measuring system regarding paint colours which read as follows: "4. Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and "Transparent" (in accordance with the Natural Colour System (NCS) adopted by the SA National Standards)"			
	and "5. Paintwork in one colour group may be given as extra over paintwork in another colour group"			
ا	PAINTWORK ETC TO NEW WORK			
9	ON WOOD			
	Carried to Collection		R	
E	Section No. 5 Bill No. 11 Paintwork			



Prepare, stop and apply one coat primer and two coats Professional Eggshell Enamel paint on:				
General surfaces.	m2	7		
PAINTWORK TO PREVIOUSLY PAINTED SURFACES				
SUPPLEMENTARY PREAMBLES				
PREPARATORY WORK TO EXISTING WORK				
Previously painted plastered surfaces				
Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth				
Previously painted metal surfaces				
Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal				
Previously painted wood surfaces				
Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth				
COLOURS				
Unless otherwise described paintwork on ceilings shall be deemed to be in the "White" colour group and paintwork on all other components shall be deemed to be in the "Pastel" colour group in accordance with the Natural Colour System (NCS) adopted by the SA National Standards				
Carried to Collection			R	
Section No. 5 Bill No. 11 Paintwork				

1



	ON FLOATED PLASTER				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth, apply one coat Plascon Professional Plaster/Gypsum Primer(PP 700) and two coats Plascon Professional Low Sheen Pure Acrylic (PEM 1000) paint on existing water based paint surfaces:				
2	On interior walls	m2	47		
3	On interior ceilings	m2	50		
	Remove any loose and flaking residue by means of wire brushing and hydro blast with equipment 200 to 300 bars, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
4	On external walls	m2	123		
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth apply one coat 'Plascon Universal Undercoat' and two coats 'Plascon Velvaglo Polyurethane Enamel' paint on existing enamel based paint surfaces:				
5	Doors	m2	11		
6	Pressed steel door frames.	m2	18		
	Carried to Collection Section No. 5 Bill No. 11 Paintwork			R	



	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
7	On gates and screens	m2	93		
	Spot priming bare metal surfaces, one coat alkyd based universal undercoat and two coats superior quality universal enamel paint, on work in poor condition				
8	Rainwater downpipes not exceeding 300mm girth	m	33		
	ON WOOD				
	Remove any loose and flaking residue by means of wire brushing, sand down, wash with 'Polycell Sugar Soap' or weak spirits of salts, rinse and apply one coat Plascon Oil Wood Primer (UC2/UC17) and two coats Plascon Gloss Enamel (PSB800) paint on existing enamel surfaces:				
9	On doors	m2	20		
	Carried to Collection			R	
	Section No. 5 Bill No. 11 Paintwork				=



Section No. 5	1		I I
Bill No. 11			
Paintwork			
COLLECTION			
Total Brought Forward from Page No.	Page No 191 192 193 194		Amount
Carried Forward to Summary of Section No. 5 Section No. 5 Bill No. 11 Paintwork		R	



ltem No		Quantity	Rate	Amount
	SECTION NO. 12			
	BILL NO. 12			
	EXTERNAL WORKS			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	CONCRETE BLOCK PAVING ETC			
	Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured)			
1	60 mm Interlocking concrete paving blocks	m2 1		
	Re-lay existing concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications			
2	Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2 1		
	Filling under floors, steps, paving, etc.			
3	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content.	n3 1		
	Carried to Collection		R	
	Section No. 5 Bill No. 12 External Works			



	Compaction of surfaces				
4	Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content.	m2	1		
	Treatment of existing paving blocks				
5	Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	26		
	TEMPORARY CONTAINER RENTAL				
	General				
	The following prefabricated structures have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers.				
	Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels:				
	Note: Site must not slope more than 200mm over the area of the temporary building units.				
	3 000 x 6 000mm High unit				
6	Deliver container to site and removal from site upon completion	No	1		
7	Monthly rental	No	1		
	Carried to Collection			R	
	Section No. 5 Bill No. 12 External Works				



Section No. 5				
Bill No. 12				
External Works				
COLLECTION				
Total Brought Forward from Page No.	Page No 196		Amount	
Carried Forward to Summary of Section No. 5		R		-
Section No. 5		K		_
Bill No. 12 External Works				



	SECTION SUMMARY - Malvern			
Bill No		Page No		Amount
1	Preliminaries	165		
2	Alteration	170		
3	Roof Covering	173		
4	Carpentry and Joinery	174		
5	Ironmongery	175		
6	Metalwork	176		
7	Tiling	179		
8	Plumbing and Drainage	186		
9	Electrical Installation	189		
10	Glazing	190		
11	Paintwork	195		
12	External Works	198		
	Carried to Final Summary		R	
	Section No. 5			
ļ	Į.	<u> </u>	, ,	I.



	FINAL SUMMARY	_			
Section No		Page No		Amount	
1	Denver	64	·		
2	Electron	96			
3	Loveday	132			
4	City Deep	164			
5	Malvern	199			
	Sub Total		R		
	ADD : V.A.T. at the rate of 15%		R		
	1				
	Carried to Form of Tender		R		



ltem No		Amount	
	SECTION NO. 1		
	BILL NO. 1		
	PRELIMINARIES AND GENERAL		
1	Preliminaries and Generals - Denver Station Station Street, Denver (alongside ERF 320, Denver).		
	Carried Forward to Summary of Section No. 1		_
	Section No. 1 Bill No. 1		
	Preliminaries Preliminaries		



ltem No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO.2			
	DEMOLITIONS AND ALTERATIONS			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
1	The alterations to the electrical and air conditioning reticulation installations shall be executed by selected sub-contractors (as elsewhere provided) and the Contractor shall be responsible for the co-ordination of such work with his own.	ltem		
2	Prices for the demolition of any portion of the structure shall include for its demolition complete with all surface finishes such as plaster, screeds, etc., all attached items of joinery such as skirtings, etc. and all reinforcement, conduit, pipes, lintels, etc. built into that portion of the structure and the removal from site thereof.	ltem		
3	Prices for the removal of doors and frames shall include for the removal of fanlights, ironmongery, architraves and other associated trim.	ltem		
4	Prices for the removal of windows shall include for the removal of glass, louvres, etc. attached to the windows.	Item		
5	The Contractor is advised to take all dimensions affecting the existing building on the site as he will be held solely responsible for all new work being of the correct size.	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 2 Alteration			



6	All sizes for building up or forming openings are net and the Contractor must allow in his prices for extra labour and material, cutting and bonding new to existing brickwork, building square jambs, building cavities solid and removing old sills as necessary, and for making good junction of new plaster with old including all extra patching to work disturbed beyond the net size of the openings, which are to be formed or built up.	Item	
7	All materials and workmanship in building up, making good etc., are to match existing and where new materials abut existing, they are to be neatly joined to same.	Item	
8	The contractor is advised to visit the site to acquaint himself with the types of construction and finishes so that he may price "to match existing" items where called for.	ltem	
9	"Making good" existing work where disturbed or damaged shall mean the provision of the necessary new material to match existing and the necessary workmanship so that a complete and perfect restoration is achieved to the satisfaction of the Architect.	ltem	
10	"Making good" where abutting walls etc. are removed shall mean the provision of the necessary material and workmanship in filling the gaps to match surrounding finishes so that a complete and perfect surface, is obtained to the satisfaction of the Architect.	Item	
11	The rates for "taking out", "taking down" of windows, doors etc., from brickwork to remain are to include for making good all work disturbed to match surrounding finishes.	ltem	
12	Contractor to allow for removal of rubble, accumulated rubbish on site.	Item	
	Carried to Collection Section No. 1 Bill No. 2 Alteration	F	



	Temporary barricades, screens, roofs, etc including removal				
13	Temporary wire mesh fencing as hoarding from construction site, total hight 3m with temp partition.	m	10		
14	Extra over fencing for gate 813 x 2032mm high, including steel frame, padlock, primer and two coats paint	No	1		
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
15	Tiles to floors	m2	11		
16	Tiles to walls	m2	13		
	Taking out and removing piping, sanitary fittings, etc, including cutting off as necessary, disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
17	Vitreous china WC pan with cistern	No	1		
18	Vitreous china wash hand basin, including short lengths of piping, etc	No	1		
19	Urinal bowl fixed to walls.	No	1		
	LANDSCAPING				
	Pruning of existing trees and shrubs				
20	Trimming tree branches of tree for tree not exceeding 500mm. (View on site to define scope).	No	1		
	MAKING GOOD OF FINISHES, ETC				
	Carried to Collection			R	
	Section No. 1 Bill No. 2 Alteration				



	Treatment of existing tiles				I	
21	Existing tiled floors to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	74			
22	Existing tiled walls to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	252			
	Treatment of existing painted and face brick walls					
23	Existing face and painted walls to be powerwashed with high pressure water including soap. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	111			
		ITIZ	'''			
	Making good cement screeds					
24	25mm Thick on floors in patches	m2	1			
	Making good gypsum plasterboard ceilings and timber brandering					
25	Ceilings in patches	m2	2			
	Making good internal cement plaster					
26	Walls in patches	m2	8			
						=
	Carried to Collection			R		
	Section No. 1 Bill No. 2 Alteration					
1		I			l)	J.



Section No. 1			1
Bill No. 2			
Alteration			
COLLECTION			
Total Brought Forward from Page No.	Page No 33 34 35 36		Amount
Carried Forward to Summary of Section No. 1 Section No. 1 Bill No. 2 Alteration		R	



Item Quantity Rate **Amount SECTION NO. 3 BILL NO 3 ROOF COVERINGS** User note NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. Where battens for roof coverings form part of the plate nailed timber roof truss design it shall be included under the roof construction in the "Carpentry and Joinery" trade and not under this trade **PROFILED METAL SHEETING AND ACCESSORIES SERVICING OF EXISTING CONCRETE ROOFS** Contractors to check all ridge, hip and valley tiles and roof coverings to locate leaks and allow for replacement of flashing and cleaning of existing gutters and downpipes as required. 1 Roof covering with pitches not exceeding 25 degrees m2 75 Carried Forward to Summary of Section No. 1 R Section No. 1 Bill No. 3 Roof Covering

No



ltem No		Quantity	Rate	Amount
	SECTION NO. 4			
	BILL NO 4			
	CARPENTRY AND JOINERY			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	SUPPLEMENTARY PREAMBLES			
	DOORS ETC			
	SUPPLEMENTARY PREAMBLES			
	SEMI- SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES			
1	40 mm Door size 813 mm x 2032 mm with commercial veneer backing.	√o 2		
2	40 mm Door size 912 mm x 2955 mm with commerial			
		10 1		
	Carried Forward to Summary of Section No. 1		R	
	Section No. 1 Bill No. 4 Carpentry and Joinery			



ltem No			Quantity	Rate	Amount
	SECTION NO. 5				
	BILL NO.5				
	IRONMONGERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	NOTE: Prices are to include for fixing ironmongery to softwood, hardwood or pressed metal door frames, etc.				
	Locks and furniture:				
1	Supply (PC : R200) and installation of door handle.	No	20		
2	Supply (PC : R450) and installation of WC indicator bolt.	No	10		
3	Supply (PC: R50) and installation of door stop plugged and screwed to brickwork or concrete.	No	10		
4	Supply (PC : R2500) and installation of door closer fixed to frame.	No	1		
	Supply and fix the following ironmongery:				
5	32 mm Diameter stainless steel rear grab rail (Code SR2) from Chairman Industries bolted to wall with 6 mm diameter stainless steel bolts, all as the manufacturer's instructions.	No	rs 1		
6	32 mm Diameter stainless steel side grab rail (Code DL2) from Chairman Industries ditto.	No	1		
	Carried Forward to Summary of Section No. 1			R	
	Section No. 1 Bill No. 5 Ironmongery				



ltem No		Quantity	Rate	Amount
	SECTION NO. 6			
	BILL NO. 6			
	METALWORK			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	STEEL WELDED SCREENS, GATES, ETC			
	Screens and gates			
7	Service steel 900 x 2100mm entrance doors including grinding off welded shut locks, repairs to hinges, locks etc.	2		
2	Service palisade gate 1400 x 2100mm including repairs to hinges, sliding bolt and locks etc. No	1		
	Carried Forward to Summary of Section No. 1		R	
	Section No. 1 Bill No. 6 Metalwork			



ltem No			Quantity	Rate	Amount	
	SECTION NO. 7					
	BILL NO. 7					
	TILING					
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.					
	WALL TILES					
	Ceramic tiles (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall tile grout including all square cutting and waste to:					
1	Walls.	m2	4			
2	Walls in narrow widths not exceeding 300mm.	m2	1	-		
	FLOOR TILES					
	Ceramic floor tiles (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor tile grout including all square cutting and waste to:					
3	Floors.	m2	11			
	Carried Forward to Summary of Section No. 1 Section No. 1 Bill No. 7 Tiling			R		=



tem No			Quantity	Rate	Amount	
	SECTION NO. 8					
	BILL NO. 8					
	PLUMBING AND DRAINAGE					
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.					
	RAINWATER DISPOSAL					
	<u>"Watertite" aluminium</u>					
1	150 x 140mm Gutters including snow straps at 500mm centre	m	20			
	Extra For					
2	Stop end	No	2			
3	100 x 100mm Rainwater pipes in continuous lengths	m	11			
4	Rainwater shoe	No	4			
	Gratings, covers, etc					
5	Precast concrete stormwater inlet 370mm x 600mm frame	No	1			
	SANITARY FITTINGS					177
						-
	Carried to Collection			R		<u>#</u>
	Section No. 1 Bill No. 8 Plumbing and Drainage					



	Wash Hand Basins				
6	Surface mounted 500mm x 500mm white glazed semi- recessed wash hand vanity basin (PC: R 1000) with single tap hole complete with single lever tap (PC: R500) and including angle valves and chrome connectors including pop up waste, connected in position complete with an approved waterproof sealer.	No	1		
	<u>Toilets</u>				
7	Close-coupled WC suite (PC : R1 500) comprising pan with double flap heavy duty wooden seat and matching 9 litre cistern.	No	1		
8	Paraplegic close-coupled WC suite (PC: R4 000) comprising pan with matching 9 litre cistern and purpose made CP side flush lever (left or right) supplied with purpose made urea seat and cover plate.	No	1		
	Bowl Urinals				
9	Stainless bowl urinal (PC: 1500) including hanger brackets, trap and associated parts fitted complete including urinal flush valve with shut of valve including all necessary connections to urinal.	No	1		
	Taps				
10	Supply and installation of tap (PC R300)	No	1		
	SOIL DRAINAGE				
	Extra over heavy duty (Class 34) 110mm diameter uPVC sewer and drain pipes for fittings				
11	Roding eye cover oval	No	1		
	Carried to Collection			R	
	Section No. 1 Bill No. 8 Plumbing and Drainage				



	REPAIR AND MAINTENANCE				
12	Service existing Water Closet pan and cistern including unblocking if required and supply new lids to cisterns and toilet seats.	No	7	7	
13	Service existing Wash Hand Basin including unblocking if required.	No	4	Ļ	
14	Service existing urinal including flush mechanism including unblocking if required.	No	3	;	
	COLD WATER RETICULATION INSTALLATION				
	All rates supplied in this Bill of Quantities will be deemed to include scaffolding to any height and fixing of cold and hot water pipes up to and including roof height. All pipes suspended from concrete slabs, roof, ceiling, etc. shall be deemed to include in the rates, all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete slab. For the complete supply, delivery and installation of supply piping, as specified, piping to include piping between geysers on roof. All cold and hot water pipes are to be chased into walls except where pipes are to be surface-mounted on wall face or run in ceiling voids or inside ducts, and fixed with standard type pipe saddlers and brackets at 1000mm maximum.				
	Supply and install Pexial Pex multilayer pipes in compliance with SANS ISO 15874				
5	Ø32mm pipe	m	10		
6	Ø26mm pipe	m	3		
7	Ø20mm pipe	m	3		
8	Ø16mm pipe	m	3		
	Carried to Collection			R	
	Section No. 1 Bill No. 8 Plumbing and Drainage				



	<u>FITTINGS</u>		1	
	Supply and install PP-R multilayer faser fibre pipes in compliance with SANS ISO 15874 part 2 PN 20 SDR 7.4 Blue and Red colour – 20 x 2.8mm capillary brass threaded type fittings.			
19	Ø16mm Equal T-piece	No	4	
20	Ø20mm Equal T-piece	No	4	
21	Ø26mm Equal T-piece	No	4	
22	Ø32mm Equal T-piece	No	4	
23	Ø20mm Ø20mm Ø16mm UN-Equal T-piece	No	4	
24	Ø26mm Ø26mm Ø20mm Equal T-piece	No	4	
25	Ø32mm Ø36mm Ø26mm UN-Equal T-piece	No	6	
26	Reducer: Ø32mm x Ø26mm	No	6	
27	Reducer: Ø26mm x Ø20mm	No	6	
28	Reducer: Ø20mm x Ø16mm	No	6	
29	Reducer: Ø32mm x Ø26mm	No	6	
30	Ø50mm Female couplings	No	6	
31	Ø40mm Female couplings	No	6	
32	Ø32mm Female couplings	SUM	5	
33	Ø26mm Female couplings	No	5	
34	Ø20mm Female couplings	ŃΟ	5	
35	Ø16mm Female couplings	No	5	
36	Ø32mm Elbow: 90°	No	5	
	Carried to Collection			R
	Section No. 1 Bill No. 8 Plumbing and Drainage			



37	Ø26mm Elbow: 90°	No		5	
38	Ø20mm Elbow: 90°	No		s	
39	Pipe clamps and hangers	SUM	1	1	
	THREADED VALVES				
40	Ø32mm isolating gate valve on cold water main pipes	No	1		
41	Ø26mm isolating gate valve on cold water main pipes	No	2	2	
42	Ø20mm isolating gate valve on cold water main pipes	No	2	2	
43	Ø16mm isolating gate valve on cold water main pipes	No	4		
	SANITARY DRAINAGE INSTALLATION				
	These bills of quantities form part of and must be read in conjunction with the Technical Specifications and Drawings, which contain the full descriptions of the work to be done and material and equipment to be used. Unless otherwise described in these bills of quantities, reference should be made to the Technical Specifications for the full meaning of descriptions of work to be done and materials and equipment to be used in this service. All materials, equipment, fixings, brackets, etc, are to be supplied by the Contractor unless otherwise stated.				
	SANITARY DRAINAGE PIPING				
	HDP butt welded including electro fusion couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2;2004				
	PIPING				
44	Ø56mm	m	15		
	Carried to Collection			R	_
	Section No. 1 Bill No. 8 Plumbing and Drainage				_



45	Ø75mm	m	20		1
46	Ø110mm	m	20		
	PIPE FITTINGS				
47	Ø56mm fitting; 90°elbow	No	30		
48	Ø110mm fitting; 45°elbow	No	7		
49	Ø110mm fitting; 95°elbow, with Ø50mm vent horn inspection	No	7		
50	Ø110mm fitting; 95°elbow, plain	No	7		
51	Ø56mm x Ø56mm x Ø56mm fitting; 90° Equal T- Piece	No	14		
52	Ø110mm x Ø110mm x Ø50mm branch fitting; 87.5° swept entry, lateral branch junction	No	7		
53	Ø110mm x Ø110mm x Ø110mm fitting; 87.5° swept entry, lateral branch junction	No	7		
54	Ø110mm x Ø56mm fitting; concentric reducer	No	2		
55	Ø110mm straight pan collars/connector	No	6		
56	Ø56mm vent one way valve	No	3		
	WASTE TRAPS				
57	50mm 'Dutton' flexi rubber "P" trap complete with coupling clamps.	No	6		
	PROVISIONAL SUM				
	Carried to Collection			R	t
	Section No. 1 Bill No. 8 Plumbing and Drainage				



	Allow the amount for adjustment of Mechanical engineering services to be used at the discretion of the principal agent and deducted in whole or in part if not required:		
58	For Decommissioning and Removal of existing damaged piping and fittings including making good on chased walls and openings.	Item	25 000.00
59	For Unblocking existing main lines	Item	15 000 00
60	For Supply and Installation of any other item not included in the bill required to complete installations.	Item	15 000.00
	Carried to Collection Section No. 1 Bill No. 8 Plumbing and Drainage		R



Section No. 1		ſ		ĺ
Bill No. 8				
Plumbing and Drainage				
COLLECTION				
Total Brought Forward from Page No.	Page No 43		Amount	
	44			
	45			
	46			
	47			-
	48			
	49			·
Carried Forward to Summary of Section No. 1		R		
Section No. 1 Bill No. 8 Plumbing and Drainage				



ltem No			Quantity	Rate	Amount
	GENERAL PURPOSE POWER OUTLETS AND LIGHTING				
	CONDUITS				
	Supply and installation of galvanised steel conduit complete with all accessories including couplings, bending and fixings as specified:				
1	20mm - surface mounted	m	20		
	CONDUIT BOXES				
	Supply and install conduit boxes complete with all accessories including conduit terminations				
2	60mm round, 25mm deep for 20mm conduit mounted flush in wall or fixed to surface	No	13		
	Steel outlet boxes excluding covers:				
3	100mm x 50mm x 50mm conduit box.	No	1		
4	100mm x 100mm x 50mm conduit box.	No	1		
	WIRING AND CONDUCTORS				
	Supply and install PVC insulated copper conductors in required colours, drawn into conduit or trunking:				
5	2.5mm²	m	1 200		
6	4mm²	m	600		
7	2.5mm ² B.C.E.W.	m	900		
	LIGHT SWITCHES				
	Carried to Collection			R	
	Section No. 1 Bill No. 9 Electrical Installation				
1					



8	Supply, install and connect flush mounted light switch complete with cover plate and all accessories: 16A 1 lever 1 way.	No	2	2	
	Supply, install and connect luminaires mounted as specified, complete with lamps, control gear and				
9	all accessories: 18W surface mounted bulkhead LED light fitting.	No	13	3	
	SOCKET OUTLETS				
	Supply, install and connect Switched socket outlets mounted flush in wall or as specified, complete with cover plates and all accessories:				
10	16A Double switch socket outlet (White).	No	1		
	ISOLATORS				
	Supply and install Isolators mounted as specified complete with cover plates and all accessories.				
11	Double pole	No	2		
	UNIT SUPPLY CABLE				
	Supply, install and connect reticulation cables installed in existing sleeves.				
12	6 mm² 3-core PVC/SWA/PVC Cable	m	30		
13	6 mm² 3-core PVC/SWA/PVC Cable Terminations	No	2		
	DISTRIBUTION BOARD				
14	Unit Distribution Board	No	1		
	Carried to Collection			R	
	Section No. 1 Bill No. 9 Electrical Installation				



Section No. 1			
Bill No. 9			
Electrical Installation			
COLLECTION			
Total Brought Forward from Page No.	Page No 51 52		Amount
Carried Forward to Summary of Section No. 1 Section No. 1 Bill No. 9 Electrical Installation		R	



ltem No		Quantity	Rate	Amount
	SECTION NO. 10			
	BILL NO. 10			
	GLAZING			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	GLAZING TO STEEL			
	4mm Obscure glass			
1	Panes exceeding 0,1m2 and not exceeding 0,5m2 m2	6		
	MIRRORS			
	8 mm Float glass silver backed mirror detail with bevelled edges glued to and including 16mm superwood frame fixed with chrome cupped mirror screws to wall all in accordance with Architects detail:			
2	Size 400 mm x 600 mm. No	4		
	Carried Forward to Summary of Section No. 1 Section No. 1 Bill No. 10		R	
	Glazing			



	Quantity	Rate	Amount
SECTION NO. 11			
BILL NO. 11			
PAINTWORK			
<u>User note</u>			
NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. The following finishes, including primers and subsequent coats are to be those manufactured by "Plascon Paints" and of the highest type and quality specified. Plascon new work painting specification document to be applied when pricing work accordingly. Attention is drawn to the measurement rules in the measuring system regarding paint colours which read as follows: "4. Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and "Transparent" (in accordance with the Natural Colour System (NCS) adopted by the SA National Standards)" and "5. Paintwork in one colour group may be given as extra over paintwork in another colour group" PAINTWORK ETC TO NEW WORK			
ON METAL SURFACES			
Carried to Collection		R	
Section No. 1 Bill No. 11 Paintwork			



	One coat alkyd based zinc phosphate primer and two coats premium quality polyurethane enamel paint, on steel					
1	Eaves gutters not exceeding 300mm girth	m	20			
2	Rainwater downpipes not exceeding 300mm girth	m	11			
	ON WOOD					
	Prepare, stop and apply one coat primer and two coats Professional Eggshell Enamel paint on:					
3	General surfaces.	m2	11			
	PAINTWORK TO PREVIOUSLY PAINTED SURFACES					
	SUPPLEMENTARY PREAMBLES					
	PREPARATORY WORK TO EXISTING WORK					
	Previously painted plastered surfaces					
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth					
	Previously painted metal surfaces					
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal					
	Previously painted wood surfaces					
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth					
	Carried to Collection			R		
	Section No. 1 Bill No. 11 Paintwork					
- 1		1		1	d .	1



	COLOURS	1			1
	Unless otherwise described paintwork on ceilings shall be deemed to be in the "White" colour group and paintwork on all other components shall be deemed to be in the "Pastel" colour group in accordance with the Natural Colour System (NCS) adopted by the SA National Standards				
	ON FLOATED PLASTER				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth, apply one coat Plascon Professional Plaster/Gypsum Primer(PP 700) and two coats Plascon Professional Low Sheen Pure Acrylic (PEM 1000) paint on existing water based paint surfaces:				
4	On interior walls	m2	63		
5	On interior ceilings	m2	74		
	Remove any loose and flaking residue by means of wire brushing and hydro blast with equipment 200 to 300 bars, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
6	On external walls	m2	111		
	ON METAL				
	Carried to Collection			R	
	Section No. 1 Bill No. 11 Paintwork				



	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth apply one coat 'Plascon Universal Undercoat' and two coats 'Plascon Velvaglo Polyurethane Enamel' paint on existing enamel based paint surfaces:				
7	Doors	m2	8		
8	Pressed steel door frames.	m2	23		
9	On windows	m2	13		
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
10	On gates and screens	m2	173		
	Spot priming bare metal surfaces, one coat alkyd based universal undercoat and two coats superior quality universal enamel paint, on work in poor condition				
11	Rainwater downpipes not exceeding 300mm girth	m	68		
	ON WOOD				
	Remove any loose and flaking residue by means of wire brushing, sand down, wash with 'Polycell Sugar Soap' or weak spirits of salts, rinse and apply one coat Plascon Oil Wood Primer (UC2/UC17) and two coats Plascon Gloss Enamel (PSB800) paint on existing enamel surfaces:				
12	On doors	m2	24		
	Carried to Collection Section No. 1 Bill No. 11 Paintwork			R	



Section No. 1	Ì			
Bill No. 11				
Paintwork				
COLLECTION				
Total Brought Forward from Page No.	Page No 55		Amount	
	57			
	58			
Carried Forward to Summary of Section No. 1		R		
Section No. 1 Bill No. 11 Paintwork				-



tem No			Quantity	Rate	Amount	
	SECTION NO. 12					
	BILL NO. 12					
	EXTERNAL WORKS					
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.					
	CONCRETE BLOCK PAVING ETC					
	Take up and remove from site existing precast concrete etc.:					
1	60mm Interlocking paving blocks .	m2	5			
	Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured)					
2	60 mm Interlocking concrete paving blocks	m2	5			
	Re-lay existing concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications					
3	Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	5			
	Carried to Collection Section No. 1 Bill No. 12			R		_



	Filling under floors, steps, paving, etc.				1
4	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content.	m3	1		
	Compaction of surfaces				
5	Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content.	m2	9		
	Concrete paving blocks shall comply with the requirements SANS1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three months)				
6	60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SANS 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	5		
	Treatment of existing paving blocks				
7	Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	180		
	TEMPORARY CONTAINER RENTAL				
	Carried to Collection				_
	Section No. 1			R	_
	Bill No. 12 External Works				



	<u>General</u>				
	The following prefabricated structures have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers.				
	Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels:				
	Note: Site must not slope more than 200mm over the area of the temporary building units.				
	3 000 x 6 000mm High unit				
8	Deliver container to site and removal from site upon completion	No	1		
9	Monthly rental	No	2		
	Carried to Collection			R	
	Section No. 1 Bill No. 12 External Works				



Section No. 1	ľ			1
Bill No. 12				
External Works				
COLLECTION				
Total Brought Forward from Page No.	Page No 60 61		Amount	
	02			
Carried Forward to Summary of Section No. 1		R		
Section No. 1				_
Bill No. 12 External Works				



Bill No	SECTION SUMMARY - Denver	Page No		Amount
1	Preliminaries	32		
2	Alteration	37		
3	Roof Covering	38		
4	Carpentry and Joinery	39		
5	Ironmongery	40		
6	Metalwork	41		
7	Tiling	42		
8	Plumbing and Drainage	50		
9	Electrical Installation	53		
10	Glazing	54		
11	Paintwork	59		
12	External Works	63		
	Carried to Final Summary Section No. 1		R	
	Section No. 1			



m o		Amount	
	SECTION NO. 1		
	BILL NO. 1		
	PRELIMINARIES AND GENERAL		
1	Preliminaries and Generals - Electron Heidelberg Road, Steeldale (ERF 72, Electron).		
	Carried Forward to Summary of Section No. 2		
	Section No. 2 Bill No. 1 Preliminaries		_



tem No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO.2			
	DEMOLITIONS AND ALTERATIONS			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
1	The alterations to the electrical and air conditioning reticulation installations shall be executed by selected sub-contractors (as elsewhere provided) and the Contractor shall be responsible for the co-ordination of such work with his own.	·Item		
2	Prices for the demolition of any portion of the structure shall include for its demolition complete with all surface finishes such as plaster, screeds, etc., all attached items of joinery such as skirtings, etc. and all reinforcement, conduit, pipes, lintels, etc. built into that portion of the structure and the removal from site thereof.	ltem		
3	Prices for the removal of doors and frames shall include for the removal of fanlights, ironmongery, architraves and other associated trim.	ltem		
4	Prices for the removal of windows shall include for the removal of glass, louvres, etc. attached to the windows.	ltem		
5	The Contractor is advised to take all dimensions affecting the existing building on the site as he will be held solely responsible for all new work being of the correct size.	ltem		
	Carried to Collection		R	
	Section No. 2 Bill No. 2 Alteration			



6	All sizes for building up or forming openings are net and the Contractor must allow in his prices for extra labour and material, cutting and bonding new to existing brickwork, building square jambs, building cavities solid and removing old sills as necessary, and for making good junction of new plaster with old including all extra patching to work disturbed beyond the net size of the openings, which are to be formed or built up.	lten		
7	All materials and workmanship in building up, making good etc., are to match existing and where new materials abut existing, they are to be neatly joined to same.	ltem	٦	
8	The contractor is advised to visit the site to acquaint himself with the types of construction and finishes so that he may price "to match existing" items where called for.	ltem	1	
9	"Making good" existing work where disturbed or damaged shall mean the provision of the necessary new material to match existing and the necessary workmanship so that a complete and perfect restoration is achieved to the satisfaction of the Architect.	ltem		
10	"Making good" where abutting walls etc. are removed shall mean the provision of the necessary material and workmanship in filling the gaps to match surrounding finishes so that a complete and perfect surface, is obtained to the satisfaction of the Architect.	Item		
11	The rates for "taking out", "taking down" of windows, doors etc., from brickwork to remain are to include for making good all work disturbed to match surrounding finishes.	ltem		
12	Contractor to allow for removal of rubble, accumulated rubbish on site.	Item		
	Carried to Collection		R	_
	Section No. 2 Bill No. 2 Alteration			-



	Temporary barricades, screens, roofs, etc including removal				
13	Temporary wire mesh fencing as hoarding from construction site, total hight 3m with temp partition.	m	48	3	
14	Extra over fencing for gate 813 x 2032mm high, including steel frame, padlock, primer and two coats paint	No	1		
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
15	Tiles to floors	m2	7		
16	Tiles to walls	m2	4		
	Taking out and removing piping, sanitary fittings, etc, including cutting off as necessary, disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
17	Vitreous china WC pan with cistern	No	1		
18	Vitreous china wash hand basin, including short lengths of piping, etc	No	1		
19	Urinal bowl fixed to walls.	No	1		
	MAKING GOOD OF FINISHES, ETC				
	Treatment of existing tiles				
20	Existing tiled floors to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	49		
	Carried to Collection			R	
	Section No. 2 Bill No. 2 Alteration				



21	Existing tiled walls to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas. Treatment of existing painted and face brick walls	m2	84		
22	Existing face and painted walls to be powerwashed with high pressure water including soap. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	86		
	Making good cement screeds				
23	25mm Thick on floors in patches	m2	1		
	Making good gypsum plasterboard ceilings and timber brandering				
24	Ceilings in patches	m2	1		
	Making good internal cement plaster				
25	Walls in patches	m2	3		
	Carried to Collection Section No. 2 Bill No. 2 Alteration			R	



Section No. 2				
Bill No. 2				
Alteration				
COLLECTION				
Total Brought Forward from Page No.	Page No 66 67 68 69		Amount	
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 2 Alteration		K		



ltem No		Quantity	Rate	Amount
	SECTION NO. 3			
	BILL NO 3			
	ROOF COVERINGS			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	Where battens for roof coverings form part of the plate nailed timber roof truss design it shall be included under the roof construction in the "Carpentry and Joinery" trade and not under this trade			
	SERVICING OF EXISTING STEEL ROOFS			
	Contractors to check all flashings and roof coverings to locate leaks and allow for replacement of flashing and cleaning of existing gutters and downpipes as required.			
1	Roof covering with pitches not exceeding 25 degrees m2	55		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 3 Roof Covering			



ltem No		Quantity	Rate	Amount
	SECTION NO. 4			
	BILL NO 4			
	CARPENTRY AND JOINERY			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	SUPPLEMENTARY PREAMBLES			
	DOORS ETC			
	SUPPLEMENTARY PREAMBLES			
	SEMI- SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES			
1	40 mm Door size 912 mm x 2955 mm with commerial veneer. No	1		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 4 Carpentry and Joinery			



ltem No			Quantity	Rate	Amount
	SECTION NO. 5				
	BILL NO.5				
	IRONMONGERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	NOTE: Prices are to include for fixing ironmongery to softwood, hardwood or pressed metal door frames, etc.				
	Locks and furniture:				
1	Supply (PC : R200) and installation of door handle.	No	18		
2	Supply (PC : R450) and installation of WC indicator bolt.	No	9		
3	Supply (PC : R50) and installation of door stop plugged and screwed to brickwork or concrete.	No	9		
4	Supply (PC : R2500) and installation of door closer fixed to frame.	No	1		
	Supply and fix the following ironmongery:				
5	32 mm Diameter stainless steel rear grab rail (Code SR2) from Chairman Industries bolted to wall with 6 mm diameter stainless steel bolts, all as the manufacturer's instructions.	No	1		
6	32 mm Diameter stainless steel side grab rail (Code DL2) from Chairman Industries ditto.	No	1		
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 Bill No. 5 Ironmongery				



tem No		Quantity	Rate	Amount	
	SECTION NO. 6				
	BILL NO. 6				
	METALWORK				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	STEEL WELDED SCREENS, GATES, ETC				
	Screens and gates				
1	Service gate size 900 x 2100mm high including repairs to hinges, sliding bolt and locks etc.	1			
2	Service steel 900 x 2100mm entrance doors including grinding off welded shut locks, repairs to hinges, locks etc.	4			
	Carried Forward to Summary of Section No. 2		R		= ,
	Section No. 2 Bill No. 6 Metalwork				= 12



ltem No			Quantity	Rate	Amount
	SECTION NO. 7				
	BILL NO. 7				
	TILING				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	WALL TILES				
	Ceramic tiles (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall tile grout including all square cutting and waste to:				
1	Walls.	m2	1		
2	Walls in narrow widths not exceeding 300mm.	m2	1		
	FLOOR TILES				
	Ceramic floor tiles (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor tile grout including all square cutting and waste to:				
3	Floors.	m2	7		
	Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 7 Tilling			R	



ltem No			Quantity	Rate	Amount
	SECTION NO. 8				
	BILL NO. 8				
	PLUMBING AND DRAINAGE				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	RAINWATER DISPOSAL				
	<u>"Watertite" aluminium</u>				
1	150 x 140mm Gutters including snow straps at 500mm centre	m	22		
	Extra For				
2	Stop end	No	2		
3	100 x 100mm Rainwater pipes in continuous lengths	m	12		
4	Rainwater shoe	No	4		
	Gratings, covers, etc				
5	Precast concrete stormwater inlet 370mm x 600mm frame	No	1		
	SANITARY FITTINGS	,			
	Carried to Collection			R	
	Section No. 2 Bill No. 8 Plumbing and Drainage				



	Wash Hand Basins				1
6	Surface mounted 500mm x 500mm white glazed semi- recessed wash hand vanity basin (PC: R 1000) with single tap hole complete with single lever tap (PC: R500) and including angle valves and chrome connectors including pop up waste, connected in position complete with an approved waterproof sealer.	No	1		
	<u>Toilets</u>				
7	Close-coupled WC suite (PC : R1 500) comprising pan with double flap heavy duty wooden seat and matching 9 litre cistern.	No	1		
8	Paraplegic close-coupled WC suite (PC : R4 000) comprising pan with matching 9 litre cistern and purpose made CP side flush lever (left or right) supplied with purpose made urea seat and cover plate.	No	1		
	Bowl Urinals				
9	Stainless bowl urinal (PC : 1500) including hanger brackets, trap and associated parts fitted complete including urinal flush valve with shut of valve including all necessary connections to urinal.	No	1		
	<u>Taps</u>				
10	Supply and installation of tap (PC R300)	No	1		
	SOIL DRAINAGE				
	Extra over heavy duty (Class 34) 110mm diameter uPVC sewer and drain pipes for fittings				
11	Roding eye cover oval	No	1		
	Carried to Collection			R	
	Section No. 2 Bill No. 8 Plumbing and Drainage				



	REPAIR AND MAINTENANCE				
12	Service existing Water Closet pan and cistern including unblocking if required and supply new lids to cisterns and toilet seats.	No	7	,	
13	Service existing Wash Hand Basin including unblocking if required.	No	5	5	
14	Service existing urinal including flush mechanism including unblocking if required.	No	2		
	COLD WATER RETICULATION INSTALLATION				
	All rates supplied in this Bill of Quantities will be deemed to include scaffolding to any height and fixing of cold and hot water pipes up to and including roof height. All pipes suspended from concrete slabs, roof, ceiling, etc. shall be deemed to include in the rates, all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete slab. For the complete supply, delivery and installation of supply piping, as specified, piping to include piping between geysers on roof. All cold and hot water pipes are to be chased into walls except where pipes are to be surface-mounted on wall face or run in ceiling voids or inside ducts, and fixed with standard type pipe saddlers and brackets at 1000mm maximum.				
	Supply and install Pexial Pex multilayer pipes in compliance with SANS ISO 15874				
15	Ø32mm pipe	m	10		
16	Ø26mm pipe	m	3		
17	Ø20mm pipe	m	3		
18	Ø16mm pipe	m	3		
	Carried to Collection			R	_
	Section No. 2 Bill No. 8 Plumbing and Drainage				



	FITTINGS				
	Supply and install PP-R multilayer faser fibre pipes in compliance with SANS ISO 15874 part 2 PN 20 SDR 7.4 Blue and Red colour – 20 x 2.8mm capillary brass threaded type fittings.				
19	Ø16mm Equal T-piece	No	4		
20	Ø20mm Equal T-piece	No	4		
21	Ø26mm Equal T-piece	No	4		
22	Ø32mm Equal T-piece	No	4		
23	Ø20mm Ø20mm Ø16mm UN-Equal T-piece	No	4		
24	Ø26mm Ø26mm Ø20mm Equal T-piece	No	4		
25	Ø32mm Ø36mm Ø26mm UN-Equal T-piece	No	6		
26	Reducer: Ø32mm x Ø26mm	No	6		
27	Reducer: Ø26mm x Ø20mm	No	6		
28	Reducer: Ø20mm x Ø16mm	No	6		
29	Reducer: Ø32mm x Ø26mm	No	6		
30	Ø50mm Female couplings	No	6		
31	Ø40mm Female couplings	No	6		
32	Ø32mm Female couplings	SUM	5		
33	Ø26mm Female couplings	No	5		
34	Ø20mm Female couplings	No	5		
35	Ø16mm Female couplings	No	5		
36	Ø32mm Elbow: 90°	No	5		
	Carried to Collection			R	
	Section No. 2 Bill No. 8 Plumbing and Drainage				



37	Ø26mm Elbow: 90°	No	6	5	
38	Ø20mm Elbow: 90°	No	6	s	
39	Pipe clamps and hangers	SUM	1		
	THREADED VALVES				
40	Ø32mm isolating gate valve on cold water main pipes	No	1		
41	Ø26mm isolating gate valve on cold water main pipes	No	2	2	
42	Ø20mm isolating gate valve on cold water main pipes	No	2	2	
43	Ø16mm isolating gate valve on cold water main pipes	No	4		
	SANITARY DRAINAGE INSTALLATION				
	These bills of quantities form part of and must be read in conjunction with the Technical Specifications and Drawings, which contain the full descriptions of the work to be done and material and equipment to be used. Unless otherwise described in these bills of quantities, reference should be made to the Technical Specifications for the full meaning of descriptions of work to be done and materials and equipment to be used in this service. All materials, equipment, fixings, brackets, etc, are to be supplied by the Contractor unless otherwise stated.				
	SANITARY DRAINAGE PIPING				
	HDP butt welded including electro fusion couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2:2004				
	PIPING				
44	Ø56mm	m	15		
	Carried to Collection			R	_
	Section No. 2 Bill No. 8 Plumbing and Drainage				_



45	Ø75mm	m	20		
46	Ø110mm	m	20		
	PIPE FITTINGS				
47	Ø56mm fitting; 90°elbow	No	30		
48	Ø110mm fitting; 45°elbow	No	7		
49	Ø110mm fitting; 95°elbow, with Ø50mm vent horn inspection	No	7		
50	Ø110mm fitting; 95°elbow, plain	No	7		
51	Ø56mm x Ø56mm x Ø56mm fitting; 90° Equal T- Piece	No	14		
52	Ø110mm x Ø110mm x Ø50mm branch fitting; 87.5° swept entry, lateral branch junction	No	7		
53	Ø110mm x Ø110mm x Ø110mm fitting; 87.5° swept entry, lateral branch junction	No	7		
54	Ø110mm x Ø56mm fitting; concentric reducer	No	2		
55	Ø110mm straight pan collars/connector	No	6		
56	Ø56mm vent one way valve	No	3		
	WASTE TRAPS				
57	.50mm 'Dutton' flexi rubber "P" trap complete with coupling clamps.	No	6		
	PROVISIONAL SUM				
	Carried to Collection			R	
	Section No. 2 Bill No. 8 Plumbing and Drainage			,	



	Allow the amount for adjustment of Mechanical engineering services to be used at the discretion of the principal agent and deducted in whole or in part if not required:			
58	For Decommissioning and Removal of existing damaged piping and fittings including making good on chased walls and openings.	ltem		25 000,00
59	For Unblocking existing main lines	Item		15 000,00
60	For Supply and Installation of any other item not included in the bill required to complete installations.	Item		15 000.00
	Carried to Collection		R	
	Section No. 2 Bill No. 8 Plumbing and Drainage			



Section No. 2			1	1
Bill No. 8				
Plumbing and Drainage				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	76			
	77			-
	78			
	79			
	80			
	81			
	82			
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 8				
Plumbing and Drainage				
	1		1	i .



ltem No			Quantity	Rate	Amount	
.,,	GENERAL PURPOSE POWER OUTLETS AND LIGHTING					
	CONDUITS					
	Supply and installation of galvanised steel conduit complete with all accessories including couplings, bending and fixings as specified:					
1	20mm - surface mounted	m	20			
	CONDUIT BOXES					
	Supply and install conduit boxes complete with all accessories including conduit terminations					
2	60mm round, 25mm deep for 20mm conduit mounted flush in wall or fixed to surface	No	14			
	Steel outlet boxes excluding covers:					
3	100mm x 50mm x 50mm conduit box.	No	1			
4	100mm x 100mm x 50mm conduit box.	No	1			
	WIRING AND CONDUCTORS					
	Supply and install PVC insulated copper conductors in required colours, drawn into conduit or trunking:					
5	2.5mm²	m	1 200			
6	4mm²	m	600			
7	2.5mm² B.C.E.W.	m	900			
	LIGHT SWITCHES					
						_
	Carried to Collection			R		
	Section No. 2 Bill No. 9 Electrical Installation					
		1				



8	Supply, install and connect flush mounted light switch complete with cover plate and all accessories: 16A 1 lever 1 way. LUMINAIRES	No	1		
9	Supply, install and connect luminaires mounted as specified, complete with lamps, control gear and all accessories: 18W surface mounted bulkhead LED light fitting. SOCKET OUTLETS	No	14		
10	Supply, install and connect Switched socket outlets mounted flush in wall or as specified, complete with cover plates and all accessories: 16A Double switch socket outlet (White).	No	1		
11	Supply and install Isolators mounted as specified complete with cover plates and all accessories. Double pole	No	1		
	UNIT SUPPLY CABLE Supply, install and connect reticulation cables installed in existing sleeves.				
12 13	6 mm² 3-core PVC/SWA/PVC Cable 6 mm² 3-core PVC/SWA/PVC Cable Terminations	m No	30		
13	DISTRIBUTION BOARD	140	2		
14	Unit Distribution Board	No	1		
	Section No. 2 Bill No. 9 Electrical Installation			R	



Section No. 2			
Bill No. 9			
Electrical Installation			
COLLECTION			
Total Brought Forward from Page No.	Page No 84 85		Amount
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 9		R	
Electrical Installation			



Item No		Quantity	Rate	Amount
	SECTION NO. 10			
	BILL NO. 10			
	GLAZING			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	GLAZING TO STEEL			
	4mm Obscure glass			
1	Panes exceeding 0,1m2 and not exceeding 0,5m2 m2	1		
	MIRRORS			
	8 mm Float glass silver backed mirror detail with bevelled edges glued to and including 16mm superwood frame fixed with chrome cupped mirror screws to wall all in accordance with Architects detail:			
2	Size 400 mm x 600 mm. No	5		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 10 Glazing			



ltem No		Quantity	Rate	Amount
	SECTION NO. 11			
	BILL NO. 11			
	PAINTWORK			ı
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	The following finishes, including primers and subsequent coats are to be those manufactured by "Plascon Paints" and of the highest type and quality specified.			
	Plascon new work painting specification document to be applied when pricing work accordingly.			
	Attention is drawn to the measurement rules in the measuring system regarding paint colours which read as follows:			
	"4. Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and			
	"Transparent" (in accordance with the Natural Colour System (NCS) adopted by the SA National Standards)"			
	"5. Paintwork in one colour group may be given as extra over paintwork in another colour group"			
	PAINTWORK ETC TO NEW WORK			
	ON METAL SURFACES			
	Carried to Collection		R	
	Section No. 2 Bill No. 11 Paintwork			



	One coat alkyd based zinc phosphate primer and two coats premium quality polyurethane enamel paint, on steel					
1	Eaves gutters not exceeding 300mm girth	m	22			
2	Rainwater downpipes not exceeding 300mm girth	m	12			
	ON WOOD					
	Prepare, stop and apply one coat primer and two coats Professional Eggshell Enamel paint on:					
3	General surfaces.	m2	4			
	PAINTWORK TO PREVIOUSLY PAINTED SURFACES					
	SUPPLEMENTARY PREAMBLES					
	PREPARATORY WORK TO EXISTING WORK					
	Previously painted plastered surfaces					
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth					
	Previously painted metal surfaces					
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal					
	Previously painted wood surfaces	,				
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth					
	Carried to Collection			R		
	Section No. 2 Bill No. 11 Paintwork					
1		1	1.		d.	1



	COLOURS	1			
	Unless otherwise described paintwork on ceilings shall be deemed to be in the "White" colour group and paintwork on all other components shall be deemed to be in the "Pastel" colour group in accordance with the Natural Colour System (NCS) adopted by the SA National Standards				
	ON FLOATED PLASTER				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth, apply one coat Plascon Professional Plaster/Gypsum Primer(PP 700) and two coats Plascon Professional Low Sheen Pure Acrylic (PEM 1000) paint on existing water based paint surfaces:				
4	On interior walls	m2	21		
5	On interior ceilings	m2	49		
	Remove any loose and flaking residue by means of wire brushing and hydro blast with equipment 200 to 300 bars, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
6	On external walls	m2	86		
	ON METAL				
	Carried to Collection			R	
	Section No. 2 Bill No. 11 Paintwork				



	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth apply one coat 'Plascon Universal Undercoat' and two coats 'Plascon Velvaglo Polyurethane Enamel' paint on existing enamel based paint surfaces:				
7	Doors	m2	15		
8	Pressed steel door frames.	m2	20		
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
9	On gates and screens	m2	10		
	ON WOOD				
	Remove any loose and flaking residue by means of wire brushing, sand down, wash with 'Polycell Sugar Soap' or weak spirits of salts, rinse and apply one coat Plascon Oil Wood Primer (UC2/UC17) and two coats Plascon Gloss Enamel (PSB800) paint on existing enamel surfaces:				
10	On doors	m2	27		
	Carried to Collection			R	
	Section No. 2 Bill No. 11 Paintwork				3



Section No. 2		Ī	
Bill No. 11			
Paintwork			
COLLECTION			
Total Brought Forward from Page No.	Page No 88 89 90 91		Amount
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 11 Paintwork		R	



tem No		í	Quantity	Rate	Amount
	SECTION NO. 12				
	BILL NO. 12				
	EXTERNAL WORKS				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	CONCRETE BLOCK PAVING ETC				
	Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured)				
1	60 mm Interlocking concrete paving blocks	m2	63		
	Re-lay existing concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications				
2	Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	63		
	Filling under floors, steps, paving, etc.				
3	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content.	m3	9		
	Carried to Collection			R	
	Section No. 2 Bill No. 12 External Works				



	Compaction of surfaces	1		ľ	Ĩ	Ĩ
4	Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content.	m2	63	3		
	TEMPORARY CONTAINER RENTAL					
	General					
	The following prefabricated structures have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers.					
	Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels:					
	Note: Site must not slope more than 200mm over the area of the temporary building units.					
	3 000 x 6 000mm High unit					
5	Deliver container to site and removal from site upon completion	No	1			
5	Monthly rental	No	1			
				ı		
					1	
	Carried to Collection			R		
	Section No. 2 Bill No. 12					H
	External Works					



Section No. 2	1		
Bill No. 12			
External Works			
COLLECTION			
Total Brought Forward from Page No.	Page No 93 94		Amount
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 12		R	
External Works			



SECTION SUMMARY - Electron			
	Page No		Amount
Preliminaries	65		
Alteration	70		
Roof Covering	71		
Carpentry and Joinery	72		
Ironmongery	73		
Metalwork	74		
Tiling	75		
Plumbing and Drainage	83		
Electrical Installation	86		
Glazing	87		
Paintwork	92		
External Works	95		

<u></u>		_	
		R	
Section No. 2			
	Preliminaries Alteration Roof Covering Carpentry and Joinery Ironmongery Metalwork Tiling Plumbing and Drainage Electrical Installation Glazing Paintwork	Preliminaries 65 Alteration Roof Covering 71 Carpentry and Joinery Ironmongery Metalwork 74 Tiling 75 Plumbing and Drainage Electrical Installation Glazing Paintwork 92 External Works Carried to Final Summary	Preliminaries 65 Alteration 70 Roof Covering 71 Carpentry and Joinery 72 Ironmongery 73 Metalwork 74 Tiling 75 Plumbing and Drainage 83 Electrical Installation 86 Glazing 87 Paintwork 92 External Works 95



tem No		Amount	
	SECTION NO. 1		
	BILL NO. 1		
	PRELIMINARIES AND GENERAL		
1	Preliminaries and Generals - Loveday Corner Loveday and Village Street, Selby, Johannesburg (ERF 629, Selby).		
	Carried Forward to Summary of Section No. 3		
	Section No. 3 Bill No. 1 Preliminaries		



item No		Quantity	Rate	Amount	
	SECTION NO. 2				
	BILL NO.2				
	DEMOLITIONS AND ALTERATIONS				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
1	The alterations to the electrical and air conditioning reticulation installations shall be executed by selected sub-contractors (as elsewhere provided) and the Contractor shall be responsible for the co-ordination of such work with his own.	ltem			
2	Prices for the demolition of any portion of the structure shall include for its demolition complete with all surface finishes such as plaster, screeds, etc., all attached items of joinery such as skirtings, etc. and all reinforcement, conduit, pipes, lintels, etc. built into that portion of the structure and the removal from site thereof.	ltem			
3	Prices for the removal of doors and frames shall include for the removal of fanlights, ironmongery, architraves and other associated trim.	ltem			
4	Prices for the removal of windows shall include for the removal of glass, louvres, etc. attached to the windows.	ltem			
5	The Contractor is advised to take all dimensions affecting the existing building on the site as he will be held solely responsible for all new work being of the correct size.	ltem			
	Carried to Collection		R		
	Section No. 3 Bill No. 2 Alteration				



6	All sizes for building up or forming openings are net and the Contractor must allow in his prices for extra labour and material, cutting and bonding new to existing brickwork, building square jambs, building cavities solid and removing old sills as necessary, and for making good junction of new plaster with old including all extra patching to work disturbed beyond the net size of the openings, which are to be formed or built up.	ltem	1	
7	All materials and workmanship in building up, making good etc., are to match existing and where new materials abut existing, they are to be neatly joined to same.	ltem		
8	The contractor is advised to visit the site to acquaint himself with the types of construction and finishes so that he may price "to match existing" items where called for.	Item		
9	"Making good" existing work where disturbed or damaged shall mean the provision of the necessary new material to match existing and the necessary workmanship so that a complete and perfect restoration is achieved to the satisfaction of the Architect.	Item		
10	"Making good" where abutting walls etc. are removed shall mean the provision of the necessary material and workmanship in filling the gaps to match surrounding finishes so that a complete and perfect surface, is obtained to the satisfaction of the Architect.	ltem		
11	The rates for "taking out", "taking down" of windows, doors etc., from brickwork to remain are to include for making good all work disturbed to match surrounding finishes.	Item		
12	Contractor to allow for removal of rubble, accumulated rubbish on site.	Item		
	Carried to Collection Section No. 3 Bill No. 2 Alteration		R	_
	Alleration			



	Temporary barricades, screens, roofs, etc including removal				
13	Temporary wire mesh fencing as hoarding from construction site, total hight 3m with temp partition.	m	29		
14	Extra over fencing for gate 813 x 2032mm high, including steel frame, padlock, primer and two coats paint	No	1		
	Taking up and removing floor coverings and preparing screeds for new floor coverings				
15	Torch on waterproofing to roofs	m2	21		
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
16	Tiles to floors	m2	12		
17	Tiles to walls	m2	13		
	Taking out and removing piping, sanitary fittings, etc. including cutting off as necessary, disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
18	Vitreous china WC pan with cistern	No	1		
19	Vitreous china wash hand basin, including short lengths of piping, etc	No	1		
20	Urinal bowl fixed to walls.	No	1		
	MAKING GOOD OF FINISHES, ETC				
	Carried to Collection Section No. 3 Bill No. 2 Alteration			R	



	Treatment of existing tiles	Ì			
21	Existing tiled floors to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	82		
22	Existing tiled walls to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas. Treatment of existing painted and face brick walls	m2	259		
23	Existing face and painted walls to be powerwashed with high pressure water including soap. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	132		
	Making good cement screeds				
24	25mm Thick on floors in patches	m2	5		
	Making good gypsum plasterboard ceilings and timber brandering				
25	Ceilings in patches	m2	2		
	Making good internal cement plaster				
26	Walls in patches	m2	8		
					1
	Carried to Collection			R	
	Section No. 3 Bill No. 2 Alteration				



Section No. 3			1	1
Bill No. 2				
Alteration				
COLLECTION				
Total Brought Forward from Page No.	Page No 98 99 100 101		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 2 Alteration		R		_



ltem No			Quantity	Rate	Amount
	SECTION NO. 3				
	BILL NO. 3				
	WATERPROOFING				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	WATERPROOFING TO ROOFS, ETC				
	Prime with bitumen primer and "torch on" two layers of Derbigum SP or equal approved membrane 4 mm thick, with a ten year guarantee, all in accordance with the manufacturers' instructions, to:				
1	Roofs including turn-ups and turn-downs not exceeding 300 mm high.	m2	21		
2	Sides of concrete upstands	m2	4		
3	Provide additional sheet dressed into Fullbore outlet	No	1		
	Protective roofing paint				
4	Apply two coats bituminous aluminium paint on waterproofing.	m2	82		
	SERVICING OF WATERPROOFING TO EXISTING CONCRETE ROOFS				
	Contractors to check all torch on waterproofing including to turn ups and locate leaks and clean of existing fullbores and downpipes as required.				
	Carried to Collection			R	
	Section No. 3 Bill No. 3 Waterproofing				



5	Roof covering with pitches not exceeding 25 degrees	m2	82		
	Carried to Collection			R	
	Section No. 3 Bill No. 3				_
	Waterproofing				



Section No. 3		Î	
Bill No. 3			
Waterproofing			
COLLECTION			
Total Brought Forward from Page No.	Page No 103 104		Amount
Carried Forward to Summary of Section No. 3		R	
Section No. 3 Bill No. 3 Waterproofing			



ltem No		Quantity	Rate	Amount
	SECTION NO. 4			
	BILL NO 4			
	CARPENTRY AND JOINERY			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	SUPPLEMENTARY PREAMBLES			
	DOORS ETC			
	SUPPLEMENTARY PREAMBLES			
	SEMI- SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES			
1	40 mm Door size 813 mm x 2032 mm with commercial veneer backing.			
2	40 mm Door size 912 mm x 2955 mm with commerial			
	veneer.	0 1		
	SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES			
3	40 mm Door size 813 mm x 2032 mm with commercial veneer.	0 2		
	Carried Forward to Summary of Section No. 3		R	
	Section No. 3 Bill No. 4 Carpentry and Joinery			
J		1		



ltem No			Quantity	Rate	Amount
	SECTION NO. 5				
	BILL NO.5				
	IRONMONGERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	NOTE: Prices are to include for fixing ironmongery to softwood, hardwood or pressed metal door frames, etc.				
	Locks and furniture:				
1	Supply (PC : R300) and installation of mortice lock and furniture.	No	2		
2	Supply (PC : R200) and installation of door handle.	No	22		
3	Supply (PC : R450) and installation of WC indicator bolt.	No	9		
4	Supply (PC : R50) and installation of door stop plugged and screwed to brickwork or concrete.	No	11		
5	Supply (PC : R2500) and installation of door closer fixed to frame.	No	1		
	Supply and fix the following ironmongery:				
6	32 mm Diameter stainless steel rear grab rail (Code SR2) from Chairman Industries bolted to wall with 6 mm diameter stainless steel bolts, all as the manufacturer's instructions.	No	1		
	Carried to Collection			R	
	Section No. 3 Bill No. 5 Ironmongery				



7	, · · · · · · · · · · · · · · · · · · ·	lo	1		
	Carried to Collection		R		
	Section No. 3 Bill No. 5 Ironmongery		K		=



	Section No. 3	1	ĵ		i
	Bill No. 5				
	Ironmongery				
	COLLECTION				
	Total Brought Forward from Page No.	Page No 107		Amour	nt
	Carried Forward to Summary of Section No. 3				_
Bill	ction No. 3 No. 5 nmongery		R		_