

Item No	SANS Pay Ref		Unit	Quantity	Rate	Amount
		SECTION NO. 1				
		BILL NO. 1				
	SANS 1200A	PRELIMINARY AND GENERAL				
		BUILDING AGREEMENT AND PRELIMINARIES				
		The JBCC Principal Building Agreement (Edition 6.2 - May 2018) prepared by the Joint Building Contracts Committee shall be the applicable building agreement, amended as hereinafter described				
		The JBCC Principal Building Agreement contract data form an integral part of this agreement				
		The JBCC General Preliminaries (Edition 6.2 - May 2018) published by the Joint Building Contracts Committee for use with the JBCC Principal Building Agreement (Edition 6.2 - May 2018) shall be deemed to be incorporated in these bills of quantities , amended as hereinafter described				
		The contractor is deemed to have referred to the abovementioned documents for the full intent and meaning of each clause				
		Carried to Collection Section No. 1 Bill No. 1 Preliminaries			R	



The clauses in the abovementioned documents are hereinafter referred to by clause number and heading only Where any item is not relevant to this agreement such item is marked N/A signifying "not applicable" Where standard clauses or alternatives are not entirely applicable to this agreement such amendments, modifications, corrections or supplements as will apply are given under each relevant clause heading and such amendments, modifications, corrections or supplements shall take precedence notwithstanding anything to the contrary contained in the abovementioned documents.		
PREAMBLES FOR TRADES		
The General Preambles for Trades 2017 published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in these bills of quantities and no claims arising from brevity of description of items fully described in the said General Preambles will be entertained		
Supplementary preambles and/or specifications are incorporated in these bills of quantities to satisfy the requirements of this project. Such supplementary preambles and/or specifications shall take precedence over the provisions of the Model Preambles		
Carried to Collection	R	
Section No. 1 Bill No. 1 Preliminaries	K	



I	11	
The contractor's prices for all items throughout these bills of quantities shall take account of and include for all of the obligations, requirements and specifications given in the Model Preambles and in any supplementary preambles and/or specifications		
STRUCTURE OF THIS PRELIMINARIES		
BILL		
Section A : A recital of the headings of the individual clauses of the aforementioned JBCC Principal Building Agreement		
Section B : A recital of the headings of the individual clauses of the aforementioned Preliminaries document		
Section C : Any special clauses to meet the particular circumstances of the project		
PRICING OF PRELIMINARIES		
Should the contractor select Option A in the contract data for the adjustment of preliminaries , the amounts entered against the relevant items in these preliminaries are to be divided into one or more of the three categories provided namely fixed (F), value related (V) and time related (T)		
Should the contractor select Option A in the contract data for the adjustment of preliminaries , the amounts entered against the relevant items in these preliminaries are to be divided into one or more of the three categories provided namely fixed (F), value related (V)		
Should the contractor select Option A in the contract data for the adjustment of preliminaries , the amounts entered against the relevant items in these preliminaries are to be divided into one or more of the three categories provided namely fixed (F), value related (V)	R	



I	T		$\overline{}$
	SECTION A: PRINCIPAL BUILDING		
	AGREEMENT		
	Interpretation (A1-A7)		
1	Clause 1.0 - Definitions and interpretation		
	Pricing of bills of quantities		
	The contractor is to allow opposite each item for all costs in connection therewith. All prices to include, unless otherwise stated, for all materials, fabrication, conveyance and delivery, unloading, storing, unpacking, hoisting, labour, setting, fitting and fixing in position, cutting and waste (except where to be measured in accordance with the standard system of measurement), patterns, models and templates, plant, temporary works, returning of packaging, duties, taxes (other than Value Added Tax), imposts, establishment charges, overheads, profit and all other obligations arising out of this agreement. Value Added Tax (VAT) is to be separately stated on the summary page of these bills of quantities		
	to be covered in prices against other items throughout these bills of quantities and no claim for any extras arising out of the contractor's omission to price any item will be entertained		
	Prices for all construction equipment , temporary works, services and other items shall include for the supply, maintenance, operating cost and subsequent removal and making		
	Carried to Collection	R	
	Section No. 1 Bill No. 1 Preliminaries		



good as necessary		
Abbreviated descriptions		
The items in these bills of quantities utilise abbreviated descriptions. It is the intention that the abbreviated descriptions be fully described when read with the applicable measuring system and the relevant preambles and/or specifications. However, should the full intent and meaning of any description not be clear, the contractor shall, before submission of his tender, call for a written directive from the principal agent, failing which it shall be assumed that the contractor has allowed in his pricing for materials and workmanship in		
terms of international best practice		
Legal status of contractor		
If the contractor constitutes a joint venture, consortium or other unincorporated grouping of two or more persons then:		
These persons are deemed to be jointly and severally liable to the employer for the performance of this agreement		
2. These persons shall notify the employer of their leader who has authority to bind the contractor and each of these persons		
3. The contractor shall not alter its composition or legal status without the prior written consent of the employer		
Canniad to Callagitan		
Section No. 1 Bill No. 1 Preliminaries	R	



	F: V: T:	Item		
2	Clause 2.0 - Law, regulations and notices			
	F: V: T:	ltem		
3	Clause 3.0 - Offer and acceptance			
	F: V: T:	ltem		
4	Clause 4.0 - Cession and assignment			
	F: V: T:	ltem		
5	Clause 5.0 - Documents			
	F: V: T:	ltem		
6	Clause 6.0 - Employer's agents			
	Delegated authority			
	The authority of the principal agent to issue contract instructions [17.1] and perform duties for specific aspects of the works is delegated to agents as follows [6.2]. This does not preclude the principal agent from issuing such contract instructions :			
	1. <u>Architect</u>			
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



1	I	
	1.1 Duties [6.2] :	
	The architect is responsible for the architectural design, functional design and quality inspection of the works	
	1.2 Contract instructions [6.2; 17.1]:	
	1.2.1 Rectification of discrepancies, errors in description or quantity or omission of items in the agreement other than in the JBCC Principal Building Agreement	
	1.2.2 Alteration to design, standards or quantity of the works provided that such contract instructions shall not substantially change the scope of the works	
	1.2.3 The site [13.0]	
	1.2.4 Compliance with the law , regulations and bylaws [2.1]	
	1.2.5 Provision and testing of samples of materials and goods and/or of finishes and assemblies of elements of the works	
	1.2.6 Opening up of work for inspection, removal or reexecution [23.2.4; 26.4.2]	
	1.2.7 Removal or re-execution of work	
	Carried to Collection	R
	Section No. 1 Bill No. 1 Preliminaries	



	1.2.8 Removal or substitution of any materials and goods	
	1.2.9 Protection of the works	
	1.2.10 Making good physical loss and repairing damage to the works [23.2.2]	
	1.2.11 Rectification of defects [21.2]	
	1.2.12 A list for practical completion specifying outstanding or defective work to be rectified to achieve practical completion, a list for completion and a list for final completion specifying outstanding or defective work to be rectified to achieve final completion	
	1.2.13 Expenditure of budgetary allowances, prime cost amounts and provisional sums	
	1.2.14 Appointment of a subcontractor [14.0; 15.0]	
	1.2.15 Work by direct contractors [16.0]	
	1.2.16 On suspension or termination, protection of the works, removal of construction equipment and surplus materials and goods [29.0]	
	2. Quantity surveyor	
	Carried to Collection R	
	Section No. 1 Bill No. 1 Preliminaries	
<u> </u>		



	2.1 Duties [6.2] :			
	The quantity surveyor is responsible for all measurements, valuations, financial assessments and all other quantity surveying and cost control functions of the works			
	2.2 Contract instructions [6.2; 17.1] :			
	2.2.1 No contract instructions delegated to the quantity surveyor			
	3. <u>Civil and structural engineer</u>			
	3.1 Duties [6.2] :			
	The civil and structural engineer is responsible for all aspects of civil and structural engineering design and quality inspection of the works			
	3.2 Contract instructions [6.2; 17.1]:			
	3.2.1 Rectification of discrepancies, errors in description or quantity or omission of items in the agreement other than in the JBCC Principal Building Agreement			
	3.2.2 Alteration to design, standards or quantity of the works provided that such contract instructions shall not substantially change the scope of the works			
	3.2.3 The site [13.0]			
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			
	1	1	1	1 1 1



3.2.4	Compliance with the law , regulations and bylaws [2.1]	
3.2.5	Provision and testing of samples of materials and goods and/or of finishes and assemblies of elements of the works	
3.2.6	Opening up of work for inspection, removal or reexecution [23.2.4; 26.4.2]	
3.2.7 work	Removal or re-execution of	
3.2.8	Removal or substitution of any materials and goods	
3.2.9	Protection of the works	
3.2.10	Making good physical loss and repairing damage to the works [23.2.2]	
3.2.11	Rectification of defects [21.2]	
3.2.12	A list for practical completion specifying outstanding or defective work to be rectified to achieve practical completion, a list for completion and a list for final completion specifying outstanding or defective work to be rectified to achieve final completion	
3.2.13	Expenditure of budgetary allowances, prime cost amounts and provisional sums	
Sectio Bill No. Prelimi		R



	4. <u>Mechanical engineer</u>			
	4.1 Duties [6.2] :			
	The mechanical engineer is responsible for all aspects of mechanical engineering design and quality inspection of the works and, where appointed by the employer for quantity surveying services in respect of the mechanical installations, for all measurements, valuations, financial assessments and all other quantity surveying and cost control functions			
	4.2 Contract instructions [6.2; 17.1]:			
	4.2.1 Rectification of discrepancies, errors in description or quantity or omission of items in the agreement other than in the JBCC Principal Building Agreement			
	4.2.2 Alteration to design, standards or quantity of the works provided that such contract instructions shall not substantially change the scope of the works			
	4.2.3 Compliance with the law , regulations and bylaws [2.1]			
	4.2.4 Provision and testing of samples of materials and goods and/or of finishes and assemblies of elements of the works			
	Section No. 1 Bill No. 1 Preliminaries		R	
1	1	1		



4.2.5	Opening up of work for inspection, removal or re-execution [23.2.4; 26.4.2]		
4.2.6 work	Removal or re-execution of		
4.2.7	Removal or substitution of any materials and goods		
4.2.8	Protection of the works		
4.2.9	Making good physical loss and repairing damage to the works [23.2.2]		
4.2.10	Rectification of defects [21.2]		
4.2.11	A list for practical completion specifying outstanding or defective work to be rectified to achieve practical completion, a list for completion and a list for final completion specifying outstanding or defective work to be rectified to achieve final completion		
4.2.12	Expenditure of budgetary allowances, prime cost amounts and provisional sums		
5. Elec	trical engineer		
	Carried to Collection	R	
Section Bill No. Prelimi	n No. 1 1		
<u> </u>			



1			,
	5.1 Duties [6.2]:		
	The electrical engineer is responsible for all aspects of electrical engineering design and quality inspection of the works and, where appointed by the employer for quantity surveying services in respect of the electrical installations, for all measurements, valuations, financial assessments and all other quantity surveying and cost control functions 5.2 Contract instructions [6.2; 17.1]:		
	· · · · · · · · · · · · · · · · · · ·		
	5.2.1 Rectification of discrepancies, errors in description or quantity or omission of items in the agreement other than in the JBCC Principal Building Agreement		
	5.2.2 Alteration to design, standards or quantity of the works provided that such contract instructions shall not substantially change the scope of the works		
	5.2.3 Compliance with the law , regulations and bylaws [2.1]		
	5.2.4 Provision and testing of samples of materials and goods and/or of finishes and assemblies of elements of the works		
	5.2.5 Opening up of work for inspection, removal or re-execution [23.2.4; 26.4.2]		
	Carried to Collection Section No. 1	R	
	Bill No. 1 Preliminaries		
			li l



5.2.6 Removal or re-execution of work
5.2.7 Removal or substitution of any materials and goods
5.2.8 Protection of the works
5.2.9 Making good physical loss and repairing damage to the works [23.2.2]
5.2.10 Rectification of defects [21.2]
5.2.11 A list for practical completion specifying outstanding or defective work to be rectified to achieve practical completion, a list for completion and a list for final completion specifying outstanding or defective work to be rectified to achieve final completion
5.2.12 Expenditure of budgetary allowances, prime cost amounts and provisional sums
6. Wet services engineer
6.1 Duties [6.2]:
The wet services engineer is responsible for all aspects of wet services engineering design and quality inspection of the works
6.2 Contract instructions [6.2; 17.1]:
Carried to Collection R
Section No. 1 Bill No. 1 Preliminaries



	6.2.1	Rectification of discrepancies, errors in description or quantity or omission of items in the agreement other than in the JBCC Principal Building Agreement		
	6.2.2	Alteration to design, standards or quantity of the works provided that such contract instructions shall not substantially change the scope of the works		
	6.2.3	Compliance with the law , regulations and bylaws [2.1]		
	6.2.4	Provision and testing of samples of materials and goods and/or of finishes and assemblies of elements of the works		
	6.2.5	Opening up of work for inspection, removal or re- execution [23.2.4; 26.4.2]		
I I	6.2.6 work	Removal or re-execution of		
	6.2.7	Removal or substitution of any materials and goods		
	6.2.8	Protection of the works		
	6.2.9	Making good physical loss and repairing damage to the works [23.2.2]		
	6.2.10	Rectification of defects [21.2]		
		Carried to Collection	R	
	Sectior Bill No. Prelimir	1		



6.2.11 A list for practical completion specifying outstanding or defective work to be rectified to achieve practical completion, a list for completion and a list for final completion specifying outstanding or defective work to be rectified to achieve final completion 6.2.12 Expenditure of budgetary allowances, prime cost amounts and provisional sums		
7. <u>Fire consultant</u>		
7.1 Duties [6.2] :		
The fire consultant is responsible for all aspects of rational fire design and quality inspection of the works		
7.2 Contract instructions [6.2; 17.1]:		
7.2.1 Rectification of discrepancies, errors in description or quantity or omission of items in the agreement other than in the JBCC Principal Building Agreement		
7.2.2 Alteration to design, standards or quantity of the works provided that such contract instructions shall not substantially change the scope of the works		
7.2.3 Compliance with the law , regulations and bylaws [2.1]		
Carried to Collection Section No. 1 Bill No. 1 Preliminaries	R	



7.2.4 Provision and testing of samples of materials and goods and/or of finishes and assemblies of elements of the works	
7.2.5 Opening up of work for inspection, removal or reexecution [23.2.4; 26.4.2]	
7.2.6 Removal or re-execution of work	
7.2.7 Removal or substitution of any materials and goods	
7.2.8 Protection of the works	
7.2.9 Making good physical loss and repairing damage to the works [23.2.2]	
7.2.10 Rectification of defects [21.2]	
7.2.11 A list for practical completion specifying outstanding or defective work to be rectified to achieve practical completion, a list for completion and a list for final completion specifying outstanding or defective work to be rectified to achieve final completion	
7.2.12 Expenditure of budgetary allowances, prime cost amounts and provisional sums	
8. <u>Health and safety consultant</u>	
Carried to Collection Section No. 1 Bill No. 1 Preliminaries	R



	1		, , ,
8.1 Duties [6.2] :			
The health and safety consultant is responsible for all aspects of health and safety of the works. Without derogating from the generality thereof, the health and safety consultant will perform the following specific functions and duties in respect of the health and safety aspects of the works. He shall:			
8.1.1 Act as the employer's agent in terms of the Construction Regulations issued in terms of the Occupational Health and Safety Act,1993 as amended			
8.1.2 Prepare and update the health and safety specification for the works			
8.1.3 Agree with the contractor the health and safety plan for the works			
8.1.4 Carry out regular audits to ensure adherence to the safety plan and compliance with the act and regulations			
8.1.5 Stop the execution of the works where the agreed specification or plan is not adhered to			
F: V: T:	Item		
Section No. 1 Bill No. 1 Preliminaries		R	



7	Clause 7.0 - Design responsibility			
	F: V: T:	Item		
	Insurances and securities (A8-A11)			
8	Clause 8.0 - Works risk			
	F: V: T:	Item		
9	Clause 9.0 - Indemnities			
	F: V: T:	Item		
10	Clause 10.0 - Insurances			
	F: V:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			
				1



11		Clause 11.0 - Securities					
		Clause 11.5 Omit this clause in its entirety					l
		Clause 11.5.1 Omit this clause in its					1
		entirety Clause 11.5.2 Omit this clause in its					ı
		entirety Clause 11.6 Omit this clause in its					ı
		entirety Clause 11.10 Omit the words "on					ı
		receipt of a					ı
		Guarantee for Payment from the					ı
		employer"					ı
		Extension of waiver of lien					ı
		The contractor shall ensure that a waiver of lien is included in all					ı
		subcontracts and that the works					ı
		executed on the site are kept free of all liens and other encumbrances at					ı
		all times [11.10]					ı
		F: V:					ı
		T:		Item			ı
		Execution (A12 - A17)					ı
							ı
							ı
							ı
							ı
							ı
							ı
							ı
							ı
							ı
		Carried to Collection Section No. 1			R		
		Bill No. 1					ı
		Preliminaries					ı
	I		1	I	1	ıl İ	



12	Clause 12.0 - Duties of the parties		
12			
	Office accommodation		
	The contractor shall provide, maintain and remove on practical completion air conditioned office accommodation with suitable tables and chairs for meetings to be held on the site . Such offices shall be kept clean and fit for use at all times [12.2.18]		
	Notice board		
	The contractor shall erect in a position approved by the principal agent, maintain and remove on practical completion a notice board recommended by the South African Institute of Architects and as approved by the principal agent listing the names and logos of the employer, the contractor, and the professional consultants. No subcontractor or supplier notice boards may be erected unless permission is granted by the principal agent for such notice boards to be erected [12.2.18]		
	Statutory and other notices		
	The contractor shall submit and/or comply with all statutory and other notices that may be required by any local or other authority in order not to cause any delay to the commencement of the works by the contractor . The contractor shall pay all deposits or fees in this regard		
	It is, however, specifically recorded that the employer shall be responsible for the timeous approval		
	Carried to Collection	R	
	Section No. 1 Bill No. 1 Preliminaries	K.	



		other authorities	ns by any local or and the payment of ges related thereto					
		F: T:	V:		Item			
13		Clause 13.0 - Set	tting out					
		F: T:	V:		Item			
14		Clause 14.0 subcontractors	- Nominated					
		F: T:	V:		Item			
15		Clause 15.0 subcontractors) - Selected					
		F: T:	V:		Item			
			Carried to Collection			R		
		Section No. 1 Bill No. 1 Preliminaries						
	i	i		1			i	1



16	Clause 16.0 - Direct contractors			
	Attendance on direct contractors			
	In respect of direct contractors the contractor shall:			
	Designate an area for the direct contractor to establish a temporary office and workshop and storage of equipment and materials			
	2. Allow the use of personnel welfare facilities, where provided			
	3. Provide water, lighting and single phase electric power to a position within 50m of the place where the direct contract work is to be carried out, other than fuel or power for commissioning of any installation			
	4. Permit the direct contractor to use erected scaffolding, hoisting facilities, etc provided by the contractor, in common with others having the like right, while it remains erected on the site [16.1]			
	F: T:	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



17	Clause 17.0 - Contract instructions			
	Site instructions			
	Instructions issued on site are to be recorded in a site instruction book which is to be supplied and maintained on site by the contractor			
	F: V: T:	Item		
	Completion (A18 - A24)			
18	Clause 18.0 - Interim completion			
	F: V: T:	Item		
19	Clause 19.0 - Practical completion			
	F: V: T:	Item		
20	Clause 20.0 - Completion in sections			
	F: V: T:	Item		
21	Clause 21.0 - Defects liability period and final completion			
	F: T:	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			
			i l	



22	Clause 22.0 - Latent defects liability period			
	F: V:	Item		
23	Clause 23.0 - Revision of the date for practical completion			
	Substitution of materials and goods			
	The removal or substitution of any materials and goods which do not conform to the specification or the contract drawings shall not constitute grounds for the extension of the construction period nor for the adjustment of the contract value [17.1.8, 23.1 & 2]			
	F: V:	Item		
24	Clause 24.0 - Penalty for late or non-completion			
	F: V:	Item		
	<u>Payment (A25 - A27)</u>			
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



				 —
25	Clause 25.0 - Payment			
	Clause 25.10 Replace "fourteen (14)" with "thirty (30)"			
	Materials and goods prematurely on site			
	Materials and goods brought onto the site prematurely shall not be authorised for payment [25.3.2]			
	Materials and goods stored off site			
	Materials and goods stored off site shall not be authorised for payment [25.3.2]			
	Fluctuations in costs			
	All fluctuations in costs, with the exception of fluctuations in the rate of Value Added Tax, shall be for the account of the contractor [25.3.4]			
	Prices submitted			
	Where prices are submitted by the contractor or subcontractor during the progress of the works in respect of contract instructions or in regard to a claim under the terms of this agreement and notwithstanding the fact that such prices may be used in an interim payment certificate, there is to be no presumption of acceptance. Should the principal agent wish to accept any such prices prior to the issue of the certificate of final completion, it shall be in writing			
	F: V: T:	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



	<u> </u>		T T	1	, , , , , , , , , , , , , , , , , , ,
26	l I	use 26.0 - Adjustment of the tract value and final account			
	Fluc	tuations in costs			
	exc of V	fluctuations in costs, with the eption of fluctuations in the rate value Added Tax, shall be for the count of the contractor [26.9.5]			
	Teno requ	ant installations/users uirements delayed			
	wor insta hav con	re is a possibility that certain ks related to tenant allations/users requirements may be to be delayed and may asequently not be executed prior practical completion			
	to describe the control of the contr	uld the contractor be instructed do so he shall execute this work ler the conditions pertaining to agreement on the basis that a arate amount for preliminaries burtenant to this work (if blicable) is agreed to between contractor and the principal ent and on condition that ruction to proceed with such k is given to him within a period three (3) calendar months after date of practical completion of works			
	omi con loss the	employer reserves the right to t such work without appensation to the contractor for of profit or any other loss which contractor may suffer as a result uch omission			
	Cos	t of claims			
	All c	costs incurred by the contractor in			
		Carried to Collection		R	
	Bill N	tion No. 1 No. 1 Iminaries			



the preparation of claims shall be borne by, the contractor. This provision shall not preclude an adjudicator or on arbitrator appointed in terms of this agreement [30.6 & 7] from making a determination on costs Claims from subcontractors The contractor shall review, assess and adjudicate any claims received by him from any subcontractor and thereafter submit same to the principal agent with a recommendation in order to assist the principal agent in adjudicating the claim [26.6] F					
The contractor shall review, assess and adjudicate any claims received by him from any subcontractor and thereafter submit same to the principal agent with a recommendation in order to assist the principal agent in adjudicating the claim [26.6] F:		borne by the contractor . This provision shall not preclude an adjudicator or an arbitrator appointed in terms of this agreement [30.6 & 7] from making a determination on costs			
and adjudicate any claims received by him from any subcontractor and thereafter submit same to the principal agent with a recommendation in order to assist the principal agent in adjudicating the claim [26.6] F:		Claims from subcontractors			
T:		and adjudicate any claims received by him from any subcontractor and thereafter submit same to the principal agent with a recommendation in order to assist the principal agent in adjudicating			
Carried to Collection Section No. 1 Bill No. 1 Item Ite			Item		
T:	27				
Clause 28.0 - Suspension by the contractor			Item		
Carried to Collection Section No. 1 Bill No. 1					
Carried to Collection Section No. 1 Bill No. 1	28				
Section No. 1 Bill No. 1			ltem		
Section No. 1 Bill No. 1					
Section No. 1 Bill No. 1					
Bill No. 1		Carried to Collection		R	
		Bill No. 1			



29	Clause 29.0 - Termination				
	F: V:	Item			
	<u>Dispute resolution (A30)</u>				
30	Clause 30.0 - Dispute resolution				
	F:V:	Item			
31	Agreement				
	The required information of the parties and the amount of the contract sum shall be inserted in the agreement for signature of the agreement by the parties	ne l			
	F: V:	Item			
32	Contract data				
	Tenderer's selection Before submission of his tender the contractor is to complete the tenderer's selection in the contractor	ne			
	F: V:	Item			
	Carried to Collect	ion	R		
	Section No. 1 Bill No. 1 Preliminaries		K		
				1	i



	SECTION B: GENERAL PRELIMINARIES			
	Definitions and interpretation (B1)			
33	Clause 1.1 - Definitions			
34	F: V: T: Clause 1.2 - Interpretation	Item		
	F: V:	Item		
35	Documents (B2) Clause 2.1 - Checking of documents			
	F: V: T:	Item		
36	Clause 2.2 - Provisional bills of quantities			
	Multiple procurement			
	These bills of quantities are in multiple procurement format ie the "wet trades" - earthworks, concrete, formwork and reinforcement, precast concrete, masonry, waterproofing and sub-surface drainage - are provisionally measured and the subsequent trades are budgetary allowances and/or provisional sums			
	F: V: T:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



37	Clause 2.3 - construction inform	Availability of ation			
	Budgetary allo provisional sums	owances and			
	The budgetary all provisional sums subsequent trades agreement will procured, based procurement of during the constructions.	allocated for included in this be separately on multiple subcontractors			
	F: T:	V:	Item		
38	Clause 2.4 - Orde and goods	ering of materials			
	F: T:	V:	Item		
	Previous work properties (B3)	and adjoining			
39	Clause 3.1 - F dimensional accure				
	F: T:	V:	Item		
40	Clause 3.2 - Previou	us work - defects			
	F: T:	V:	Item		
	C	arried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries				



41		Clause 3.3 - Inspection of adjoining properties			
		F: V:	Item		
		The site (B4)			
42		Clause 4.1- Handover of site in stages			
		F: V:	Item		
43		Clause 4.2 - Enclosure of the works			
		F: V: T:	Item		
44		Clause 4.3 - Geotechnical and other investigations			
		F: V: T:	Item		
45		Clause 4.4 - Encroachments			
		F: V: T:	Item		
46		Clause 4.5 - Existing premises occupied			
		F: V: T:	Item		
		Carried to Collection		R	
		Section No. 1 Bill No. 1 Preliminaries			
	i e				



47		Clause 4.6 - Services - known			
		F: V:	Item		
		Management of contract (B5)			
48		Clause 5.1 - Management of the works			
		F: V:	Item		
49		Clause 5.2 - Progress meetings			
		F: V: T:	Item		
50		Clause 5.3 - Technical meetings			
		F: V:	Item		
		Samples, shop drawings and manufacturer's instructions (B6)			
51		Clause 6.1 - Samples of materials			
		F: V:	Item		
52		Clause 6.2 - Workmanship samples			
		F: V: T:	Item		
		Carried to Collection		R	
		Section No. 1 Bill No. 1 Preliminaries			



53	Clause 6.3 - Shop drawings			
54	F: V: T: Clause 6.4 - Compliance with manufacturer's instructions	Item		
	F: V: T:	ltem		
	Deposits and fees (B7)			
55	Clause 7.1 - Deposits and fees			
	F: V: T:	ltem		
	Temporary services (B8)			
56	Clause 8.1 - Water			
	F: V:	Item		
57	Clause 8.2 - Electricity			
	F: V:	Item		
58	Clause 8.3 - Ablution and welfare facilities			
	F: V: T:	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



59	Clause 8.4 - Communication facilities			
	F: V: T:	Item		
	<u>Prime cost amounts (B9)</u>			
60	Clause 9.1 - Responsibility for prime cost amounts			
	F: V: T:	Item		
	Attendance on subcontractors (B10)			
61	Clause 10.1 - General attendance			
	F: V: T:	Item		
62	Clause 10.2 - Special attendance			
	F: V: T:	Item		
	General (B11)			
63	Clause 11.1 - Protection of the works			
	F: V: T:	Item		
64	Clause 11.2 - Protection/isolation of existing works and works occupied in sections			
	F: V: T:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



65	Clause 11.3 - Security of the works			
66	F: V:	Item		
	F: V:	Item		
67	All work is to be carried out in such a manner as to cause no unacceptable or unreasonable dust, noise, vibrations, nuisance, inconvenience, annoyance and the like to the public, others, other properties and traffic in so far as they exceed the permissible limitations set by government legislation or by the local authority. Any delays, stoppages and the like arising from or in order to comply with the above will not constitute grounds for an adjustment to the construction period or contract value whatsoever F:	Item		
	Carried to Collection Section No. 1		R	
	Bill No. 1 Preliminaries			



68	Clause 11.6 - Environmental disturbance			
	Controlling all forms of pollution			
	The contractor shall be responsible for and take all precautions in controlling by whatever means necessary all forms of pollution emanating from the site during the construction period due inter alia to noise, artificial light, wind-blown sand, dust, deposits of mud, etc.			
	F: V: T:	Item		
69	Clause 11.7 - Works cleaning and clearing			
	F: V: T:	Item		
70	Clause 11.8 - Vermin			
	F: V: T:	Item		
71	Clause 11.9 - Overhand work			
	F: V:	Item		
72	Clause 11.10 - Tenant installations			
	F: V:	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



73	Clause 11.11 - A	dvertising			
	F: T:	V:	ltem		
	Section No. 1 Bill No. 1 Preliminaries	Carried to Collection		R	



	SECTION PRELIMINARIES	C: :	SPECIFIC			
74	Site instructions					
	Instructions issued recorded in trip instruction book maintained on site	olicate in which is	a site s to be			
	F: T:	V:		ltem		
		Carried to	Collection		R	
	Section No. 1 Bill No. 1 Preliminaries					



75	Warranties for materials and workmanship			
	Where warranties for materials and/or workmanship are called for, the contractor shall obtain a written warranty, addressed to the employer, from the entity supplying the materials and/or doing the work and shall deliver same to the principal agent on the final completion of the contract			
	The warranty shall state that workmanship, materials and installation are warranted for a specific period from the date of practical completion and that any defects that may arise during the specified period shall be made good at the expense of the entity supplying the materials and/or doing the work, upon written notice to do so			
	The warranty will not be enforced if the work is damaged by defects in the execution of the works , in which case the responsibility for replacement shall rest entirely with the contractor			
	F: V:	Item		
	Carried to Collection Section No. 1 Bill No. 1 Preliminaries		R	



				_
76	Overtime			
	Should overtime be required to be worked for any reason whatsoever, the cost of such overtime is to be borne by the contractor unless the principal agent has specifically authorised, prior to execution thereof, that costs for such overtime are to be borne by the employer			
	F: V: T:	Item		
77	Co-operation of the contractor for cost management			
	It is specifically agreed that the contractor accepts the obligation of assisting the principal agent in implementing proper cost management. The contractor will be advised by the principal agent of all cost management procedures which will be implemented to ensure that the contract value does not exceed the budget			
	F: T:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



78	Overloading			
	The contractor shall take all necessary steps to ensure that no damage occurs due to overloading of any portion of the works or temporary works eg scaffolding, etc. The contractor shall submit details of his proposed loading, storage, plant erection, etc to the principal agent for approval prior to proceeding with such loading, storing or erecting and shall comply with and pay for the principal agent's requirements in connection with the provision of temporary support work, etc. Any damage caused to the works by overloading shall be made good by the contractor at his sole expense			
	F: V: T:	Item		
79	Propping of floors below			
	The contractor is advised that propping of floors below may be required if he wishes to use any areas of completed suspended reinforced concrete slabs for vehicle access, storage of materials and goods and location of plant, scaffolding, etc. The location of these areas and any necessary propping shall be approved by the principal agent and the cost thereof shall be borne by the contractor			
	F: T:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



80	Testing of flat roof waterproofing fo watertightness				
	Flat roof waterproof areas shall be prepared with small sand dykes around them of a size and enclosing an area approved by the principa agent , flooded with water and kept "ponded" for at least forty (40) hours as a test to ensure the watertightness of the waterproofing and before any further construction work is carried out above the waterproofing				
	F: V:		Item		
81	Advertising rights				
	The employer may elect to contract with advertising agencies for the erection of advertising hoardings banners, wraps or the like for the duration of the contract. The contractor shall not prevent such an arrangement and will assist in the facilitation of same. Position and type of advertising structure to be agreed with the principal agent so as not to hinder the contractor in meeting the obligations under this agreement				
	F: T:		Item		
	Carried to Collectic Section No. 1	n		R	_
	Bill No. 1 Preliminaries				



82	Confidentiality			
	The contractor undertakes to maintain in confidence any and all information regarding this project and shall obtain appropriate similar undertakings from all subcontractors and suppliers. Such information shall not be used in any way except in connection with the execution of the works			
	No information regarding this project shall be published or disclosed without the prior written consent of the employer			
	F: V: T:	Item		
83	Media releases			
	All rights of publication of articles in the media, together with any advertising relating thereto or in any way connected with this project, shall vest with the employer			
	The contractor together with his subcontractors shall not, without the prior written consent of the employer, cause any statement or advertisement connected with this project to be printed, screened or aired by the media			
	F: T:	ltem		
	Section No. 1 Bill No. 1 Preliminaries		R	



84	Testing of windows fo	or watertightness			
	Each window shall watertightness with on using adequate properties opinion of the principressure proves to I then the pressure shall by means of compression of the proved means	water sprayed pressure. If in the sipal agent, the be inadequate, nall be boosted			
	F: T:	V:	Item		
85	Non-Cession of Monie	es			
	The Contractor sha assign his right or monies due to or to under this Contract	claims to any			
	F: T:	V:	Item		
86	Proprietary Branded I	Products			
	The contractor shall handle, store, use, call proprietary brandstrict accordance manufacturer's insconstruction with the authorised represented	apply and/or fix ded products in the tructions after amount and the manufacturer's			
	F: T:	V:	ltem		
		rried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries				



87	Drawings on Site			
	The Contractor shall maintain on Site at all times, a complete set of the latest revisions of the working drawings issued by the Architect, the Engineer, and the Electrical Consultant			
	F: V: T:	Item		
88	Labour Record			
	At the end of each week the contractor shall provide the Principal Agent with a written record, in schedule form, reflecting the number and description of tradesmen and labourers employed by him and all subcontractors on the works each day			
	F: V:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



89	Scaffolding			
	No scaffolding is measured as these Bills of Quantities are based on the sixth edition of the Standard System for Measuring Building Work. However, the Tenderer is advised to study the drawings as scaffolding may be required in certain areas for use by himself and selected/nominated subcontractors and the contractor must establish or otherwise required by him or selected/nominated subcontractor including taking down and reerecting as may be necessary and no claims whatsoever will be entertained			
	F: V: T:	Item		
90	Plant Record			
	At the end of each week the contractor shall provide the Principal Agent with a written record, in schedule form, reflecting the number, type and capacity of all plant, excluding hand tools, currently used on the works			
	F: V: T:	Item		
91	Daywork			
	Where in the opinion of the Principal Agent any extra work cannot properly be measured or valued, the Contractor will be allowed daywork prices therefore calculated upon the costs defined hereunder together			
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



with the stated percentages. The total thus arrived at shall be the total amount recoverable by the Contractor for performing such work 1. The costs to the Contractor or sub-contractor of materials, being the net cost (at current market prices) actually paid for such materials after the deduction of cash discounts or if materials are supplied from the Contractor's or sub-contractor's stock then the cost of such materials shall be based upon the current market price plus the cost of delivery to Site; to which net cost 7,5% thereof shall be		
added. 2. The cost of labour to the Contractor or sub-contractor, being all items of direct cost of labour actually remunerated to the workmen concerned which shall include the cost of all allowances in terms of the industrial Conciliation Act (where applicable) or any other wage determination applying in the area where the daywork is executed: to which labour cost 7,5% shall be added		
Hourly base rates for labour shall be the current market rates for labour based upon standard working hours and shall be applied in respect of the time spent by workers directly engaged on the particular day works including any operators mechanical plant and transport and erecting and dismantling other plant. If a claim is made that individual workmen have		
Carried to Collection Section No. 1 Bill No. 1 Preliminaries	R	



been paid wages and allowances in excess of the minimum legalised rates, then proof must be furnished that such workmen had been so paid prior to the commencement of the daywork referred to 3. The rate for mechanical plant shall be commercial hire rates current at the time of			
executing the daywork and shall include fuel and insurance costs			
The above percentages shall cover head office charges; Site staff including Site supervision; third party and Contractors workmen compensation and unemployment insurance fund contributions; use, repair and sharpening of non-mechanical hand tools; use of erected scaffolding, staging, trestles and the like; use of tarpaulins, protective clothing, artificial lighting, safety and welfare facilities, storage and the like as may be available on the Site; and profit			
Supporting vouchers reflecting the time spent and materials used in each week shall be delivered for verification to the Principal Agent not later than twenty calendar days after the end of the week concerned. Should the Contractor fail to submit the vouchers within this time, the Principal Agent shall determine a fair price for the work			
F: V:	Item		
Carried to Collection Section No. 1		R	
Bill No. 1 Preliminaries			



92	Unauthorised Persons/Workmen on Premises			
	The Contractor shall at all times strictly exclude all unauthorized persons from the site and shall set up notice boards to that effect			
	F: V: T:	ltem		
93	Guarantees and Maintenance Instructions/Manuals			
	The Contractor shall obtain and hand over to the Architect on Practical Completion, all relevant guarantees, any operating and maintenance manuals, data or instructions required by the Architect or provided by the Manufacturers, Suppliers, or Sub-contractors			
	The Contractor shall ensure that all warranties and guarantees received are fully ceded to the Employer on Final Completion, failing which the release of the Construction Guarantee will be withheld until this is satisfactorily completed			
	F: V: T:	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



94	Removal and Making Good of Temporary Works, etc. on Completion			
	The Contractor shall remove all temporary works, roads, services and the like used for this contract and shall make good to the entire satisfaction of the Architect any damages resulting there from			
	F: V:	ltem		
95	Indemnities			
	Indemnities shall be sought by the Architect from all Contractors and Sub-contractors undertaking any design responsibility			
	F: V:	ltem		
96	Shop Drawings			
	The term 'Shop Drawings' shall mean drawings, layout drawings, illustrations, schedules, performance charts, brochures, operating manuals, other data which are prepared by the Contractor or Subcontractor, Manufacturer, Supplier or Distributor and which illustrate some portion of the work			
	The Contractor shall ensure that all shop drawings required for the work in terms of this Contract, all selected/nominated Sub-contracts and/or Architect's instructions, are prepared and submitted timeously in accordance with the following			
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



procedure			
(a) Three prints of shop drawings of all fabricated work, working or setting out drawings, shop details and schedules shall be submitted to the Architect for approval. Such work shall not be carried out until such approval has been given			
(b) Shop drawings shall be submitted to the Architect for approval at least two weeks prior to the date on which such approval is required in order to comply with the Contract Programme			
(c) All submissions shall be prepared in accordance with the Contract Drawings and specifications and/or any Architect's instructions and any deviation shall be specifically highlighted in writing, with a detailed explanation of the reason for such deviation, together with any cost and/or time implication			
Delays in approval of shop drawings due to non-compliance with drawings, specifications and/or Architect's instructions shall not constitute grounds for any claims for delays			
F: T:	Item		
Carried to Collection Section No. 1 Bill No. 1 Preliminaries		R	



97	Location of Temporary Buildings and Temporary Services The Contractor shall provide all necessary temporary works, including temporary roads, tracks, crossings, hardstanding, and services, etc., required for his own Sub-contractors use during the construction and maintenance period There is no guarantee given or implied that site conditions will be such that the Contractor will be able to erect such offices, stores and temporary accommodation within the site boundaries and it shall be the Contractors responsibility to adopt whatever measures he deems necessary in this regard and to			
	obtain all necessary permission and pay all costs in connection therewith F:	Item		
	Carried to Collection Section No. 1 Bill No. 1 Preliminaries		R	



98	Commodities to be New			
	All commodities, goods, articles or materials throughout the building are to be new except where re-use of existing is specified and are to be handled, stored, used and/or fixed with care to ensure that they are in perfect condition when incorporated into the works and thereafter properly protected so as to ensure that they are likewise in perfect condition when handed over at completion of the works			
00	F: V:	ltem		
99	Cost of Claims Costs incurred by the Contractor in the preparation of claims accepted by the Principal Agent shall be borne by the Contractor			
	F: V:	ltem		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



100	Overloading			
	The Contractor shall take all necessary steps to ensure that no damage occurs due to overloading of any portion of the works. The Contractor shall submit details of his proposed loading, storage, plant, erection, etc., to the Architect for their approval prior to proceeding with such loading, storing or erecting and shall comply with and pay for the Engineer's requirements in connection with the provision of temporary support work, etc. Any damage caused to the works by overloading shall be made good by the Contractor at his sole expense			
	F: V:	Item		
101	Environmental Management Plan			
	The contractor shall take all necessary measures to comply with the Environmental Management Plan (EMP) and make adequate provision to accommodate the requirements of the EMP			
	F: V:	Item		
102	Health and safety			
	Without limiting the generality of the provisions of clause 2.0, the contractor's attention is drawn to the provisions of the Construction Regulations issued in terms of the Occupational Health and Safety Act, 1993 as amended. It is			
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries			



	<u>, </u>	10	, , ,
specifically stated that the employer			
shall prepare a documented health			
and safety specification for the			
works and that the employer shall			
ensure that the contractor has made			
provision for the cost of health and			
safety measures during the			
execution of the works. The			
contractor shall price opposite this			
item for compliance with the act			
and the regulations and the			
reasonable provisions of the			
aforementioned health and safety			
specification [2.1]			
The contractor shall			
1. Comply with the health and			
safety specification for the works			
2. Prepare and agree with the			
health and safety consultant the			
health and safety plan for the			
works			
3. Cooperate with the health and			
safety consultant in all respects			
4. Manage the compliance of all			
subcontractors with the			
regulations and with the health			
and safety plan and			
, · · · · ·			
specification			
5 Conform to the constitues			
5. Conform to the conditions			
contained in the employer's			
health and safety specification			
F: V:			
T:	Item		
Carried to Collection		R	
		``	
Section No. 1			
Bill No. 1			
Preliminaries			
	1		i I I



103	Transformation and Empowe Requirements	rment			
	The contractor shall take necessary measures to comply the document titled: Empowe Breakdown of 15 point, compile Joburg Property Company, make adequate provision accommodate the requirer relating to job creation, job intertaining and development, SMME utilisation, local moutilisation, enterprise developetc. as detailed in the adocument	y with rment ed by and a to ments ensity, local aterial ment,			
	F: V: T:		Item		
	SUMMARY OF CATEGORIES				
	Category: Fixed				
	Category: Value				
	Category: Time				
	Carried to Col	lection		R	
	Section No. 1 Bill No. 1 Preliminaries				



Section No. 1			
Bill No. 1			
Preliminaries			
COLLECTION			
	Page		Amount
	No		
Total Brought Forward from Page No.	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8	,	
	9		
	10		
	11		
	12	,	
	13		
	14	,	
	15		
	16		
	17		
	18		
	19		
Section No. 1		R	
Bill No. 1			
Preliminaries			



	Bill No. 1			
	Preliminaries			
	COLLECTION			
		Pa	ge	Amount
	Brought Forward	N	o R	
	Total Brought Forward from Page No.	2	0	
		2	1	
		2	2	
		2	3	H
		2	4	
		2	5	
		2	6	
		2	7	
		2	8	
		2	9	
		3	0	
		3	1	
		3	2	
		3.	3	
		3		
		3		
		3		
		3	7	
	Carried Forward Section No. 1		R	
	Bill No. 1 Preliminaries			



Section No. 1			
Bill No. 1			
Preliminaries			
COLLECTION			
	Page		Amount
Brought Forward	No	R	
Total Brought Forward from Page No.	38		
Ç Ç	39		
	40		
	41		
	42		
	43		
	44		
	45		
	46	•	
	47		
	48		
	49	·	
	50		
	51		
	52		
	53		
	54		
	55		
Carried Forward		R	
Section No. 1 Bill No. 1 Preliminaries			



Section No. 1			
Bill No. 1			
Preliminaries			
COLLECTION			
	Page No		Amount
Brought Forward		R	
Total Brought Forward from Page No.	56		
	57		
Carried to Final Summary Section No. 1		R	
Bill No. 1 Preliminaries			
1.0			



Item No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO. 1			
	ALTERATIONS			
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)			
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.			
	SUPPLEMENTARY PREAMBLES			
	Site inspection			
	The Tenderer is advised to visit the site, inspect the existing premises and acquaint himself thoroughly with the nature of the work specified.			
	Sizes and dimensions			
	All sizes and dimensions stated herein are approximate and deemed only sufficient to identify the item of work concerned.			
	No allowance for overbreak has been made to any of the adjoining structures, walls, finishes, etc., where removals or pockets occur (the nett opening size, etc., has been made good in later items of this bill where such making good has not been included with the item) and the Contractor must allow in his prices for making good any overbreak that may occur.			
	Carried to Collection		R	
	Section No. 2 Bill No. 1 Alterations			



<u>Materials</u>			
Old materials from alterations, except whe described to be re-used or handed over, becon the property of the contractor.			
Old materials from the alterations, except whe described to be re-used or handed over, as well all rubish, etc., must be regularly carted from the site and not be allowed to accumulate on around the site.	as ne		
None of the old materials are to be used for nework except where specifically described as being set aside for re-use.			
Where certain materials or articles from demolition or alterations are described as to be handed on by the Contractor to the Client, such materials articles shall be properly stored by the Contractor until handing over thereof. The Contractor mobitain an official receipt listing the materials articles and dates of handing over. If the Contractor fails to submit the receipt who requested to do so, it shall be deemed that the materials or articles are still in his possession and limit will be held liable to the Client for the freplacement value thereof, which amount will be deducted from any monies due to the Contractor	rer or or or, ust or ne en ne iull oe		
<u>General</u>			
All new finishes are measured in the relevant trad for new work.	es		
Allow for watering the works sufficiently to prevenuisance from dust.	nt		
All alteration works described hereunder shall import the use of an approved screed or plaster repairing compound and preparing existing surfaces receive new.	ng		
Carried to Collec	lion	R	
Section No. 2 Bill No. 1			



	Provide all necessary propping, etc., required to ensure the safety and stability of the structure during the contract period and remove at completion. Provide all necessary additional barricades, screens, overhead protections, etc., required to ensure the safety of persons, property, etc., and remove at completion. All alteration work is within an existing facility. The contractor shall take utmost care to minimise damage to existing completed works in the vicinity of the alteration works.				
	Temporary barriers, screens, etc., including removal				
1	Dust screen 2400mm high on gravel surface, formed of suitable timber framing with corrugated iron sheeting fixed to one side including corners, ends, etc.	m	20		
2	Extra over ditto for single leaf door size overall 1100 x 3350mm high, including all necessary posts, framing, lock, etc.	No	2		
	REMOVAL OF EXISTING WORK				
	Break down and remove brickwork, etc.:				
3	Half brick wall.	m2	10		
4	One brick wall.	m2	12		
	Carried to Collection			R	
	Section No. 2 Bill No. 1 Alterations			K	



	Taking out and removing doors, windows, etc. including thresholds, sills, etc. (building up openings elsewhere)				
5	Single door and steel frame unit size overall 813 x 2032mm high from one brick wall.	No	5		
6	Double door and steel frame unit size overall 1511 x 2032mm high from one brick wall.	No			
7	Door lockset including handles, escutcheons, cylinders, etc.	No	10		
	Take out and remove glass, mirrors, etc.:				
8	Glass from steel windows including cleaning out rebates and preparing for new glass.	m2			
9	Mirror size 500 x 600mm high.	No	5		
	Take down and remove roofs, floors, panelling, ceilings, partitions, etc:				
10	Suspended plasterboard ceilings including suspension grid, hangers, cornices, etc.	m2			
11	Suspended vinyl clad ceilings including suspension grid, hangers, cornices, etc.	m2			
12	Drywall partitioning system 2600mm high including all aluminium tracks, studs, wall boarding, doors, ironmongery, windows, etc.	m			
13	100 x 125mm Box gutters including hailguards.	m			
14	100mm Downpipes.	m			
	Take out/off and remove sundry metalwork:				
15	Hand dryer including disconnecting complete.	No	5		
				_	-
	Section No. 2			R	\dashv
	Bill No. 1 Alterations				



	Take up and remove vinyl floor coverings, carpeting, etc:				
16	Carpets including preparing screed to receive new floor finish.	m2			
17	Vinyl floor covering including preparing screed for new floor finish.	m2			
	Hack up/off and remove granolithic, screeds, plaster, etc. from concrete or brickwork and prepare surfaces for new screeds, plaster, etc:				
18	Internal plaster from walls and columns.	m2	15		
19	Bituminous waterproofing membrane to slabs and beams including removal of all flashing strips, etc.	m2			
	Hack up/off and remove wall and floor tiles including removing mortar bed or backing and preparing concrete or brick surfaces for new screed, plaster or tile finishes:				
20	Ceramic floor tiles.	m2	13		
21	Ceramic wall tiles.	m2	35		
	Take out and remove piping, sanitary fittings, etc. including disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere):				
22	Water closet with all necessary piping, stop cocks, valves, etc.	No	17		
23	Wash hand basin with all necessary piping, stop cocks, valves, taps, etc.	No	6		
24	Urinal with all necessary piping, stop cocks, valves, etc.	No	5		
25	Sink with all necessary piping, stop cocks, valves, taps, etc.	No	2		
	Carried to Collection			R	
	Section No. 2 Bill No. 1 Alterations				



26	Toilet roll holders, soap dispensers, paper towel dispensers, dustbins, etc.	No	17			
	Take out and remove joinery fittings, etc.:					
27	Timber sink cupboard 1200 x 600 x 900mm high.	No	2			
	BUILD UP OPENINGS					
	Brickwork in SABS approved NFP bricks in class II mortar in building up opening in:					
28	Half brick walls.	m2	7			
29	One brick walls.	m2	3			
	MAKE GOOD FINISHES, ETC.					
	Make good internal granolithic, screed, plaster, etc. to match existing:					
30	Floors in patches.	m2	15			
31	Walls in patches.	m2	20			
32	Concrete ceilings in patches.	m2				
33	Making good defects on existing plastered columns, walls, etc. by stripping back plaster, patching holes with new plaster and rubbing down imperfections to a smooth finish.	m2	5			
	Clean down existing:					
34	Deep clean existing tiles.	m2	275			
35	Clean down existing glazing.	m2	8			
						Ц
	Carried to Collection			R		
	Section No. 2 Bill No. 1					
	Alterations					
				I	I	1 1



		1	1	1	_
	<u>Facebrick Facades:</u>				
36	Jet clean existing face brickwork and joints with a high pressure washer, cartaway all debris to a dumping site to be located by the Contractor, including making good all loose and missing mortar, all in accordance with the Architect's instructions. REPAIR WORK AND SERVICING OF EXISTING DOORS AND WINDOWS	2			
	Steel Windows:				
37	Repair and service existing steel windows, shopfronts and ironmongery including lubricating all components, tightening all loose screws, replacing missing fixtures, realigning opening sections,	12			
	Timber Doors Hung on Steel Frames:				
38	Repair and service existing timber doors, steel frames and ironmongery including lubricating all components, tightening all loose screws, replacing missing fixtures, straightening out striking plates, etc.	0 5			
	Canada al La Calla alta				\dashv
	Carried to Collection Section No. 2		R		\dashv
	Bill No. 1 Alterations				



Section No. 2				
Bill No. 1				
Alterations				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	62			
	63			·
	64			
	65			.
	66			
	67			·
	68			
				.
Carried Forward to Summary of Section No. 2		R		_
Section No. 2 Bill No. 1				
Alterations				
				l



Item No			Quantity	Rate	Amount
	SECTION NO. 2				
	BILL NO. 2				
	MASONRY				
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)				
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.				
	BRICKWORK IN SUPERSTRUCTURE				
	Brickwork in burnt clay NFP bricks in 3:1 cement mortar:				
1	Half brick walls.	m2	10		
2	One brick walls.	m2	12		
	Brick reinforcement:				
3	75mm Wide reinforcement built in horizontally.	m	30		
4	150mm Wide reinforcement built in horizontally.	m	35		
	Galvanised hoop iron cramps, ties, etc.:				
5	32 x 1,6mm Wall tie 600mm long with one end shot pinned to concrete and other built into brickwork.	No	14		
	FIBRE-CEMENT WINDOW SILLS				
	Carried to Collection			R	
	Section No. 2 Bill No. 2 Masonry				



	Natural grey sills in single lengths bedded in class I mortar including metal fixing lugs etc.:		
6	15 x 100mm Wide sills set flat and slightly projecting m		
	Carried to Collection	R	
	Section No. 2 Bill No. 2 Masonry		
	,		



Section No. 2				
Bill No. 2				
Masonry				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	70			
	71			· +
		_		
Carried Forward to Summary of Section No. 2 Section No. 2		R		
Bill No. 2 Masonry				



ltem No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO. 3			
	WATERPROOFING			
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)			
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.			
	SUPPLEMENTARY PREAMBLES			
	<u>Waterproofing</u>			
	Waterproofing of roofs, basements, etc. shall be laid under a ten year guarantee. Waterproofing to roofs shall be laid to even falls to outlets etc with necessary ridges, hips and valleys. Descriptions of sheet or membrane waterproofing shall be deemed to include additional labour to turn-ups and turn-downs.			
	SLAB WATERPROOFING			
	The Contractor shall allow in his rates for testing the waterproofing for water tightness by ponding the waterproofed surfaces for a period of at least 48 hours before application of a protective layer.			
	Carried to Collection Section No. 2		R	
	Bill No. 3 Waterproofing			



	4mm Thick "Derbigum SP" fully bonded waterproofing guaranteed to remain watertight for a period of ten years on:			
1	Concrete slab, beams and sides of parapets including dressing into outlets, turn-ups, etc.	m2		İ
2	Flashing strip 300mm girth at turn-ups including sealing top edge into groove with mastic.	m		
	PROTECTIVE PAINT			
	Prepare and apply two coats bituminous aluminium paint on:			
3	Waterproofing on concrete slab, beams and side of parapets.	m2		
	Prepare existing surfaces and spray apply Aquagard 422, or equal approved, clear penetrating waterproof sealant in strict accordance with the manufacturers instructions on:			
4	External facebrick walls and plaster surfaces.	m2		
	Carried to Collection		R	
	Section No. 2 Bill No. 3 Waterproofing			



Section No. 2				
Bill No. 3				
Waterproofing				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	73			
	74			
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 3 Waterproofing				
Malapiooning				



Item No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO. 4			
	ROOF COVERINGS, ETC.			
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)			
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.			
	SUPPLEMENTARY PREAMBLES			
	Straight cutting			
	Description of all roof coverings are deemed to include for all straight cutting			
	<u>SUNDRIES</u>	-		
1	Making good roof sheeting by screwing and sealing of loose or missing screws /nails, including sealing using an approved waterproof coating m2	70		
	Carried Economical to Supercomicat Societa No. 2			
	Section No. 2		R	
	Bill No. 4 Roof Coverings, Etc.			
		L		



Item No		Quantity	Rate	Amount
110	SECTION NO. 2			
	BILL NO. 5			
	CARPENTRY AND JOINERY			
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)			
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.			
	DOORS, WINDOWS, SASHES, ETC.			
	Semi-solid flush doors:			
	44mm Thick door with hardwood concealed edge strips finished on both sides with commercial veneer and hung on steel frames (frames elsewhere):			
1	Door size overall 813 x 2032mm high.	5		
2	Double leaf door with rebated meeting stiles size overall 1511 x 2032mm high.			
	FRAMED FRAMES, ETC.			
	Wrot meranti:			
3	38 x 160mm Rebated frames plugged to suite door opening size 813 x 2032mm high including fixing timber door previously set aside.	,		
	Carried to Collection		R	
	Section No. 2 Bill No. 5 Carpentry and Joinery			



	<u>SKIRTINGS</u>		
4	25 x 75mm High wrot meranti skirting including 19mm quarter round plugged to plastered walls at 500mm centres.		
5	25 x 150mm High wrot meranti skirting including 19mm quarter round plugged to plastered walls at 500mm centres.		
	Carried to Collection	R	
	Section No. 2 Bill No. 5 Carpentry and Joinery		



Section No. 2				
Bill No. 5				
Carpentry and Joinery				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	77			
	78			
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 5				_
Carpentry and Joinery				



Item No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO. 6			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)			
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.			
	SUSPENDED CEILINGS			
1	9,5mm Thick "Gyproc Rhinoboard" gypsum plasterboard ceiling screwed to and including "Donn T37K" screw up ceiling grid with drywall screws spaced at 150mm centres including galvanised main tees at 1200mm centres and cross tees at 600mm centres, all suspended with 25 x 25mm galvanised angles at not exceeding 1200mm centres with 63mm wide strips of mesh scrim nailed over joints and the whole ceiling finished with and including "Gyproc Rhinolite" skim plaster trowelled to a smooth polished surface in strict accordance with the manufacturer's instructions: Ceiling suspended not exceeding 1m below concrete soffits. CORNICES, ETC.:			
	Carried to Collection		R	
	Section No. 2 Bill No. 6 Ceilings, Partitions and Access Flooring			



	Powdercoated shadowline cornices:			
2	25mm GMS shadowline cornice secured to plastered wall and ceiling boarding including mitres, etc.	m		
	TOILET PARTITIONS			
	Toilet partitioning formed of 16mm thick melamine faced particle board and natural anodised aluminium u-channel edging and top rails including fixing components and standard ironmongery comprising indicator bolts, coat hooks, door stops and rubber buffers, etc. all installed in strict accordance with the manufacturer's instructions:			
3	Partition size 1555 x 1800mm high.	No		
4	Full stile 540mm wide x 1850mm high.	No		
5	End stile 150mm wide x 1850mm high.	No		
6	Wall stile 115mm wide x 1850mm high.	No		
7	Door size 740 x 1800mm high.	No		
	Carried to Collection		R	\prod
	Section No. 2 Bill No. 6		, ,	$\dagger \dagger$
	Ceilings, Partitions and Access Flooring			



Section No. 2				
Bill No. 6				
Ceilings, Partitions and Access Flooring				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	80			
	81			
		_		
Carried Forward to Summary of Section No. 2 Section No. 2		R		
Bill No. 6 Ceilings, Partitions and Access Flooring				
				l



Item No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO. 7			
	FLOOR COVERINGS, WALL LININGS, ETC.			
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)			
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.			
	VINYL FLOOR COVERINGS, WALL LININGS, ETC.			
	All vinyl sheeting is to be applied onto a Grade 1 substrate (elsewhere), complying with a hydrometer reading showing a moisture content of less than 75% with all sheets to be correctly butt-jointed and welded with a fully flexible coloured welding rod to provide a smooth hygienic sealed finish and rolled with a 50kg articulated floor roller, installed in strict accordance with the manufacturer's instructions.			
	A polish free maintenance procedure is to be adopted for ongoing future maintenance. A detail thereof shall be provided to the Hospital's Management and Maintenance staff.			
	Carried to Collection		R	
	Section No. 2 Bill No. 7 Floor Coverings Walls Linings Etc.			
	Floor Coverings, Walls Linings, Etc.			



	Allow a PC amount of R200.00/m2 (Excl. VAT) for the supply of 2mm thick "Tarkett Standard Plus", or equal approved, homogeneous vinyl sheeting installed with a suitably approved adhesive in strict accordance with the manufacturer's instructions (PC Amount INCLUDES supply and delivery of vinyl sheeting and welding rods):			
1	On floors.	m2		
2	On floors in narrow widths.	m2		
3	500mm Girth margins and borders formed of 250mm wide horizontal border and 250mm high turn-ups over coves and up against walls.	m		
	SUNDRIES			
	<u>Transition strips, etc.:</u>			
4	"Kirk M-Trim ACGRE100" aluminium rounded edge carpet transition strip fixed with patent adhesive in strict accordance with manufacturers instructions.	m		
	Carried to Collection		R	
	Section No. 2 Bill No. 7 Floor Coverings, Walls Linings, Etc.			



Section No. 2				
Bill No. 7				
Floor Coverings, Walls Linings, Etc.				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	83			
	84			
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 7 Floor Coverings Walls Linings Etc.				
Floor Coverings, Walls Linings, Etc.				



Item No			Quantity	Rate	Amount
110	SECTION NO. 2				
	BILL NO. 8				
	IRONMONGERY				
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)				
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.				
	LOCKS				
1	"Q\$6055/1/A\$/\$\$" Cylinder latch and dead bolt lock.	No	15		
2	"Q\$6055/3/A\$/\$\$" Cylinder roller ball lock.	No			
3	"QS4406/QS4409" Thumbturn wc indicator bolt.	No	17		
4	"QSR" Rebate conversion set.	No	15		
	HANDLES, ETC.				
5	"IW 1212/62/05" Set of two lever handles with 3mm aluminium backplates fixed back to back.	No			
6	"Kiruna" stainless steel lever handle on rose.	Pairs	17		
7	"QS4403" Stainless steel cylinder escutcheon.	Pairs			
	Carried to Collection			R	
	Section No. 2 Bill No. 8 Ironmongery				



	PUSH PLATES				
8	"Union" 400 x 800 x 1,6mm thick \$\$5089-400W stainless steel kick plate.	No	2		
	LETTERS, NAMEPLATES, ETC.				
9	"Union" 152 x 152 x 3mm aluminium plate anodised silver with male pictogram Ref. No. AL5063E-06ASE10	No	1		
10	"Union" 152 x 152 x 3mm aluminium plate anodised silver with female pictogram Ref. No. AL5063E-06ASE11	No	1		
11	"Union" 152 x 152 x 3mm aluminium plate anodised silver with paraplegic pictogram Ref. No. AL5066E-06ASE14	No	2		
12	"Union" 152 x 152 x 3mm aluminium plate anodised silver with baby pictogram Ref. No. IW6004	No	1		
	SUNDRIES				
	BATHROOM FITTINGS				
13	"Kwakuhle Hygiene" lockable and vandal resistant white powder coated metal roll holder Ref TR3W.	No	17		
14	"Kwakuhle Hygiene" ABS construction lockable Roll Control Paper Dispenser with viewing window in colour white.	No	4		
15	"Kwakuhle Hygiene" stainless steel 950ml vandal and theft resistant Soap Dispenser.	No	4		
16	"Costa Lambrianos CLX 2500 (Ref. 59)" stainless steel fully automatic hand dryer with infrared sensor plugged to wall.	No	4		
					igert
	Carried to Collection			R	
	Section No. 2 Bill No. 8 Ironmongery				



17	"Chilli B CL-01052" 820mm long x 540mm wide horizontal wall mounted baby changing station with 480mm high foldable lid, high density polyethylene interior, top shelf, adjustable safety belt, bag hooks, etc. with a bearing weight of 20kg installed in strict accordance with the manufacturer's instructions. GRAB RAILS, ETC.	No	1			
18	"Railman Grabrails DL2" stainless steel dogleg grab rail plugged to wall in strict accordance with the manufacturer's instructions.	No	2			
19	"Railman Grabrails SR2" stainless steel rear grab rail plugged to wall in strict accordance with the manufacturer's instructions.	No	2			
	TOILET BINS					
	Stainless steel					
20	Half moon wall mounted bin size 330 x 450 x 180mm.	No	5			
	Carried to Collection			R		
	Section No. 2 Bill No. 8 Ironmongery					
				1	ı	



Section No. 2				
Bill No. 8				
Ironmongery				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	86			
	87			·
	88			ļ
Carried Forward to Summary of Section No. 2		R		
Section No. 2				_
Bill No. 8 Ironmongery				



Item No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO. 9			
	<u>METALWORK</u>			
	Tenderers are advised to study the "Model Preambles for Trades 1999" before accepting and signing for this Schedule.			
	SUPPLEMENTARY PREAMBLES			
	<u>Descriptions</u>			
	Descriptions of bolts shall be deemed to include nuts and washers Descriptions of expansion anchors and bolts an chemical anchors and bolts shall be deemed to include nuts, washers and mortises in brickwork or concrete Metalwork described as "holed for bolts(s)" shall be deemed to exclude the bolts unless otherwise described			
	PRESSED STEEL DOOR FRAMES			
	1,6mm Thick double rebated frames suitable for half brick walls complete with hoop iron anchors welded to frame, one adjustable stainless steel striking plate suitable for cylinder locks, three rubber shock absorbers in rebate and one pair of 100mm standard heavy duty brass butt hinges welded to frame:			
1	Frame for door size 813 x 2032mm high. No	5		
	STEEL ROLLER SHUTTERS ETC.			
	Carried to Collection		R	
	Section No. 2 Bill No. 9 Metalwork			



			1 .	1
	Roll up "Serranda 2000", or equal approved, galvanised mild steel push up, 75 x 0.1mm thick endlocked slatted curtain roller shutter, standard bottom rail with overhead box 285mm high with 75mm wide guides			
2	Manually operated roll-up type shutter door with 75mm thick endlocking slats, complete with 50 x 3mm thick cold rolled mild steel framing, standard channel section guides, roller mechanism, canopy and slide bolt locking device, rubber insulation weatherstrip to bottom T-bar, to suit opening size 813 x 2230mm high.	No		
3	Manually operated roll-up type shutter door with 75mm thick interlocking slats, complete with 50 x 3mm thick cold rolled mild steel framing, standard channel section guides, roller mechanism, canopy and slide bolt locking device, rubber insulation weatherstrip to bottom T-bar, to suit opening size 1200 x 2230mm high.	No		
	STEEL WINDOWS, DOORS, ETC.			
	Purpose made industrial windows made from rolled steel sections complete and supplied complete with brass fittings:			
4	Window with one top hung opening section size 790 x 554mm high coupled to one fixed section size 790 x 1676mm high, window size overall 790 x 2230mm high.	No		
	STEEL BURGLAR PROOF SCREENS			
	Carried to Collection		R	
	Section No. 2 Bill No. 9			
	Metalwork			



	Welded mild steel burglar proof screens formed of 40 x 40 x 2.5mm thick angle section framing with mitred and welded corners, the frame filled in with 40 x 6mm flat bars at 105mm centres, built into wall with heavy duty lugs including tack welding nuts and washers			
5	Burglar proofing screen size overall 790 x 2230mm high formed with 40 x 40 x 2,5mm equal leg angle framed frame infilled horizontally with and including 40 x 6mm flat bar at 105mm centres.	2		
	Section No. 2 Bill No. 9 Metalwork		R	



Section No. 2				
Bill No. 9				
Metalwork				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	90			
	91			
	92			ļ
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 9 Metalwork				
MEIGIWOIK				



ltem No			Quantity	Rate	Amount
No	SECTION NO. 2				
	BILL NO. 10				
	PLASTERING				
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)				
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.				
	INTERNAL PLASTER				
	One coat cement plaster mimimum 15mm thick (5:1) wood floated to receive tiles (elsewhere) including all labours on:				
1	Brick vertical surfaces (part on concrete).	m2	44		
2	Narrow widths.	m2	3		
	Two coats cement plaster comprising one coat cement plaster minimum 15mm thick (5:1) steel floated and one finishing coat rhinolite including all labours on:				
3	Brick vertical surfaces (part on concrete).	m2			
4	Narrow widths.	m2			
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 Bill No. 10 Plastering				



		Quantity	Rate	Amount
SECTION NO. 2				
BILL NO. 11				
TILING				
The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)				
TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.				
SUPPLEMENTARY PREAMBLES				
Unless described as "fixed with adhesive to plaster (plaster elsewhere)" descriptions of tiling on brick or concrete walls, columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions of tiling on concrete floors etc shall be deemed to include 1:3 plaster bedding				
WALL TILING				
Allow a Prime Cost Amount of R170/m2 for ceramic tiles fixed with an approved adhesive to plaster (plaster elsewhere) and flush pointed with tinted jointing compond on:				
Walls.	m2	35		
Narrow widths.	m2	5		
FLOOR TILING				
Carried to Collection			R	
Section No. 2 Bill No. 11 Tiling				
_	TILING The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition) TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES. SUPPLEMENTARY PREAMBLES Unless described as "fixed with adhesive to plaster (plaster elsewhere)" descriptions of tiling on brick or concrete walls, columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions of tiling on concrete floors etc shall be deemed to include 1:3 plaster bedding WALL TILING Allow a Prime Cost Amount of R170/m2 for ceramic tiles fixed with an approved adhesive to plaster (plaster elsewhere) and flush pointed with tinted jointing compond on: Walls. Narrow widths. FLOOR TILING Carried to Collection Section No. 2 Bill No. 11	BILL NO. 11 TILING The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition) TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES. SUPPLEMENTARY PREAMBLES Unless described as "fixed with adhesive to plaster (plaster elsewhere)" descriptions of tiling on brick or concrete walls, columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions of tiling on concrete floors etc shall be deemed to include 1:3 plaster bedding WALL TILING Allow a Prime Cost Amount of R170/m2 for ceramic tiles fixed with an approved adhesive to plaster (plaster elsewhere) and flush pointed with finted jointing compond on: Walls. m2 Narrow widths. m2 FLOOR TILING Carried to Collection Section No. 2 Bill No. 11	BILL NO. 11 TILING The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition) TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES. SUPPLEMENTARY PREAMBLES Unless described as "fixed with adhesive to plaster (plaster elsewhere)" descriptions of tilling on brick or concrete walls, columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions of tiling on concrete floors etc shall be deemed to include 1:3 plaster bedding WALL TILING Allow a Prime Cost Amount of R170/m2 for ceramic tilles fixed with an approved adhesive to plaster (plaster elsewhere) and flush pointed with tinted jointing compond on: Walls. m2 35 Narrow widths. m2 5 FLOOR TILING Carried to Collection Section No. 2 Bill No. 11	BILL NO. 11 TILING The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition) TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES. SUPPLEMENTARY PREAMBLES Unless described as "fixed with adhesive to plaster (plaster elsewhere)" descriptions of tiling on brick or concrete walls, columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions of tiling on concrete floors etc shall be deemed to include 1:3 plaster bedding WALL TILING Allow a Prime Cost Amount of R170/m2 for ceramic files fixed with an approved adhesive to plaster (plaster elsewhere) and flush pointed with finted lointing compond on: Walls. m2 35 Narrow widths. m2 55 FLOOR TILING Carried to Collection R Section No. 2 Bill No. 11



	Allow a Prime Cost Amount of R170/m2 for porcelain floor tiles fixed with an approved adhesive on plaster bedding (bedding elsewhere) and flush pointed with tinted waterproof jointing compound on:				
3	Floors.	m2	13		
4	Narrow widths.	m2	3		
	SUNDRIES				
_	Corner protectors, dividing strips, etc.:				
5	"Kirk M-Trim PRE090" 9mm high white PVC round edge trim fixed with patent adhesive to external wall corners.	m	25		
	Carried to Collection			R	
	Section No. 2 Bill No. 11 Tiling				



Section No. 2				
Bill No. 11]
Tiling				1
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	95]
	96			.
				1
]
]
]
				1
				1
				1
				1
				1
]
]
				1
]
]
]
Carried Forward to Summary of Section No. 2 Section No. 2		R		
Bill No. 11 Tiling				1



Item No			Quantity	Rate	Amount
NO	SECTION NO. 2				
	BILL NO. 12				
	PLUMBING AND DRAINAGE				
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)				
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.				
	RAINWATER DISPOSAL				
	0,6mm Thick seamless aluminium eaves gutters, downpipes and accessories with chromadek finish:				
1	125 x 100mm Rectangular eaves gutter with and including 125mm wide hot dipped galvanised mild steel hailguard formed of "Mentex Ref. 118" or equal approved once bent and tack welded to top of gutter.	m	20		
2	Extra for stop end.	No	4		
3	Extra for outlet with nozzle for and jointed to 100 x 75mm rectangular downpipe.	No	4		
4	100 x 75mm Rainwater downpipe fixed to brick wall.	m	12		
5	Extra for shoe.	No	6		
	SANITARY FITTINGS				
	Carried to Collection Section No. 2			R	
	Bill No. 12 Plumbing and Drainage				



		1		<u></u>	1	i
	White vitreous china:					
6	"Vaal Daisy Elite (Ref. 772403WH)" semi-close coupled wc suite comprising 90° outlet pan and matching 9 litre cistern including heavy duty white double flap seat, flushpipe, fixing in position and connecting complete in strict accordance with the manufacturer's instructions.	No	17			
7	"Vaal Lavatera (Ref. 705427WH)" wall mounted back inlet bowl urinal with and including "Cobra FJ8.102) flush valve, 38mm chromium plated domical grating and chromium plated back inlet spreader (Code: 8541Z000), fixed on and including two hanger brackets (Code: 8127Z000) and connected complete in strict accordance with the manufacturer's instructions.	No	5			
8	"Vaal Hibiscus (Ref. 702303AV)" one tap hole wash hand basin complete with chromium plated waste union, chain and stay, vulcanite plugs and fixing in position on and including two semi-concealed brackets including sealing with an approved waterproof sealer and connecting complete in strict accordance with the manufacturer's instructions (taps elsewhere).	No	6			
	TDADS ETC					
	TRAPS, ETC.					
9	"Cobra (Ref. 340)" 40mm chromium plated brass bottle trap.	No	6			
10	38mm Combination sink rubber P or S trap.	No	6			
	TAPS, VALVES, ETC.					
	Chromium plated:					
11	"Cobra Watertech", or equal approved, Chrome Junior Flushmaster exposed flush valve (Code: FJ6-000), installed in accordance with the manufacturer's recommendations.	No	5			
	manoraciorei s recommendanoris.	110	3			
						4
	Carried to Collection			R		
	Section No. 2					\dashv
	Bill No. 12 Plumbing and Drainage					
	J 					
				ı		



12	"Cobra Watertech", or equal approved, chrome Junior Flushmaster exposed water closet flush valve (Code: FJS2-100) with integral vacuum breaker, ballostop value and BSP inlet, bent flush pipe and connectors, etc, installed in accordance with the manufacturer's recommendations	No	17		
13	"Cobra Carina 294CA" 15mm basin mixer including flexible connection hoses.	No	6		
14	"Cobra Focus FC-956" 15mm single lever shower mixer.	No			
15	"Cobra Alto 076-ALTO5" shower head.	No			
16	"Cobra 026" shower arm.	No			
17	"Cobra 832/350" 15mm angle valve.	No	28		
	Sundries:				
18	15mm Flexihose 450mm long.	No	28		
	SOIL AND WASTE WATER DRAINAGE				
	uPVC pipes				
19	50mm Pipes	m	35		
20	100mm Pipes	m	15		
	Extra over uPVC pipes for fittings				
21	50mm Access bend	No	6		
22	50mm Access junction	No	5		
23	100mm Access bend	No	12		
24	100mm Access junction	No	10		
25	100mm Access bend pan connector	No	17		
	Carried to Collection			R	
	Section No. 2 Bill No. 12 Plumbing and Drainage				



		1	1		
26	110mm "Gl Two-way" vent valve	No	3		
27	100 x 50mm Access reducing junction	No	17		
28	100mm Stub stack.	No	2		
	<u>Sundries</u>				
29	Testing waste pipe system		Item		
	WATER SUPPLIES				
	Class 1 copper pipes				
30	15mm Pipes	m	16		
31	22mm Pipes	m	20		
32	35mm Pipes	m	16		
	Extra over class 1 copper pipes for capillary fittings				
33	15mm Fittings	No	25		
34	22mm Fittings	No	15		
35	35mm Fittings	No	10		
	<u>Sundries</u>				
36	Testing water pipe system		Item		
	Carried to Collection	on		R	
	Section No. 2 Bill No. 12				
	Plumbing and Drainage				



Section No. 2				
Bill No. 12				
Plumbing and Drainage				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	98			
	99			·
	100			ļ
	101			ļ
Carried Forward to Summary of Section No. 2 Section No. 2		R		
Bill No. 12 Plumbing and Drainage				
U				



Item No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO. 13			
	GLAZING			
	Tenderers are advised to study the "Model Preambles for Trades" before pricing this schedule.			
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)			
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.			
	GLAZING TO STEEL WITH PUTTY			
	4mm Obscure glass			
1	Panes exceeding 0,5m2 and not exceeding 2m2.	2 8		
	TOPS, SHELVES, DOORS, MIRRORS, ETC.			
	6mm Thick silvered float glass copper backed mirrors with 10mm bevelled and polished edges holed for and fixed with chromium plated dome capped mirror screws with rubber buffers to plugs in porcelain tiled wall:			
2	Mirror size 600 x 1000mm high.	5		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 13 Glazing			



ltem No			Quantity	Rate	Amount
NO	SECTION NO. 2				
	BILL NO. 14				
	<u>PAINTWORK</u>				
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)				
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.				
	PAINTWORK TO NEW WORK				
	<u>PLASTER</u>				
	Prepare and apply one coat "Plascon" plaster primer and two coats "Plascon Double Velvet" paint on:				
1	Internal plastered walls, columns, recessed bands, etc.	m2	47		
	PLASTERBOARD				
	Prepare and apply one coat "Plascon" primer and two coats "Plascon Professional Super Matt" paint on:				
2	Ceilings and cornices.	m2			
3	Bulkheads.	m2			
4	Partitions.	m2			
	Carried to Collection			R	
	Section No. 2 Bill No. 14 Paintwork				



	FIBRE CEMENT				
	Prepare and apply one coat Plascon, or equal approved, plaster primer and two coats Plascon Double Velvet, or equal approved, paint:				
5	On window cills in narrow girths.	m			
	<u>METAL</u>				
	Prepare and apply one coat "Plascon Zinc Phosphate" primer and two coats "Plascon Velvaglo" paint on:				
6	Frames and linings.	m2	15		
	WOOD				
	Prepare and apply one coat "Plascon Woodcare Pre-treatment", one coat "Plascon Wood Primer" and two coats "Plascon Velvaglo" paint on:				
7	General surfaces of doors.	m2	30		
8	Skirtings, rails, etc. in narrow girths.	m			
9	Frames and linings.	m2			
	PAINTWORK TO PREVIOUSLY PAINTED WORK				
	<u>PLASTER</u>				
	Clean down, prepare and apply one coat "Plascon" plaster primer and two coats "Plascon Double Velvet" paint on:				
10	Internal plastered walls, columns, recessed bands,	0	/0		
	etc.	m2	60		
	Carried to Collection			R	
	Section No. 2				\blacksquare
	Bill No. 14 Paintwork				



	Clean down, prepare and apply one coat "Plascon" primer and two coats "Plascon Professional Super Matt" paint on:				
11	Internal plastered slab soffits including beams.	m2	125		
	<u>PLASTERBOARD</u>				
	Clean down, prepare and apply one coat "Plascon" primer and two coats "Plascon Professional Super Matt" paint on:				
12	Ceilings and cornices.	m2			
13	Partitions.	m2			
	METAL				
	Clean down, prepare and apply one coat "Plascon Zinc Phosphate" primer and two coats "Plascon Velvaglo" paint on:				
14	Frames and linings.	m2			
15	Gates, grilles, etc. (both sides measured).	m2	40		
16	Roof sheeting.	m2	70		
	WOOD				
	Clean down, prepare and apply one coat "Plascon Woodcare Pre-treatment", one coat "Plascon Wood Primer" and two coats "Plascon Velvaglo" paint on:				
17	General surfaces of doors.	m2	60		
	Carried to Collection			R	
	Section No. 2 Bill No. 14 Paintwork				



Section No. 2				
Bill No. 14				1
Paintwork				i I
COLLECTION				1
	Page No		Amount	i I
Total Brought Forward from Page No.	104			1
	105			· L
	106			
				Ì
				Ì
				Ì
				Ì
				Ì
				Ì
				1
				Ì
				1
				1
				1
				1
				Ì
				Ì
				Ì
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 14				<u> </u>
Paintwork				1
				1



	SECTION SUMMARY - Builders Work			
Bill No		Page No		Amount
1	Alterations	69		
2	Masonry	72		
3	Waterproofing	75		
4	Roof Coverings, Etc.	76		
5	Carpentry and Joinery	79		
6	Ceilings, Partitions and Access Flooring	82		
7	Floor Coverings, Walls Linings, Etc.	85		
8	Ironmongery	89		
9	Metalwork	93		
10	Plastering	94		
11	Tiling	97		
12	Plumbing and Drainage	102		
13	Glazing	103		
14	Paintwork	107		
	Carried to Final Summary		R	
	Section No. 2			



Item No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO. 1			
	EXTERNAL WORKS			
	Tenderers are advised to study the "Model Preambles for Trades" before pricing this schedule.			
	SUPPLEMENTARY PREAMBLES			
	FENCING			
	Hot dipped galvanised steel high security anticlimbing and anti-cut fence and gates similar to cochrane clearvu formed of 3mm diameter horizontal & vertical galvanised marine fusion bond coated high tensile steel mesh wires with 76,2mm x 12,7mm aperture and reinforced with 4 x 50mm deep V-section horizontal recessed bands with and including 85 x 45 x 3mm thick marine fusion bond coated taper posts, locking recess mechanism, UV stabilised polymer end caps, vandal resistant bolts, clamping plates, sealant, etc. with posts bolted to brick plinth wall or pier (elsewhere measured) in strict accordance with the manufacturer's instructions:			
1	2400mm High fence with and including 2400mm high posts at 3328mm centres.	86		
2	Single leaf swing gate size overall 1495 x 2325mm high complete with and including frame, additional bracing, pull handles, lock box, heavy duty lock, lockable sliding bolt with keep, etc.	2		
	Carried Forward to Summary of Section No. 3		R	
	Section No. 3 Bill No. 1 External Works			



Item No		Quan	tity	Rate	Amount
	SECTION NO. 3				
	BILL NO. 2				
	STORMWATER DRAINAGE, SOIL DRAINAGE & WATER RETICULATION				
	The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (2017 Edition)				
	TENDERERS ARE TO NOTE THAT ALL WORK IS TO BE EXECUTED IN EXISTING BUILDINGS IN A COMBINATION OF NEW WORK, WORK IN PATCHES AND WORK IN SMALL QUANTITIES.				
	STORMWATER RETICULATION				
	Cleaning existing grid inlets, kerb inlets, pipes, etc.:				
1	Clean existing kerb inlets, manholes. etc. (various sizes) of all rubbish, debris, etc., including cleaning of the inlet & outlet pipes for 20 metres in both directions, including removal of existing lids, relaying existing lids as per Engineer's instructions, making good & carting away all rubbish, debris, etc. to a dumping site to be located by the contractor.	40	1		
	Manhole covers, gratings, frames, etc.:				
2	600 x 600mm Heavy duty polymer concrete cover slab including frame as supplied by "civil cultured polymer products cc", or equal approved.	No	1		
	SEWER RETICULATION				
	Coursia di ka Callia aktan			D	
	Carried to Collection Section No. 3			R	
	Bill No. 2 Stormwater Drainage, Soil Drainage and Water Retic				



	Cleaning existing manholes, pipes, etc.:			
3	Cleaning existing manholes, pipes, etc.: Allow for cleaning existing manholes. etc. (various sizes) of all rubbish, debris, etc., including cleaning of the inlet & outlet pipes for 20 metres in both directions, including removal of existing lids, relaying existing lids as per Engineer's instructions, making good & carting away all rubbish, debris, etc. to a dumping site to be located by the contractor. No	1		
	Carried to Collection		R	
	Section No. 3 Bill No. 2 Stormwater Drainage, Soil Drainage and Water Retic			



Section No. 3				
Bill No. 2				
Stormwater Drainage, Soil Drainage and Water Reticulation				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	110			Ĺ
	111			ļ
Carried Forward to Summary of Section No. 3		R		
Section No. 3 Bill No. 2				
Stormwater Drainage, Soil Drainage and Water Retic				
				<u> </u>



	SECTION SUMMARY - External Works				
Bill No		Page No		Amount	
1	External Works	109			
2	Stormwater Drainage, Soil Drainage and Water Reticulation	112			
	Carried to Final Summary Section No. 3		R		



Item No		Quantity	Rate	Amount
	SECTION NO. 4			
	BILL NO. 1			
	PROVISIONAL SUMS			
	The following sums and amounts are NETT.			
	Under no circumstances may any Provisional Sum or P.C Item be altered.			
	Unless a specific percentage mark up for attendence is indicated in the rate column, the amounts priced by the contractor for attendence against each Provisional Sum shall be deemed to be Lump Sum and shall not be adjusted unless the scope of the sub-contract varies significantly.			
	Provisional Sums contained herein may be omitted or reduced at the employer's sole discretion and the contractor shall not be entitled to claim for any loss by way of reductions or omissions of any discount, or percentage relating to the Provisional Sums pr P.C Amounts or any loss of profit related thereto.			
	ALLOW THE FOLLOWING PROVISIONAL SUMS	_		
	ELECTRICAL INSTALLATION			
1	Provide the amount of R50,000.00 (Fifty Thousand Rand) for electrical installation executed complete.	Item		50,000.00
2	Profit on above item.		%	
3	Attendance on ditto.		%	
	Carried to Collection		R	
	Section No. 4 Bill No. 1 Provisional Sums			



4 Provide the amount of R100,000.00 (One Hundred Thousand Rand) for HVAC installation executed complete.	
Thousand Rand) for HVAC installation executed	
	100,000.00
5 Profit on above item.	%
6 Attendance on ditto.	%
FIRE PROTECTION	
7 Provide the amount of R30,000.00 (Thirty Thousand Rand) for fire protection executed complete.	30,000.00
8 Profit on above item.	70
9 Attendance on ditto.	%
STORE ROOM UNITS	
Provide the amount of R20,000.00 (Twenty Thousand Rand) for store room units installed complete.	20,000.00
11 Profit on above item.	7.
12 Attendance on ditto.	%
STAND ALONE ALARM SYSTEM	
Provide the amount of R40,000.00 (Forty Thousand Rand) for signage installed complete.	40,000.00
14 Profit on above item.	7.
15 Attendance on ditto.	%
<u>clo</u>	
Provide the amount of R50,000.00 (Fifty Thousand Rand) for a Community Liaison Officer.	50,000.00
17 Profit on above item.	76
Carried to Collection	R
Section No. 4	
Bill No. 1 Provisional Sums	



18	Attendance on ditto.		%	
	FINANCIAL PROVISIONS			
	The items described hereunder cover work which is not fully defined at tender stage and which is intended to be executed by the Contractor and/or his Sub-Contractors. The amounts shown shall be used as directed by the Representative/ Agent and shall be deducted in whole or in part if not required.			
19	Allow the amount of R100,000.00 (One Hundred Thousand Rand) for sundry builders work. This work shall be measured on completion and priced at scheduled rates.	ltem		100,000.00
	Courie d to Collection		n	
	Section No. 4 Bill No. 1 Provisional Sums		R	



Section No. 4				
Bill No. 1				
Provisional Sums				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	114			
	115			·
	116			
Carried to Final Summary		R		
Section No. 4 Bill No. 1				
Provisional Sums				



	FINAL SUMMARY				
Section No			Page No		Amount
1	Preliminaries		61		
2	Builders Work		108		
3	External Works		113		
4	Provisional Sums		117		
	Sub-Total			R	
	Value Added Tax (15%)			R	
				K	
	Total			R	
		Carried to Form of Torodor			
		Carried to Form of Tender		R	