

SUPPLY AND DELIVER OF TURBIDITY CALIBRATION STANDARDS**Author :** Elphie**Date posted :** 2019-01-10**Bid Number :** RFQ201901/002**Description :****Bids are hereby invited to SUPPLY AND DELIVER turbidity calibration solutions at ERWAT laboratory****Specification**

Item	Specifications	Amount	Expected date for delivery
Set of standards 0,20,200,1000 and 4000NTU	<p>The vial of these standards must be compatible to HACH 2100N instrument that we use in the laboratory.</p> <p>COA for the standards must be provided when we receive the standards.</p> <p>The expiring date on these STD must be after 1 year when we receive them</p>	One set	20 days

NB: The laboratory is using the "HACH 2100N", so it is important that the vials are compatible**Quotation Requirements:**

Work offered that **DO NOT** comply with the specifications will not be evaluated. The successful bidder must register on the ERWAT vendors list. Forms to be downloaded from the ERWAT website. Quotation evaluation shall be performed on 80:20 principle (pricing and functionality 80% and BBBEE 20%)

Evaluation Criteria followed to evaluate quotations – Preference points system (PPS) as included in the Preferential Procurement Regulations of:

PPS	Contract value	Formula	Additional Considerations
80/20	Equal to or above R 30 000.00 and up to R 200 000	$Ps = 80(1 - (Pt - P_{min}/P))$ <p>Where</p> <p>Ps = Points scored for price of bid under consideration.</p> <p>Pt = Rand value of bid under consideration.</p> <p>P min = Rand value of lowest acceptable bid.</p>	<p>Maximum of 20 points may be awarded for being HDI, subcontracting with an HDI, and/or achieving specified goals.</p> <p>Above points must be added to points scored for price.</p> <p>Only bidder with the highest points scored may be selected.</p>

PLEASE NOTE THAT FAILURE TO MEET ANY OR ALL OF THESE REQUIREMENTS WILL LEAD TO DISQUALIFICATION

- Valid Certified copy or original BBBEE Compliance Certificate;
- Valid Tax Clearance Pin issued by SARS on e-filing;
- Copy of Latest Municipal Account (not older than three months from date of closing);
- Declaration of Interest – MBD 4.2 [[download form](#)].

NB: Bidders will not be allowed on any of the ERWAT sites without a work permit and the correct PPE gear.

GENERAL NOTES

- Request for Quotations must be submitted electronically to the following e-mail address: rfq@erwat.co.za

- ERWAT reserves the right to not accept the lowest bid, to award the quote to more than one bidder, to award the quote in part or to not award it at all and bidders will have no claim of any kind in this regard.
- The subject line must only contain the RFQ number and description, quotations that do not follow these conventions will not be considered.

• Quotations that are not received on the specific date and time, will be marked as late responses and such quotations will, in terms of the Supply Chain Management Policy of ERWAT, not be considered by ERWAT as valid

Bid closing date :	2019-01-14
Compulsory site meeting :	N/A
Contact Person :	Siphiwe Nhlapo
Contact number :	011 929 7014
E-mail address :	
Bid validity period :	3 Days
Physical address where bid documents can be collected :	ERWAT Head Office, Hartebeestfontein Office Park, R25, Norkem Park.
Tender Box number :	N/A
Day when Tender is to be submitted to ERWAT Offices:	
Non-refundable Document fee :	N/A ERWAT will not accept cash. All payments to be made by Credit Card only
CIBD required?	
<input type="text"/>	

Bids must be hand delivered to the Bid Box situated at the address: ERWAT Head Office, Hartebeestfontein Office Park, Bapsfontein Road (R25), Kempton Park.

Complete Tenders must be in a sealed envelope clearly marked with **RFQ201901/002** and **SUPPLY AND DELIVER OF TURBIDITY CALIBRATION STANDARDS** . and to be hand delivered, in the TENDER BOX **N/A** at the foyer at ERWAT Head Office, Bapsfontein Road (R25), Kempton Park.

No e-mail or faxed bids/proposals shall be accepted. Bids/Proposals that are not received on the specific time and date will be marked as late bids/proposals and such bids/proposals will, in terms of the Supply Chain Management Policy of ERWAT, not be considered by ERWAT as valid bids/proposals.

Bidders' attention is specifically drawn to the provision of the bid rules which are included in the bid document.

The lowest or any bid will not necessarily be accepted and ERWAT reserves the right not to consider any bid not suitably endorsed or comprehensively completed, as well as the right to accept a bid in whole or part. Bids completed in pencil will be regarded as invalid bids.

Submission of electronic and fax bids are not acceptable.