





| CEILING LEGEND | |
|---|--|
|  | <p>EXPOSED CONCRETE SOFFIT, PRIME AND PAINT WITH MIDAS EARTHCOTE 'ENVIRO LITE PLASTER PRIMER' AND MIDAS EARTHCOTE 'DOWN TO EARTH LOW SHEEN' OR SIMILAR APPROVED TO MANUFACTURER'S SPECIFICATIONS. COLOUR TO BE CONFIRMED BY ARCHITECT.</p> |
|  | <p>1200 x 600mm LAFARGE - PREGYBEL C10 nB - 12.5MM THICK ACOUSTIC PERFORATE PLASTERBOARD CEILING TILES WITH TAPERED EDGES AND SQUARE PERFORATIONS. X 5M INLAYS, SKIMMED WITH GYPSUM PLASTER AND PAINTED WITH MIDAS EARTHCOTE 'ENVIRO LITE PLASTER PRIMER' AND MIDAS EARTHCOTE 'DOWN TO EARTH LOW SHEEN' OR SIMILAR APPROVED TO MANUFACTURER'S SPECIFICATIONS. COLOUR TO BE CONFIRMED BY ARCHITECT.</p> |
|  | <p>NO CEILING</p> |
|  | <p>GYPSUM PLASTER BOARD CEILING BULKHEAD WITH CONCEALED FIXINGS, RHINOLITE AND PAINTED TO ARCHITECT'S SPECIFICATION.</p> |

NOTES:

- * All dimensions to be checked on site and on drawings, any discrepancies to be reported to the architect before work is put in hand.
- * Only figured dimensioned are to be taken.
- * All building methods and materials to comply with the national building regulations.
- * The drawing is the property of Niskita Architects.
- * Copyright is reserved by them and the drawing is issued on the condition that it is not copied, reproduced, retained or disclosed to any authorised person, either wholly or in part without the written consent of Niskita Architects.
- * All levels to be checked on site and on drawings, any discrepancies to be reported to the architect before work is put in hand.
- * All structural work to be checked by an Engineer.
- * Soil condition to be approved by a Soil Engineer.
- * All work to be in accordance with SABS-0400
- * The works to be set out from approved local authority plans only.
- * Inspection eye/s to be provided at all bends and junctions
- * All balustrading to be 1m high and to comply with n.b.r. MM3.
- * All air flues, fumes, chimney and gas trains to comply with SABS-0400 - 1990 Part V.
- * All downspout and pipe sizing to be verified by a registered plumber.
- * All site accesses to be exposed and flagged.

DRAINAGE NOTES:

- * RE's to all changes in direction of drains.
- * IE's to all bends and junctions.
- * Reseal traps to all waste fittings.
- * Waste pipes to be fully accessible along entire length.
- * Bends and junctions not to be under the building.
- * Soil pipes under the building to be protected from load.
- * All work to comply with Local Authority by-laws.

| No. | Description | Date |
|--|--|---|
| 01 | Reception area ceiling added. Ceiling levels added to ground, 1st, 2nd & 3rd floors. Flush plaster ceiling added. | 19.06.19 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Ntsika Architects cc. Sd - Bono Discovery Centre Cnr Mariam Makeba & President St Newtown, Johannesburg South Africa | | Contact Details: director: Nadia Tromp cell : 072 840 5268 ph : 011 492 7001 e-mail: nadiat@ntsika.co.za |



| | | | | | | | | | | |
|---------------|----------------------------|--|--|--|--|-------------------------|--|--|---|--|
| Job: | TEACHING & TRAINING CENTRE | | | | | | | | | |
| Stand No. | RE/3064 JOHANNESBURG | | | | | | | | | |
| Drawing Title | CEILING LAYOUT | | | | | | | | | |
| Drawing No. | 1704_J_C600_rev01 | | | | | | | | | |
| Revision | | | | | | | | | | |
| Architect | Nadia Tromp | | | | | | | | | |
| Drawn by | GM | | | | | Copyright | | | © | |
| Date | 06.06.19 | | | | | Issued For Information | | | | |
| Scale | 100; A1 | | | | | Issued For Tender | | | | |
| Checked by | NT | | | | | Issued For Construction | | | | |