

	Amount
SECTION NO. 1	
BILL NO. 1	
PRELIMINARIES AND GENERAL	
Preliminaries and Generals - Roodepoort ABSA Corner Jeppe & van Wyk Street, Roodepoort CBD (ERF RE/1980, Roodepoort).	
Carried Forward to Summary of Section No. 1	
Section No. 1 Bill No. 1	
Preliminaries	



ltem No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO.2			
	DEMOLITIONS AND ALTERATIONS			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
1	The alterations to the electrical and air conditioning reticulation installations shall be executed by selected sub-contractors (as elsewhere provided) and the Contractor shall be responsible for the co-ordination of such work with his own.	Item		
2	Prices for the demolition of any portion of the structure shall include for its demolition complete with all surface finishes such as plaster, screeds, etc., all attached items of joinery such as skirtings, etc. and all reinforcement, conduit, pipes, lintels, etc. built into that portion of the structure and the removal from site thereof.	Item		
3	Prices for the removal of doors and frames shall include for the removal of fanlights, ironmongery, architraves and other associated trim.	Item		
4	Prices for the removal of windows shall include for the removal of glass, louvres, etc. attached to the windows.	Item		
5	The Contractor is advised to take all dimensions affecting the existing building on the site as he will be held solely responsible for all new work being of the correct size.	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 2 Alteration			



6	All sizes for building up or forming openings are net and the Contractor must allow in his prices for extra labour and material, cutting and bonding new to existing brickwork, building square jambs, building cavities solid and removing old sills as necessary, and for making good junction of new plaster with old including all extra patching to work disturbed beyond the net size of the openings, which are to be formed or built up.	Item		
7	All materials and workmanship in building up, making good etc., are to match existing and where new materials abut existing, they are to be neatly joined to same.	ltem		
8	The contractor is advised to visit the site to acquaint himself with the types of construction and finishes so that he may price "to match existing" items where called for.	ltem		
9	"Making good" existing work where disturbed or damaged shall mean the provision of the necessary new material to match existing and the necessary workmanship so that a complete and perfect restoration is achieved to the satisfaction of the Architect.	ltem		
10	"Making good" where abutting walls etc. are removed shall mean the provision of the necessary material and workmanship in filling the gaps to match surrounding finishes so that a complete and perfect surface, is obtained to the satisfaction of the Architect.	Item		
11	The rates for "taking out", "taking down" of windows, doors etc., from brickwork to remain are to include for making good all work disturbed to match surrounding finishes.	ltem		
12	Contractor to allow for removal of rubble, accumulated rubbish on site.	Item		
	Carried to Collection Section No. 1		R	_
	Bill No. 2 Alteration			



13	Contractor to allow for full photographic survey of site internally and externally upon receipt of possession of site. Photos to be sent to Principal Agent and signed off before performing any work.		ltem		
	Temporary barricades, screens, roofs, etc including removal				
14	Temporary wire mesh fencing as hoarding from construction site, total height 3m with temp partition.	m	25		
15	Extra over fencing for gate 813 x 2032mm high, including steel frame, padlock, primer and two coats paint	No	1		
	Taking down and removing roofs, floors, panelling, ceilings, partitions, etc				
16	Corrugated sheet steel roof covering and timber purlins	m2	120		
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
17	Tiles to floors	m2	60		
18	Tiles to walls	m2	86		
	Taking out and removing piping, sanitary fittings, etc, including cutting off as necessary, disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
19	Vitreous china WC pan with cistern	No	10		
20	Vitreous china wash hand basin, including short lengths of piping, etc	No	6		
21	Urinal bowl fixed to walls.	No	7		
	Carried to Collection			R	
	Section No. 1 Bill No. 2 Alteration				



	MAKING GOOD OF FINISHES, ETC				
	<u>Treatment of existing tiles</u>				
22	Existing tiled floors to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	120		
23	Existing tiled walls to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas. Treatment of existing painted and face brick walls	m2	286		
24	Existing face and painted walls to be powerwashed with high pressure water including soap. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	127		
	Making good cement screeds				
25	25mm Thick on floors in patches	m2	12		
	Making good gypsum plasterboard ceilings and timber brandering				
26	Ceilings in patches	m2	4		
	Making good internal cement plaster				
27	Walls in patches	m2	29		
					_
	Carried to Collection			R	
	Section No. 1 Bill No. 2 Alteration				



Section No. 1				
Bill No. 2				
Alteration				
COLLECTION				
Total Brought Forward from Page No.	Page No		Amount	
	34			
	35			
	36			
				_
Carried Forward to Summary of Section No. 1		R		
Section No. 1 Bill No. 2 Alteration				
1	1	1	II .	ı



ltem No		Quantity	Rate	Amount
	SECTION NO. 3			
	BILL NO 3			
	ROOF COVERINGS			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	Where battens for roof coverings form part of the plate nailed timber roof truss design it shall be included under the roof construction in the "Carpentry and Joinery" trade and not under this trade			
	Carried to Collection		R	
	Section No. 1 Bill No. 3 Roof Covering			



	Profiled metal sheeting is available in various				
	thicknesses				
	Usually Z275 spelter galvanising is used in inland areas				
	and Z600 spelter galvanising for coastal areas. However galvanised sheeting is generally not used in coastal				
1	areas				
	When the pitch of troughed roof covering is less than 5				
	degrees or if dustproofing is required then the description of roof coverings "with side laps sealed" is to				
1	be used				
,	Where roof coverings are fixed on top of rigid board				
	insulation to purlins etc they are to be described as such				
	Note that besides galvanised steel, sheeting is also				
	available in corten steel, stainless steel, copper and aluminium				
	0,5mm Z275 spelter galvanised corrugated sheet				
	steel and accessories, fixed to timber purlins or rails				
	Roof covering with pitches not exceeding 25 degrees	m2	120		
	Ridge cap 550 mm girth three times bent and notched				
	on site to suit roof profile.	m	6		
	Headwall flashing 375 mm girth two times bent and				
	notched on site to suit roof profile.	m	17		
	Apex flashing 550 mm girth three times bent and				
	notched on site to suit roof profile.	m	5		
	Carried to Collection			R	
	Section No. 1				
	Bill No. 3 Roof Covering				



Section No. 1				
Bill No. 3				
Roof Covering				
COLLECTION				
Total Brought Forward from Page No.	Page No 38		Amount	
Carried Forward to Summary of Section No. 1		R		
Section No. 1 Bill No. 3 Roof Covering				



ltem No			Quantity	Rate	Amount
	SECTION NO. 4				
	BILL NO 4				
	CARPENTRY AND JOINERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	SUPPLEMENTARY PREAMBLES				
	DOORS ETC				
	SUPPLEMENTARY PREAMBLES				
	SEMI- SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES				
1	40 mm Door size 813 mm x 2032 mm with commercial veneer backing.				
		No	9		
2	40 mm Door size 912 mm x 2955 mm with commerial veneer.	No	1		
	SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES				
3	40 mm Door size 813 mm x 2032 mm with commercial veneer.	No	2		
	Carried Forward to Summary of Section No. 1			R	
	Section No. 1 Bill No. 4 Carpentry and Joinery				



ltem No			Quantity	Rate	Amount
	SECTION NO. 5				
	BILL NO.5				
	IRONMONGERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	NOTE: Prices are to include for fixing ironmongery to softwood, hardwood or pressed metal door frames, etc.				
	Locks and furniture:				
1	Supply (PC: R300) and installation of mortice lock and furniture.	No	2		
2	Supply (PC : R200) and installation of door handle.	No	24		
3	Supply (PC : R450) and installation of WC indicator bolt.	No	10		
4	Supply (PC: R50) and installation of door stop plugged and screwed to brickwork or concrete.	No	12		
5	Supply (PC : R2500) and installation of door closer fixed to frame.	No	1		
	Supply and fix the following ironmongery:				
6	32 mm Diameter stainless steel rear grab rail (Code SR2) from Chairman Industries bolted to wall with 6 mm diameter stainless steel bolts, all as the manufacturer's instructions.	No	1		
	Carried to Collection			R	
	Section No. 1 Bill No. 5 Ironmongery				



7	32 mm Diameter stainless steel side grab rail (Code DL2) from Chairman Industries ditto.	No	1		
	Carried to Collection			R	
	Section No. 1 Bill No. 5				
	Ironmongery				



Section No. 1			
Bill No. 5			
Ironmongery			
COLLECTION			
Total Brought Forward from Page No.	Page No 42 43		Amount
Carried Forward to Summary of Section No. 1		R	
Section No. 1 Bill No. 5 Ironmongery			



ltem No			Quantity	Rate	Amount
	SECTION NO. 6				
	BILL NO. 6				
	<u>METALWORK</u>				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	STEEL WELDED SCREENS, GATES, ETC				
	Screens and gates				
1	Single gate size 811 x 2032mm high formed of 50mm x 50mm x 3mm square mild steel hollow section and 100 x 50 x 3mm steel rectangular hollow section horizontal middle rail as gate with 7mm x 12mm diameter rounds welded to gate at equal centres with 80 x 40 x 3mm mild steel hollow section as frame bolted to masonry wall.	No	2		
	GALVANISED STEEL WINDOWS, DOORS, ETC				
	Windows with mesh burglar screens to opening sashes				
2	Window type NE1, 533 x 654mm high	No	10		
	PRESSED STEEL DOORS AND FRAMES				
	1,2 mm Thick pressed steel double rebated door frame to suit half brick wall for door size:				
3	44 mm x 813 mm x 2032 mm.	No	9		
	Carried to Collection			R	
	Section No. 1 Bill No. 6 Metalwork				



	1,2 mm Thick pressed steel double rebated door frame to suit one brick wall for door size:				
4	44 mm x 813 mm x 2032 mm.	No	2		
	Carried to Collection			R	
	Section No. 1 Bill No. 6 Metalwork				
	MOUNT				



Section No. 1				
Bill No. 6				
Metalwork				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	45			
	46			
Carried Forward to Summary of Section No. 1		R		
Section No. 1 Bill No. 6 Metalwork				
I	1	I	li .	ı



		Quantity	Rate	Amount
SECTION NO. 7				
BILL NO. 7				
<u>TILING</u>				
NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
WALL TILES				
Ceramic tiles (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall tile grout including all square cutting and waste to:				
Walls.	m2	86		
Walls in narrow widths not exceeding 300mm.	m2	14		
FLOOR TILES				
Ceramic floor tiles (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor tile grout including all square cutting and waste to:				
Floors.	m2	60		
Carried Forward to Summary of Section No. 1 Section No. 1 Bill No. 7 Tilling			R	
	BILL NO. 7 TILING NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. WALL TILES Ceramic files (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall file grout including all square cutting and waste to: Walls. Walls in narrow widths not exceeding 300mm. FLOOR TILES Ceramic floor tiles (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor file grout including all square cutting and waste to: Floors. Carried Forward to Summary of Section No. 1 Section No. 1 Bill No. 7	BILL NO. 7 TILING NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999) Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. WALL TILES Ceramic files (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall file grout including all square cutting and waste to: Walls. m2 Walls in narrow widths not exceeding 300mm. m2 FLOOR TILES Ceramic floor files (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor file grout including all square cutting and waste to: Floors. Carried Forward to Summary of Section No. 1 Section No. 1 Bill No. 7	SECTION NO. 7 BILL NO. 7 TILING NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. WALL TILES Ceramic files (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall file grout including all square cutting and waste fo: Walls. m2 86 Walls in narrow widths not exceeding 300mm. m2 14 FLOOR TILES Ceramic floor files (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor file grout including all square cutting and waste to: Floors. m2 60 Carried Forward to Summary of Section No. 1 Section No. 1 Bill No. 7	SECTION NO. 7 BILL NO. 7 TILING NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. WALL TILES Ceramic files (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved will file grout including all square cutting and waste to: Walls. m2 86 Walls in narrow widths not exceeding 300mm. m2 14 FLOOR TILES Ceramic floor files (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor file grout including all square cutting and waste to: Floors. m2 60 Carried Forward to Summary of Section No. 1 Bill No. 7



Item No		Quantity	Rate	Amount	
ï	SECTION NO. 8				
	BILL NO. 8				
	PLUMBING AND DRAINAGE				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	All rates supplied in this Bill of Quantities will be deemed to include scaffolding to any height and fixing of cold and hot water pipes up to and including roof height. All pipes suspended from concrete slabs, roof, ceiling, etc. shall be deemed to include in the rates, all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete slab. For the complete supply, delivery and installation of supply piping, as specified, piping to include piping between geysers on roof. All cold and hot water pipes are to be chased into walls except where pipes are to be surface-mounted on wall face or run in ceiling voids or inside ducts, and fixed with standard type pipe saddlers and brackets at 1000mm maximum.				
	Carried to Collection		R		_
	Section No. 1 Bill No. 8 Plumbing and Drainage				=



	These bills of quantities form part of and must be read in conjunction with the Technical Specifications and Drawings, which contain the full descriptions of the work to be done and material and equipment to be used. Unless otherwise described in these bills of quantities, reference should be made to the Technical Specifications for the full meaning of descriptions of work to be done and materials and equipment to be used in this service. All materials, equipment, fixings, brackets, etc, are to be supplied by the Contractor unless otherwise stated. RAINWATER DISPOSAL Gratings, covers, etc				
1	Precast concrete stormwater inlet 370mm x 600mm				
	frame	No	1		
	SANITARY FITTINGS				
	Wash Hand Basins				
2	Surface mounted 500mm x 500mm white glazed semi- recessed wash hand vanity basin (PC: R 1000) with single tap hole complete with single lever tap (PC: R500) and including angle valves and chrome connectors including pop up waste, connected in position complete with an approved waterproof sealer.	No	6		
	<u>Toilets</u>				
3	Close-coupled WC suite (PC : R1 500) comprising pan with double flap heavy duty wooden seat and matching 9 litre cistern.	No	9		
4	Paraplegic close-coupled WC suite (PC: R4 000) comprising pan with matching 9 litre cistern and purpose made CP side flush lever (left or right) supplied with purpose made urea seat and cover plate.	No	1		
	, , , , , , , , , , , , , , , , , , , ,		·		
	Carried to Collection			R	
	Section No. 1 Bill No. 8 Plumbing and Drainage				



	Bowl Urinals				
5	Stainless bowl urinal (PC: 1500) including hanger brackets, trap and associated parts fitted complete including urinal flush valve with shut of valve including all necessary connections to urinal.	No	7		
	<u>Taps</u>				
6	Supply and installation of tap (PC R300)	No	6		
	<u>Traps</u>				
	SOIL DRAINAGE				
	Extra over heavy duty (Class 34) 110mm diameter uPVC sewer and drain pipes for fittings				
7	Roding eye cover oval	No	1		
	COLD WATER RETICULATION INSTALLATION				
	Supply and install Pexial Pex multilayer pipes in compliance with SANS ISO 15874				
8	Ø32mm pipe	m	10		
9	Ø26mm pipe	m	3		
10	Ø20mm pipe	m	3		
11	Ø16mm pipe	m	3		
	<u>FITTINGS</u>				
	Supply and install PP-R multilayer faser fibre pipes in compliance with SANS ISO 15874 part 2 PN 20 SDR 7.4 Blue and Red colour – 20 x 2.8mm capillary brass threaded type fittings.				
12	Ø16mm Equal T-piece	No	4		
13	Ø20mm Equal T-piece	No	4		
	Carried to Collection			R	
	Section No. 1 Bill No. 8 Plumbing and Drainage				



14	Ø26mm Equal T-piece	No	4		
15	Ø32mm Equal T-piece	No	4		
16	Ø20mm Ø20mm Ø16mm UN-Equal T-piece	No	4		
17	Ø26mm Ø26mm Ø20mm Equal T-piece	No	4		
18	Ø32mm Ø36mm Ø26mm UN-Equal T-piece	No	6		
19	Reducer: Ø32mm x Ø26mm	No	6		
20	Reducer: Ø26mm x Ø20mm	No	6		
21	Reducer: Ø20mm x Ø16mm	No	6		
22	Reducer: Ø32mm x Ø26mm	No	6		
23	Ø50mm Female couplings	No	6		
24	Ø40mm Female couplings	No	6		
25	Ø32mm Female couplings	SUM	5		
26	Ø26mm Female couplings	No	5		
27	Ø20mm Female couplings	No	5		
28	Ø16mm Female couplings	No	5		
29	Ø32mm Elbow: 90°	No	5		
30	Ø26mm Elbow: 90°	No	6		
31	Ø20mm Elbow: 90°	No	6		
32	Pipe clamps and hangers	SUM	1		
	THREADED VALVES				
33	Ø32mm isolating gate valve on cold water main pipes	No	1		
	Carried to Collection			R	+
	Section No. 1 Bill No. 8 Plumbing and Drainage				+



34	Ø26mm isolating gate valve on cold water main pipes	No	2			
35	Ø20mm isolating gate valve on cold water main pipes	No	2			
36	Ø16mm isolating gate valve on cold water main pipes	No	4			
	SANITARY DRAINAGE INSTALLATION					
	SANITARY DRAINAGE PIPING					
	HDP butt welded including electro fusion couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2:2004					
	PIPING					
37	Ø56mm	m	15			
38	Ø75mm	m	20			
39	Ø110mm	m	20			
	PIPE FITTINGS					
40	Ø56mm fitting; 90°elbow	No	30			
41	Ø110mm fitting; 45°elbow	No	7			
42	Ø110mm fitting; 95°elbow, with Ø50mm vent horn inspection	No	7			
43	Ø110mm fitting; 95°elbow, plain	No	7			
44	Ø56mm x Ø56mm x Ø56mm fitting; 90° Equal T- Piece	No	14			
45	Ø110mm x Ø110mm x Ø50mm branch fitting; 87.5° swept entry, lateral branch junction	No	7			
	Carried to Collection			R		
	Section No. 1 Bill No. 8 Plumbing and Drainage					



46	Ø110mm x Ø110mm x Ø110mm fitting; 87.5° swept entry, lateral branch junction	No	7		
47	Ø110mm x Ø56mm fitting; concentric reducer	No	2		
48	Ø110mm straight pan collars/connector	No	6		
49	Ø56mm vent one way valve	No	3		
	WASTE TRAPS				
50	50mm 'Dutton' flexi rubber "P" trap complete with coupling clamps.	No	6		
	PROVISIONAL SUM				
	Allow the amount for adjustment of Mechanical engineering services to be used at the discretion of the principal agent and deducted in whole or in part if not required:				
51	For Decommissioning and Removal of existing damaged piping and fittings including making good on chased walls and openings.		Item		25 000.00
52	For Unblocking existing main lines		Item		15 000.00
53	For Supply and Installation of any other item not included in the bill required to complete installations.		ltem		15 000.00
	Carried to Collection			R	
	Section No. 1 Bill No. 8 Plumbing and Drainage				



Section No. 1				
Bill No. 8				
Plumbing and Drainage				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	49			
	50			ļ
	51			
	52			ļ
	53			
	54			
Carried Forward to Summary of Section No. 1		R		
Section No. 1 Bill No. 8 Plumbing and Drainage				—



ltem No			Quantity	Rate	Amount
	SECTION NO. 9	ľ			
	BILL NO. 9				
	ELECTRICAL INSTALLATION				
	GENERAL PURPOSE POWER OUTLETS AND LIGHTING				
	CONDUITS				
	Supply and installation of galvanised steel conduit complete with all accessories including couplings, bending and fixings as specified:				
1	20mm - surface mounted	m	30		
	CONDUIT BOXES				
	Supply and install conduit boxes complete with all accessories including conduit terminations				
2	60mm round, 25mm deep for 20mm conduit mounted flush in wall or fixed to surface	No	23		
	Steel outlet boxes excluding covers:				
3	100mm x 50mm x 50mm conduit box.	No	2		
4	100mm x 100mm x 50mm conduit box.	No	2		
	WIRING AND CONDUCTORS				
	Supply and install PVC insulated copper conductors in required colours, drawn into conduit or trunking:				
5	2.5mm²	m	1 600		
6	4mm²	m	600		
	Carried to Collection			R	
	Section No. 1 Bill No. 9 Electrical Installation				



7	2.5mm ² B.C.E.W.	m	1 200		
	LIGHT SWITCHES				
	Supply, install and connect flush mounted light switch complete with cover plate and all accessories:				
8	16A 1 lever 1 way.	No	3		
	<u>LUMINAIRES</u>				
	Supply, install and connect luminaires mounted as specified, complete with lamps, control gear and all accessories:				
9	18W surface mounted bulkhead LED light fitting.	No	23		
	SOCKET OUTLETS				
	Supply, install and connect Switched socket outlets mounted flush in wall or as specified, complete with cover plates and all accessories:				
10	16A Double switch socket outlet (White).	No	1		
	<u>ISOLATORS</u>				
	Supply and install Isolators mounted as specified complete with cover plates and all accessories.				
11	Double pole	No	1		
	UNIT SUPPLY CABLE				
	Supply, install and connect reticulation cables installed in existing sleeves.				
12	6 mm² 3-core PVC/SWA/PVC Cable	m	30		
13	6 mm ² 3-core PVC/SWA/PVC Cable Terminations	No	2		
	Carried to Collection			R	
	Section No. 1 Bill No. 9 Electrical Installation				



	DISTRIBUTION BOARD				
14	Unit Distribution Board	No	1		
				5	_
	Saction No. 1	Carried to Collection		R	<u> </u>
	Section No. 1 Bill No. 9 Electrical Installation				



Section No. 1				
Bill No. 9				1
Electrical Installation				Ì
COLLECTION				
	Page No		Amount	Ì
Total Brought Forward from Page No.	56			L
	57			·
	58			r
Carried Forward to Summary of Section No. 1		R		<u> </u>
Section No. 1 Bill No. 9 Electrical Installation				



Item No			Quantity	Rate	Amount
	SECTION NO. 10	,			
	BILL NO. 10				
	GLAZING				
	<u>User note</u>				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	GLAZING TO STEEL				
	4mm Clear float glass				
1	Panes exceeding 0,1m2 and not exceeding 0,5m2	m2	3		
	MIRRORS				
	8 mm Float glass silver backed mirror detail with bevelled edges glued to and including 16mm superwood frame fixed with chrome cupped mirror screws to wall all in accordance with Architects detail:				
2	Size 400 mm x 600 mm.	No	6		
	Carried Forward to Summary of Section No. 1			R	
	Section No. 1 Bill No. 10 Glazing				



em No		Quantity	Rate	Amount
	SECTION NO. 11			
	BILL NO. 11			
	<u>PAINTWORK</u>			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	The following finishes, including primers and subsequent coats are to be those manufactured by "Plascon Paints" and of the highest type and quality specified.			
	Plascon new work painting specification document to be applied when pricing work accordingly.			
	Attention is drawn to the measurement rules in the measuring system regarding paint colours which read as follows: "4. Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and "Transparent" (in accordance with the Natural Colour System (NCS) adopted by the SA National Standards)" and "5. Paintwork in one colour group may be given as extra over paintwork in another colour group"			
	PAINTWORK ETC TO NEW WORK			
	ON METAL SURFACES			
	Carried to Collection		R	
	Section No. 1 Bill No. 11 Paintwork			



	One coat alkyd based zinc phosphate primer and two coats premium quality polyurethane enamel paint, on steel				
1	Door frames	m2	25		
2	Windows with burglar bars	m2	7		
3	Gates, grilles, burglar screens, balustrades, etc (both sides measured over the full flat area)	m2	7		
	ON WOOD				
	Prepare, stop and apply one coat primer and two coats Professional Eggshell Enamel paint on:				
4	General surfaces.	m2	41		
	PAINTWORK TO PREVIOUSLY PAINTED SURFACES				
	SUPPLEMENTARY PREAMBLES				
	PREPARATORY WORK TO EXISTING WORK				
	Previously painted plastered surfaces				
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth				
	Previously painted metal surfaces				
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal				
	Carried to Collection			R	
	Section No. 1 Bill No. 11 Paintwork				



Previously painted wood surface	<u>es</u>				
Surfaces shall be thoroughly cleaned peeling paint shall be completely really and crevices shall be primed, filled and finished smooth	emoved and cracks				
COLOURS					
Unless otherwise described paintw be deemed to be in the "White" co paintwork on all other components be in the "Pastel" colour group in a Natural Colour System (NCS) adopt Standards	lour group and shall be deemed to ccordance with the				
ON FLOATED PLASTER					
Remove any loose and flaking rewire brushing, wash with 'Polycel weak spirits of salts, open up cragood with 'Polycell Mendall 90' of Exterior' filler sanded smooth, ap Plascon Professional Plaster/Gypand two coats Plascon Professional Acrylic (PEM 1000) paint on exist paint surfaces:	I Sugar Soap' or cks and make or 'Polycell Polyfilla ply one coat sum Primer(PP 700) nal Low Sheen Pure				
On interior walls		m2	72		
On interior ceilings		m2	118		
Remove any loose and flaking rewire brushing and hydro blast wito 300 bars, wash with 'Polycell S spirits of salts, open up cracks an 'Polycell Mendall 90' or 'Polycell F sanded smooth and apply two as All (WAA)" pure acrylic on	th equipment 200 ugar Soap' or weak ad make good with Polyfilla Exterior' filler				
On external walls		m2	127		
Co	arried to Collection			R	
Section No. 1 Bill No. 11 Paintwork				:	



	ON METAL				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth apply one coat 'Plascon Universal Undercoat' and two coats 'Plascon Velvaglo Polyurethane Enamel' paint on existing enamel based paint surfaces:				
8	Pressed steel door frames.	m2	7		
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
9	On gates and screens	m2	117		
	Spot priming bare metal surfaces, one coat alkyd based universal undercoat and two coats superior quality universal enamel paint, on work in poor condition				
10	Rainwater downpipes not exceeding 300mm girth	m	10		
	Carried to Collection			R	
	Section No. 1 Bill No. 11 Paintwork				



Section No. 1			
Bill No. 11			
Paintwork			
COLLECTION			
	Page No		Amount
Total Brought Forward from Page No.	61		
	62		
	63		
	64		
Carried Forward to Summary of Section No. 1		R	
Section No. 1 Bill No. 11 Paintwork			
I GILLIVYOR			



ltem No			Quantity	Rate	Amount
ï	SECTION NO. 12				
	BILL NO. 12				
	EXTERNAL WORKS				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	CONCRETE BLOCK PAVING ETC				
	Take up and remove from site existing precast concrete etc.:				
1	60mm Interlocking paving blocks .	m2	14		
	Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured)				
2	60 mm Interlocking concrete paving blocks	m2	28		
	Re-lay existing concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications				
3	Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	28		
	Carried to Collection Section No. 1 Bill No. 12 External Works			R	



	Filling under floors, steps, paving, etc.				
4	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content.	m3	6		
	Compaction of surfaces				
5	Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content.	m2	42		
	Concrete paving blocks shall comply with the requirements SANS1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three months)				
6	60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SANS 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	14		
	<u>Treatment of existing paving blocks</u>				
7	Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	280		
	FENCING				
	"CLEARVUE" or similar approved galvanised barbed/spiked wire fencing				
	TEMPORARY CONTAINER RENTAL				
	Carried to Collection			R	
	Section No. 1 Bill No. 12 External Works				



	<u>General</u>				
	The following prefabricated structures have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers.				
	Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels:				
	Note: Site must not slope more than 200mm over the area of the temporary building units.				
	3 000 x 6 000mm High unit				
3	Deliver container to site and removal from site upon completion	No	1		
>	Monthly rental	No	2		
	Carried to Collection Section No. 1			R	
	Bill No. 12 External Works				

8

9



Section No. 1				
Bill No. 12				
External Works				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	66			
	67			
	68			
Carried Forward to Summary of Section No. 1		R		
Section No. 1 Bill No. 12 External Works				



	SECTION SUMMARY - Roodepoort ABSA				
Bill No		Page No		Amount	
1	Preliminaries	32			
2	Alteration	37			
3	Roof Covering	40			
4	Carpentry and Joinery	41			
5	Ironmongery	44			
6	Metalwork	47			
7	Tiling	48			
8	Plumbing and Drainage	55			
9	Electrical Installation	59			
10	Glazing	60			
11	Paintwork	65			
12	External Works	69			
					_
	Carried to Final Summary		R		_
	Section No. 1				
				, ,	



tem No		Amount	
	SECTION NO. 1		
	BILL NO. 1		
	PRELIMINARIES AND GENERAL		
1	Preliminaries and Generals - ABSA 2, Corner Oak & Sentrum Ferndale, Randburg (ERF 851, Ferndale).		
	Carried Forward to Summary of Section No. 2		
	Section No. 2 Bill No. 1 Preliminaries		



ltem No		Quantity	Rate	Amount	
	SECTION NO. 2				
	BILL NO.2				
	DEMOLITIONS AND ALTERATIONS				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
1	The alterations to the electrical and air conditioning reticulation installations shall be executed by selected sub-contractors (as elsewhere provided) and the Contractor shall be responsible for the co-ordination of such work with his own.	ltem			
2	Prices for the demolition of any portion of the structure shall include for its demolition complete with all surface finishes such as plaster, screeds, etc., all attached items of joinery such as skirtings, etc. and all reinforcement, conduit, pipes, lintels, etc. built into that portion of the structure and the removal from site thereof.	ltem			
3	Prices for the removal of doors and frames shall include for the removal of fanlights, ironmongery, architraves and other associated trim.	Item			
4	Prices for the removal of windows shall include for the removal of glass, louvres, etc. attached to the windows.	Item			
5	The Contractor is advised to take all dimensions affecting the existing building on the site as he will be held solely responsible for all new work being of the correct size.	Item			
	Carried to Collection		R		_
	Section No. 2 Bill No. 2 Alteration				=



6	All sizes for building up or forming openings are net and the Contractor must allow in his prices for extra labour and material, cutting and bonding new to existing brickwork, building square jambs, building cavities solid and removing old sills as necessary, and for making good junction of new plaster with old including all extra patching to work disturbed beyond the net size of the openings, which are to be formed or built up.	Item		
7	All materials and workmanship in building up, making good etc., are to match existing and where new materials abut existing, they are to be neatly joined to same.	ltem		
8	The contractor is advised to visit the site to acquaint himself with the types of construction and finishes so that he may price "to match existing" items where called for.	ltem		
9	"Making good" existing work where disturbed or damaged shall mean the provision of the necessary new material to match existing and the necessary workmanship so that a complete and perfect restoration is achieved to the satisfaction of the Architect.	Item		
10	"Making good" where abutting walls etc. are removed shall mean the provision of the necessary material and workmanship in filling the gaps to match surrounding finishes so that a complete and perfect surface, is obtained to the satisfaction of the Architect.	Item		
11	The rates for "taking out", "taking down" of windows, doors etc., from brickwork to remain are to include for making good all work disturbed to match surrounding finishes.	Item		
12	Contractor to allow for removal of rubble, accumulated rubbish on site.	Item		
	Carried to Collection		R	
	Section No. 2 Bill No. 2 Alteration			



13	Contractor to allow for full photographic survey of site internally and externally upon receipt of possession of site. Photos to be sent to Principal Agent and signed off before performing any work. Temporary barricades, screens, roofs, etc including removal		ltem		
14	Temporary wire mesh fencing as hoarding from construction site, total height 3m with temp partition.	m	10		
15	Extra over fencing for gate 813 x 2032mm high, including steel frame, padlock, primer and two coats paint	No	1		
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
16	Tiles to floors	m2	17		
17	Tiles to walls	m2	15		
	Taking out and removing piping, sanitary fittings, etc, including cutting off as necessary, disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
18	Vitreous china WC pan with cistern	No	2		
19	Vitreous china wash hand basin, including short lengths of piping, etc	No	1		
20	Urinal bowl fixed to walls.	No	1		
	LANDSCAPING				
	Carried to Collection			R	
	Section No. 2 Bill No. 2 Alteration			, K	



	Pruning of existing trees and shrubs				
21	Trimming tree branches of tree for tree not exceeding 500mm. (View on site to define scope).	No	1		
	MAKING GOOD OF FINISHES, ETC				
	Treatment of existing tiles				
22	Existing tiled floors to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	116		
23	Existing tiled walls to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	291		
	Treatment of existing painted and face brick walls				
24	Existing face and painted walls to be powerwashed with high pressure water including soap. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	158		
	Making good cement screeds				
25	25mm Thick on floors in patches	m2	1		
	Making good gypsum plasterboard ceilings and timber brandering				
26	Ceilings in patches	m2	3		
	Making good internal cement plaster				
27	Walls in patches	m2	9		
	Carried to Collection Section No. 2 Bill No. 2			R	
	Alteration				



Section No. 2			
Bill No. 2			
Alteration			
COLLECTION			
Total Brought Forward from Page No.	Page No 72 73 74 75		Amount
Carried Forward to Summary of Section No. 2		R	
Section No. 2 Bill No. 2 Alteration			



Item No		Quantity	Rate	Amount
	SECTION NO. 3			
	BILL NO. 3			
	WATERPROOFING			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	SERVICING OF WATERPROOFING TO EXISTING CONCRETE ROOFS			
	Contractors to check all torch on waterproofing including to turn ups and locate leaks and clean of existing fullbores and downpipes as required and allow for repainting of waterproofing with two coats bituminous aluminium paint.			
1	Roof covering with pitches not exceeding 25 degrees m2	116		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 3 Waterproofing			



ltem No		Quantity	Rate	Amount
,	SECTION NO. 4			
	BILL NO 4			
	CARPENTRY AND JOINERY			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	SUPPLEMENTARY PREAMBLES			
	DOORS ETC			
	SUPPLEMENTARY PREAMBLES			
	SEMI- SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES			
1	40 mm Door size 813 mm x 2032 mm with commercial veneer backing. $\label{eq:Newton} \mbox{N}$	0 2		
2	40 mm Door size 912 mm x 2955 mm with commerial veneer.	0 1		
	Carried Forward to Summary of Section No. 2		R	
	Section No. 2 Bill No. 4 Carpentry and Joinery			



ltem No			Quantity	Rate	Amount
	SECTION NO. 5				
	BILL NO.5				
	IRONMONGERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	NOTE: Prices are to include for fixing ironmongery to softwood, hardwood or pressed metal door frames, etc.				
	Locks and furniture:				
1	Supply (PC : R200) and installation of door handle.	No	16		
2	Supply (PC : R450) and installation of WC indicator bolt.	No	8		
3	Supply (PC : R50) and installation of door stop plugged and screwed to brickwork or concrete.	No	8		
4	Supply (PC : R2500) and installation of door closer fixed to frame.	No	1		
	Supply and fix the following ironmongery:				
5	32 mm Diameter stainless steel rear grab rail (Code SR2) from Chairman Industries bolted to wall with 6 mm diameter stainless steel bolts, all as the manufacturer's				
	instructions.	No	1		
6	32 mm Diameter stainless steel side grab rail (Code DL2) from Chairman Industries ditto.	No	1		
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 Bill No. 5 Ironmongery				



ltem No			Quantity	Rate	Amount
ï	SECTION NO. 6				
	BILL NO. 6				
	<u>METALWORK</u>				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	STEEL WELDED SCREENS, GATES, ETC				
	Screens and gates				
1	Service gate size $900 \times 2100 \text{mm}$ high including repairs to hinges, sliding bolt and locks etc.	No	2		
2	Service steel 900 x 2100mm entrance doors including grinding off welded shut locks, repairs to hinges, locks etc.	No	6		
3	Service palisade gate 1400 x 2100mm including repairs to hinges, sliding bolt and locks etc.	No	2		
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 Bill No. 6 Metalwork				



ltem No			Quantity	Rate	Amount
	SECTION NO. 7				
	BILL NO. 7				
	<u>TILING</u>				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	WALL TILES				
	Ceramic tiles (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall tile grout including all square cutting and waste to:				
1	Walls.	m2	15		
2	Walls in narrow widths not exceeding 300mm.	m2	3		
	FLOOR TILES				
	Ceramic floor tiles (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor tile grout including all square cutting and waste to:				
3	Floors.	m2	17		
	Carried to Collection Section No. 2			R	
	Bill No. 7 Tiling				



4	Riser 170 mm high.	m	5		
	DIVIDING STRIPS				
5	M. Trim stainless steel square edge trim SQE0800 as supplied by Kirk Marketing as external corner to tiling.	m	5		
	Carried to Collection			R	
	Section No. 2 Bill No. 7 Tiling				



Section No. 2				
Bill No. 7				
Tiling				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	81			
	82			[
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 7 Tiling				
1	1	1	II	(



Item No		Quantity	Rate	Amount	
Ï	SECTION NO. 8				
	BILL NO. 8				
	PLUMBING AND DRAINAGE				
	All rates supplied in this Bill of Quantities will be deemed to include scaffolding to any height and fixing of cold and hot water pipes up to and including roof height. All pipes suspended from concrete slabs, roof, ceiling, etc. shall be deemed to include in the rates, all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete slab. For the complete supply, delivery and installation of supply piping, as specified, piping to include piping between geysers on roof. All cold and hot water pipes are to be chased into walls except where pipes are to be surface-mounted on wall face or run in ceiling voids or inside ducts, and fixed with standard type pipe saddlers and brackets at 1000mm maximum. NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	Carried to Collection		R		_
	Section No. 2 Bill No. 8 Plumbing and Drainage		, in		_



	These bills of quantities form part of and must be read in conjunction with the Technical Specifications and Drawings, which contain the full descriptions of the work to be done and material and equipment to be used. Unless otherwise described in these bills of quantities, reference should be made to the Technical Specifications for the full meaning of descriptions of work to be done and materials and equipment to be used in this service. All materials, equipment, fixings, brackets, etc, are to be supplied by the Contractor unless otherwise stated. RAINWATER DISPOSAL Gratings, covers, etc				
1	Precast concrete stormwater inlet 370mm x 600mm frame	No	2		
	SANITARY FITTINGS				
	Wash Hand Basins				
2	Surface mounted 500mm x 500mm white glazed semi- recessed wash hand vanity basin (PC: R 1000) with single tap hole complete with single lever tap (PC: R500) and including angle valves and chrome connectors including pop up waste, connected in position complete with an approved waterproof sealer.	No	1		
	<u>Toilets</u>				
3	Close-coupled WC suite (PC : R1 500) comprising pan with double flap heavy duty wooden seat and matching 9 litre cistern.	No	1		
4	Paraplegic close-coupled WC suite (PC: R4 000) comprising pan with matching 9 litre cistern and purpose made CP side flush lever (left or right) supplied with purpose made urea seat and cover plate.	No	0.2		
	with parpose made area seat and cover plate.	140	0.2		
					\perp
	Carried to Collection			R	
	Section No. 2 Bill No. 8 Plumbing and Drainage				



	Bowl Urinals				
5	Stainless bowl urinal (PC: 1500) including hanger brackets, trap and associated parts fitted complete including urinal flush valve with shut of valve including all necessary connections to urinal.	No	0.4		
	<u>Taps</u>				
6	Supply and installation of tap (PC R300)	No	5		
	<u>Traps</u>				
	SOIL DRAINAGE				
	Extra over heavy duty (Class 34) 110mm diameter uPVC sewer and drain pipes for fittings				
7	Roding eye cover oval	No	1		
	REPAIR AND MAINTENANCE				
8	Service existing Water Closet pan and cistern including unblocking if required and supply new lids to cisterns and toilet seats.	No	8		
9	Service existing Wash Hand Basin including unblocking if required.	No	4		
10	Service existing urinal including flush mechanism including unblocking if required.	No	2		
	COLD WATER RETICULATION INSTALLATION				
	Supply and install Pexial Pex multilayer pipes in compliance with SANS ISO 15874				
11	Ø32mm pipe	m	10		
12	Ø26mm pipe	m	3		
13	Ø20mm pipe	m	3		
	Carried to Collection			R	
	Section No. 2 Bill No. 8 Plumbing and Drainage				



14	Ø16mm pipe	m	3		
	<u>FITTINGS</u>				
	Supply and install PP-R multilayer faser fibre pipes in compliance with SANS ISO 15874 part 2 PN 20 SDR 7.4 Blue and Red colour – 20 x 2.8mm capillary brass threaded type fittings.				
15	Ø16mm Equal T-piece	No	4		
16	Ø20mm Equal T-piece	No	4		
17	Ø26mm Equal T-piece	No	4		
18	Ø32mm Equal T-piece	No	4		
19	Ø20mm Ø20mm Ø16mm UN-Equal T-piece	No	4		
20	Ø26mm Ø26mm Ø20mm Equal T-piece	No	4		
21	Ø32mm Ø36mm Ø26mm UN-Equal T-piece	No	6		
22	Reducer: Ø32mm x Ø26mm	No	6		
23	Reducer: Ø26mm x Ø20mm	No	6		
24	Reducer: Ø20mm x Ø16mm	No	6		
25	Reducer: Ø32mm x Ø26mm	No	6		
26	Ø50mm Female couplings	No	6		
27	Ø40mm Female couplings	No	6		
28	Ø32mm Female couplings	SUM	5		
29	Ø26mm Female couplings	No	5		
30	Ø20mm Female couplings	No	5		
31	Ø16mm Female couplings	No	5		
	Carried to Collection			R	+
	Section No. 2 Bill No. 8 Plumbing and Drainage				



32	Ø32mm Elbow: 90°	No	5		
33	Ø26mm Elbow: 90°	No	6		
34	Ø20mm Elbow: 90°	No	6		
35	Pipe clamps and hangers	SUM	1		
	THREADED VALVES				
36	Ø32mm isolating gate valve on cold water main pipes	No	1		
37	Ø26mm isolating gate valve on cold water main pipes	No	2		
38	Ø20mm isolating gate valve on cold water main pipes	No	2		
39	Ø16mm isolating gate valve on cold water main pipes	No	4		
	SANITARY DRAINAGE INSTALLATION				
	SANITARY DRAINAGE PIPING				
	HDPE butt welded including electro fusion couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2:2004				
	<u>PIPING</u>				
40	Ø56mm	m	15		
41	Ø75mm	m	20		
42	Ø110mm	m	20		
	PIPE FITTINGS				
43	Ø56mm fitting; 90°elbow	No	30		
44	Ø110mm fitting; 45°elbow	No	7		
	Carried to Collection			R	+
	Section No. 2 Bill No. 8 Plumbing and Drainage				+



45	Ø110mm fitting; 95°elbow, with Ø50mm vent horn inspection	No	7			
46	Ø110mm fitting; 95°elbow, plain	No	7			
47	Ø56mm x Ø56mm x Ø56mm fitting; 90° Equal T- Piece	No	14			
48	Ø110mm x Ø110mm x Ø50mm branch fitting; 87.5° swept entry, lateral branch junction	No	7			
49	Ø110mm x Ø110mm x Ø110mm fitting; 87.5° swept entry, lateral branch junction	No	7			
50	Ø110mm x Ø56mm fitting; concentric reducer	No	2			
51	Ø110mm straight pan collars/connector	No	6			
52	Ø56mm vent one way valve	No	3			
	WASTE TRAPS					
53	50mm 'Dutton' flexi rubber "P" trap complete with coupling clamps.	No	6			
	PROVISIONAL SUM					
	Allow the amount for adjustment of Mechanical engineering services to be used at the discretion of the principal agent and deducted in whole or in part if not required:					
54	For Decommissioning and Removal of existing damaged piping and fittings including making good on chased walls and openings.		Item		5 000.00	0
55	For Unblocking existing main lines		Item		5 000.00	0
56	For Supply and Installation of any other item not included in the bill required to complete installations.		ltem		10 000.00	0
	Carried to Collection			R		_
	Section No. 2 Bill No. 8 Plumbing and Drainage			K		=



Section No. 2			
Bill No. 8			
Plumbing and Drainage			
COLLECTION			
	Page No		Amount
Total Brought Forward from Page No.	84		
	85		
	86		
	87		
	88		
	89		
Carried Forward to Summary of Section No. 2		R	
Section No. 2 Bill No. 8			
Plumbing and Drainage			
			l I



Item No			Quantity	Rate	Amount	
	GENERAL PURPOSE POWER OUTLETS AND LIGHTING					
	CONDUITS					
	Supply and installation of galvanised steel conduit complete with all accessories including couplings, bending and fixings as specified:					
1	20mm - surface mounted	m	30			
	CONDUIT BOXES					
	Supply and install conduit boxes complete with all accessories including conduit terminations					
2	60mm round, 25mm deep for 20mm conduit mounted flush in wall or fixed to surface	No	15			
	Steel outlet boxes excluding covers:					
3	100mm x 50mm x 50mm conduit box.	No	3			
4	100mm x 100mm x 50mm conduit box.	No	1			
	WIRING AND CONDUCTORS					
	Supply and install PVC insulated copper conductors in required colours, drawn into conduit or trunking:					
5	2.5mm ²	m	1 200			
6	4mm²	m	600			
7	2.5mm ² B.C.E.W.	m	900			
	LIGHT SWITCHES					
	Carried to Collection			R		
	Section No. 2 Bill No. 9 Electrical Installation					



	Supply, install and connect flush mounted light switch complete with cover plate and all accessories:				
8	16A 1 lever 1 way.	No	3		
	<u>LUMINAIRES</u>				
	Supply, install and connect luminaires mounted as specified, complete with lamps, control gear and all accessories:				
9	18W surface mounted bulkhead LED light fitting.	No	15		
	SOCKET OUTLETS				
	Supply, install and connect Switched socket outlets mounted flush in wall or as specified, complete with cover plates and all accessories:				
10	16A Double switch socket outlet (White).	No	1		
	<u>ISOLATORS</u>				
	Supply and install Isolators mounted as specified complete with cover plates and all accessories.				
11	Double pole	No	1		
	UNIT SUPPLY CABLE				
	Supply, install and connect reticulation cables installed in existing sleeves.				
12	6 mm² 3-core PVC/SWA/PVC Cable	m	30		
13	6 mm ² 3-core PVC/SWA/PVC Cable Terminations	No	2		
	DISTRIBUTION BOARD				
14	Unit Distribiuution Board	No	1		
	Carried to Collection			R	
	Section No. 2 Bill No. 9 Electrical Installation				



Section No. 2				
Bill No. 9				
Electrical Installation				
COLLECTION				
Total Brought Forward from Page No.	Page No		Amount	ļ
	92			
				<u> </u>
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 9 Electrical Installation				



Item No			Quantity	Rate	Amount
	SECTION NO. 10				
	BILL NO. 10				
	GLAZING				
	<u>User note</u>				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	GLAZING TO STEEL				
	4mm Obscure glass				
1	Panes exceeding 0,1m2 and not exceeding 0,5m2	n2	11		
	MIRRORS				
	8 mm Float glass silver backed mirror detail with bevelled edges glued to and including 16mm superwood frame fixed with chrome cupped mirror screws to wall all in accordance with Architects detail:				
2	Size 400 mm x 600 mm.	10	4		
	Carried Ferward to Summany of Section No. 2			R	
	Carried Forward to Summary of Section No. 2 Section No. 2			K	
	Bill No. 10 Glazing				



	Que	antity	Rate	Amount
SECTION NO. 11		ĺ		
BILL NO. 11				
<u>PAINTWORK</u>				
<u>User note</u>				
NOTE: The Tenderer is referred to the relevant Clauses in t separate document Model Preambles for Trades (19 Edition), the Department of Public Works document PW 371 Specification of Materials and Methods to b used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities	99 No. e			
The following finishes, including primers and subsequent coats are to be those manufactured by "Plascon Paints" and of the highest type and quality specified.				
Plascon new work painting specification document tapplied when pricing work accordingly.	o be			
Attention is drawn to the measurement rules in the measuring system regarding paint colours which reafollows:	d as			
"4. Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and "Transparent" (in accordance with the Natural Colou System (NCS) adopted by the SA National Standards and "5. Paintwork in one colour group may be given)"			
extra over paintwork in another colour group"				
PAINTWORK ETC TO NEW WORK				
ON WOOD				
Carried to Collecti	on		R	
Section No. 2 Bill No. 11 Paintwork			IX	



	Prepare, stop and apply one coat primer and two coats Professional Eggshell Enamel paint on:				
1	General surfaces.	m2	11		
	PAINTWORK TO PREVIOUSLY PAINTED SURFACES				
	SUPPLEMENTARY PREAMBLES				
	PREPARATORY WORK TO EXISTING WORK				
	Previously painted plastered surfaces				
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth				
	Previously painted metal surfaces				
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal				
	Previously painted wood surfaces				
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth				
	COLOURS				
	Unless otherwise described paintwork on ceilings shall be deemed to be in the "White" colour group and paintwork on all other components shall be deemed to be in the "Pastel" colour group in accordance with the Natural Colour System (NCS) adopted by the SA National Standards				
	Carried to Collection			R	
	Section No. 2 Bill No. 11 Paintwork				



	ON FLOATED PLASTER				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth, apply one coat Plascon Professional Plaster/Gypsum Primer(PP 700) and two coats Plascon Professional Low Sheen Pure Acrylic (PEM 1000) paint on existing water based paint surfaces:				
2	On interior walls	m2	73		
3	On interior ceilings	m2	116		
	Remove any loose and flaking residue by means of wire brushing and hydro blast with equipment 200 to 300 bars, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
4	On external walls	m2	158		
	ON METAL				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth apply one coat 'Plascon Universal Undercoat' and two coats 'Plascon Velvaglo Polyurethane Enamel' paint on existing enamel based paint surfaces:				
5	Doors	m2	23		
6	Pressed steel door frames.	m2	18		
7	On windows	m2	22		
	Carried to Collection Section No. 2			R	
	Bill No. 11 Paintwork				



	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
8	On gates and screens	m2	523		
	ON WOOD				
	Remove any loose and flaking residue by means of wire brushing, sand down, wash with 'Polycell Sugar Soap' or weak spirits of salts, rinse and apply one coat Plascon Oil Wood Primer (UC2/UC17) and two coats Plascon Gloss Enamel (PSB800) paint on existing enamel surfaces:				
9	On doors	m2	17		
	Carried to Collection			R	
	Section No. 2 Bill No. 11 Paintwork				



Section No. 2				
Bill No. 11				
Paintwork				
COLLECTION				
Total Brought Forward from Page No.	Page No 95 96 97 98		Amount	
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 11 Paintwork				



ltem No			Quantity	Rate	Amount
	SECTION NO. 12				
	BILL NO. 12				
	EXTERNAL WORKS				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	CONCRETE BLOCK PAVING ETC				
	Take up and remove from site existing precast concrete etc.:				
1	60mm Interlocking paving blocks .	m2	2		
	Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured)				
2	60 mm Interlocking concrete paving blocks	m2	11		
	Re-lay existing concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications				
3	Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	11		
	Carried to Collection Section No. 2 Bill No. 12 External Works			R	



1	Filling under floors, steps, paving, etc.	1]
4	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content.	m3	2		
	Compaction of surfaces				
5	Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content.	m2	13		
	Concrete paving blocks shall comply with the requirements SANS1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three months)				
6	60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SANS 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	2		
	Treatment of existing paving blocks				
7	Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	210		
	FENCING				
	"CLEARVUE" or similar approved galvanised barbed/spiked wire fencing				
	TEMPORARY CONTAINER RENTAL				
	Carried to Collection			R	
	Section No. 2 Bill No. 12 External Works				



	General				
	The following prefabricated structures have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers.				
	Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels: Note: Site must not slope more than 200mm over the				
	area of the temporary building units.				
8	3 000 x 6 000mm High unit				
0	Deliver container to site and removal from site upon completion	No	1		
9	Monthly rental	No	2		
	Carried to Collection			R	\vdash
	Section No. 2 Bill No. 12 External Works				



Section No. 2				
Bill No. 12				
External Works				
COLLECTION				
Total Brought Forward from Page No.	Page No 100 101 102		Amount	
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 12 External Works				



	SECTION SUMMARY - ABSA 2 (Randberg)			
Bill No		Page No		Amount
1	Preliminaries	71		
2	Alteration	76		
3	Waterproofing	77		
4	Carpentry and Joinery	78		
5	Ironmongery	79		
6	Metalwork	80		
7	Tiling	83		
8	Plumbing and Drainage	90		
9	Electrical Installation	93		
10	Glazing	94		
11	Paintwork	99		
12	External Works	103		
	Carried to Final Summary		R	
	Section No. 2			



tem No		Amount	
	SECTION NO. 1		
	BILL NO. 1		
	PRELIMINARIES AND GENERAL		
1	Preliminaries and Generals - Croesus, Kelvin Street, Croesus (ERF RE/99, Industria).		
	Carried Forward to Summary of Section No. 3		
	Section No. 3 Bill No. 1 Preliminaries		



ltem No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO.2			
	DEMOLITIONS AND ALTERATIONS			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
1	The alterations to the electrical and air conditioning reticulation installations shall be executed by selected sub-contractors (as elsewhere provided) and the Contractor shall be responsible for the co-ordination of such work with his own.	ltem		
2	Prices for the demolition of any portion of the structure shall include for its demolition complete with all surface finishes such as plaster, screeds, etc., all attached items of joinery such as skirtings, etc. and all reinforcement, conduit, pipes, lintels, etc. built into that portion of the structure and the removal from site thereof.	Item		
3	Prices for the removal of doors and frames shall include for the removal of fanlights, ironmongery, architraves and other associated trim.	Item		
4	Prices for the removal of windows shall include for the removal of glass, louvres, etc. attached to the windows.	Item		
5	The Contractor is advised to take all dimensions affecting the existing building on the site as he will be held solely responsible for all new work being of the correct size.	Item		
	Carried to Collection		R	
	Section No. 3 Bill No. 2 Alteration			



6	All sizes for building up or forming openings are net and the Contractor must allow in his prices for extra labour and material, cutting and bonding new to existing brickwork, building square jambs, building cavities solid and removing old sills as necessary, and for making good junction of new plaster with old including all extra patching to work disturbed beyond the net size of the openings, which are to be formed or built up.	Item		
7	All materials and workmanship in building up, making good etc., are to match existing and where new materials abut existing, they are to be neatly joined to same.	Item		
8	The contractor is advised to visit the site to acquaint himself with the types of construction and finishes so that he may price "to match existing" items where called for.	Item		
9	"Making good" existing work where disturbed or damaged shall mean the provision of the necessary new material to match existing and the necessary workmanship so that a complete and perfect restoration is achieved to the satisfaction of the Architect.	Item		
10	"Making good" where abutting walls etc. are removed shall mean the provision of the necessary material and workmanship in filling the gaps to match surrounding finishes so that a complete and perfect surface, is obtained to the satisfaction of the Architect.	Item		
11	The rates for "taking out", "taking down" of windows, doors etc., from brickwork to remain are to include for making good all work disturbed to match surrounding finishes.	Item		
12	Contractor to allow for removal of rubble, accumulated rubbish on site.	Item		
	Carried to Collection		R	<u> </u>
	Section No. 3 Bill No. 2 Alteration			



13	Contractor to allow for full photographic survey of site internally and externally upon receipt of possession of site. Photos to be sent to Principal Agent and signed off before performing any work. Temporary barricades, screens, roofs, etc including removal		ltem		
14	Temporary wire mesh fencing as hoarding from construction site, total height 3m with temp partition.	m	35		
15	Extra over fencing for gate 813 x 2032mm high, including steel frame, padlock, primer and two coats paint	No	1		
	Taking down and removing roofs, floors, panelling, ceilings, partitions, etc				
16	Corrugated sheet steel roof covering and timber purlins	m2	47		
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
17	Tiles to floors	m2	7		
18	Tiles to walls	m2	11		
	Taking out and removing piping, sanitary fittings, etc, including cutting off as necessary, disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
19	Vitreous china WC pan with cistern	No	1		
20	Vitreous china wash hand basin, including short lengths of piping, etc	No	1		
21	Urinal bowl fixed to walls.	No	1		
	Carried to Collection			R	
	Section No. 3 Bill No. 2 Alteration				



	MAKING GOOD OF FINISHES, ETC				
	Treatment of existing tiles				
22	Existing tiled floors to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	47		
23	Existing tiled walls to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas. Treatment of existing painted and face brick walls	m2	223		
24	Existing face and painted walls to be powerwashed with high pressure water including soap. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	106		
	Making good cement screeds				
25	25mm Thick on floors in patches	m2	0.5		
	Making good gypsum plasterboard ceilings and timber brandering				
26	Ceilings in patches	m2	1		
	Making good internal cement plaster				
27	Walls in patches	m2	7		
					_
	Carried to Collection			R	<u> </u>
	Section No. 3 Bill No. 2 Alteration				



Section No. 3				
Bill No. 2				
Alteration				
COLLECTION				
Total Brought Forward from Page No.	Page No 106 107 108 109		Amount	
Carried Forward to Summary of Section No. 3		R		
Section No. 3 Bill No. 2 Alteration				



ltem No		Quantity	Rate	Amount	
	SECTION NO. 3				
	BILL NO 3				
	ROOF COVERINGS				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	Where battens for roof coverings form part of the plate nailed timber roof truss design it shall be included under the roof construction in the "Carpentry and Joinery" trade and not under this trade				
	Carried to Collection		R		
	Section No. 3 Bill No. 3 Roof Covering				



	PROFILED METAL SHEETING AND ACCESSORIES					
	Profiled metal sheeting is available in various thicknesses					
	Usually Z275 spelter galvanising is used in inland areas and Z600 spelter galvanising for coastal areas. However galvanised sheeting is generally not used in coastal areas					
	When the pitch of troughed roof covering is less than 5 degrees or if dustproofing is required then the description of roof coverings "with side laps sealed" is to be used					
	Where roof coverings are fixed on top of rigid board insulation to purlins etc they are to be described as such					
	Note that besides galvanised steel, sheeting is also available in corten steel, stainless steel, copper and aluminium					
	0,5mm Z275 spelter galvanised corrugated sheet steel and accessories, fixed to timber purlins or rails					
1	Roof covering with pitches not exceeding 25 degrees	m2	47			
2	Ridge cap 550 mm girth three times bent and notched on site to suit roof profile.	m	2			
3	Headwall flashing 375 mm girth two times bent and notched on site to suit roof profile.	m	1			
	SERVICING OF EXISTING STEEL ROOFS					
	Contractors to check all flashings and roof coverings to locate leaks and allow for replacement of flashing and cleaning of existing gutters and downpipes as required.					
4	Roof covering with pitches not exceeding 25 degrees	m2	47			
	Carried to Collection			R		
	Section No. 3 Bill No. 3 Roof Covering					_



Section No. 3			
Bill No. 3			
Roof Covering			
COLLECTION			
Total Brought Forward from Page No.	Page No 111 112		Amount
Carried Forward to Summary of Section No. 3		R	
Section No. 3 Bill No. 3 Roof Covering			



ltem No		Quantity	Rate	Amount
,	SECTION NO. 4			
	BILL NO 4			
	CARPENTRY AND JOINERY			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	SUPPLEMENTARY PREAMBLES			
	DOORS ETC			
	SUPPLEMENTARY PREAMBLES			
	SEMI- SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES			
1	40 mm Door size 813 mm x 2032 mm with commercial veneer backing.	0 2	2	
2	40 mm Door size 912 mm x 2955 mm with commerial veneer.	0		
	Carried Forward to Summary of Section No. 3		R	
	Section No. 3 Bill No. 4 Carpentry and Joinery			



ltem No			Quantity	Rate	Amount
	SECTION NO. 5				
	BILL NO.5				
	IRONMONGERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	NOTE: Prices are to include for fixing ironmongery to softwood, hardwood or pressed metal door frames, etc.				
	Locks and furniture:				
1	Supply (PC : R200) and installation of door handle.	No	14		
2	Supply (PC: R450) and installation of WC indicator bolt.	No	7		
3	Supply (PC: R50) and installation of door stop plugged and screwed to brickwork or concrete.	No	7		
4	Supply (PC : R2500) and installation of door closer fixed to frame.	No	1		
	Supply and fix the following ironmongery:				
5	32 mm Diameter stainless steel rear grab rail (Code SR2) from Chairman Industries bolted to wall with 6 mm diameter stainless steel bolts, all as the manufacturer's instructions.	No	1		
6	32 mm Diameter stainless steel side grab rail (Code DL2) from Chairman Industries ditto.	No	1		
	Carried Forward to Summary of Section No. 3			R	
	Section No. 3 Bill No. 5 Ironmongery				



ltem No		Quantity	Rate	Amount
"	SECTION NO. 6			
	BILL NO. 6			
	<u>METALWORK</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	STEEL WELDED SCREENS, GATES, ETC			
	Screens and gates			
1	Service steel 900 x 2100mm entrance doors including grinding off welded shut locks, repairs to hinges, locks etc.	3		
2	Service palisade gate 1400 x 2100mm including repairs to hinges, sliding bolt and locks etc.) 1		
	Carried Forward to Summary of Section No. 3		R	
	Section No. 3 Bill No. 6 Metalwork			



Item No			Quantity	Rate	Amount
'	SECTION NO. 7				
	BILL NO. 7				
	<u>TILING</u>				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	WALL TILES				
	Ceramic tiles (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall tile grout including all square cutting and waste to:				
1	Walls.	m2	11		
2	Walls in narrow widths not exceeding 300mm.	m2	2		
	FLOOR TILES				
	Ceramic floor tiles (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor tile grout including all square cutting and waste to:				
3	Floors.	m2	7		
	Carried Forward to Summary of Section No. 3			R	
	Section No. 3 Bill No. 7 Tiling				



	Quantity	Rate	Amoun
SECTION NO. 8			
BILL NO. 8			
PLUMBING AND DRAINAGE			
NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
All rates supplied in this Bill of Quantities will be deemed to include scaffolding to any height and fixing of cold and hot water pipes up to and including roof height. All pipes suspended from concrete slabs, roof, ceiling, etc. shall be deemed to include in the rates, all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete slab. For the complete supply, delivery and installation of supply piping, as specified, piping to include piping between geysers on roof. All cold and hot water pipes are to be chased into walls except where pipes are to be surface-mounted on wall face or run in ceiling voids or inside ducts, and fixed with standard type pipe saddlers and brackets at 1000mm maximum.			
Carried to Collection		R	
Section No. 3 Bill No. 8 Plumbing and Drainage			



	These bills of quantities form part of and must be read in conjunction with the Technical Specifications and Drawings, which contain the full descriptions of the work to be done and material and equipment to be used. Unless otherwise described in these bills of quantities, reference should be made to the Technical Specifications for the full meaning of descriptions of work to be done and materials and equipment to be used in this service. All materials, equipment, fixings, brackets, etc, are to be supplied by the Contractor unless otherwise stated. RAINWATER DISPOSAL Gratings, covers, etc					
1	Precast concrete stormwater inlet 370mm x 600mm					
	frame	No	1			
	SANITARY FITTINGS					
	Wash Hand Basins					
2	Surface mounted 500mm x 500mm white glazed semi- recessed wash hand vanity basin (PC: R 1000) with single tap hole complete with single lever tap (PC: R500) and including angle valves and chrome connectors including pop up waste, connected in position complete with an approved waterproof sealer.	No	1			
	<u>Toilets</u>					
3	Close-coupled WC suite (PC : R1 500) comprising pan with double flap heavy duty wooden seat and matching 9 litre cistern.	No	1			
4	Paraplegic close-coupled WC suite (PC : R4 000) comprising pan with matching 9 litre cistern and purpose made CP side flush lever (left or right) supplied					
	with purpose made urea seat and cover plate.	No	1			
	Carried to Collection			R		
	Section No. 3 Bill No. 8 Plumbing and Drainage				_	



	Bowl Urinals				
5	Stainless bowl urinal (PC: 1500) including hanger brackets, trap and associated parts fitted complete including urinal flush valve with shut of valve including all necessary connections to urinal.	No	1		
	<u>Taps</u>				
6	Supply and installation of tap (PC R300)	No	4		
	<u>Traps</u>				
	SOIL DRAINAGE				
	Extra over heavy duty (Class 34) 110mm diameter uPVC sewer and drain pipes for fittings				
7	Roding eye cover oval	No	1		
	REPAIR AND MAINTENANCE				
8	Service existing Water Closet pan and cistern including unblocking if required and supply new lids to cisterns and toilet seats.	No	7		
9	Service existing Wash Hand Basin including unblocking if required.	No	4		
10	Service existing urinal including flush mechanism including unblocking if required.	No	3		
	COLD WATER RETICULATION INSTALLATION				
	Supply and install Pexial Pex multilayer pipes in compliance with SANS ISO 15874				
11	Ø32mm pipe	m	10		
12	Ø26mm pipe	m	3		
13	Ø20mm pipe	m	3		
					_
	Carried to Collection			R	
	Section No. 3 Bill No. 8 Plumbing and Drainage				



14	Ø16mm pipe	m	3		
	<u>FITTINGS</u>				
	Supply and install PP-R multilayer faser fibre pipes in compliance with SANS ISO 15874 part 2 PN 20 SDR 7.4 Blue and Red colour – 20 x 2.8mm capillary brass threaded type fittings.				
15	Ø16mm Equal T-piece	No	4		
16	Ø20mm Equal T-piece	No	4		
17	Ø26mm Equal T-piece	No	4		
18	Ø32mm Equal T-piece	No	4		
19	Ø20mm Ø20mm Ø16mm UN-Equal T-piece	No	4		
20	Ø26mm Ø26mm Ø20mm Equal T-piece	No	4		
21	Ø32mm Ø36mm Ø26mm UN-Equal T-piece	No	6		
22	Reducer: Ø32mm x Ø26mm	No	6		
23	Reducer: Ø26mm x Ø20mm	No	6		
24	Reducer: Ø20mm x Ø16mm	No	6		
25	Reducer: Ø32mm x Ø26mm	No	6		
26	Ø50mm Female couplings	No	6		
27	Ø40mm Female couplings	No	6		
28	Ø32mm Female couplings	SUM	5		
29	Ø26mm Female couplings	No	5		
30	Ø20mm Female couplings	No	5		
31	Ø16mm Female couplings	No	5		
	Carried to Collection			R	+
	Section No. 3 Bill No. 8 Plumbing and Drainage				



32	Ø32mm Elbow: 90°	No	5		
33	Ø26mm Elbow: 90°	No	6		
34	Ø20mm Elbow: 90°	No	6		
35	Pipe clamps and hangers	SUM	1		
	THREADED VALVES				
36	Ø32mm isolating gate valve on cold water main pipes	No	1		
37	Ø26mm isolating gate valve on cold water main pipes	No	2		
38	Ø20mm isolating gate valve on cold water main pipes	No	2		
39	Ø16mm isolating gate valve on cold water main pipes	No	4		
	SANITARY DRAINAGE INSTALLATION				
	SANITARY DRAINAGE PIPING				
	HDP butt welded including electro fusion couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2:2004				
	<u>PIPING</u>				
40	Ø56mm	m	15		
41	Ø75mm	m	20		
42	Ø110mm	m	20		
	PIPE FITTINGS				
43	Ø56mm fitting; 90°elbow	No	30		
44	Ø110mm fitting; 45°elbow	No	7		
	Carried to Collection			R	
	Section No. 3 Bill No. 8 Plumbing and Drainage				



45	Ø110mm fitting; 95°elbow, with Ø50mm vent horn inspection	No	7		
46	Ø110mm fitting; 95°elbow, plain	No	7		
47	Ø56mm x Ø56mm x Ø56mm fitting; 90° Equal T- Piece	No	14		
48	Ø110mm x Ø110mm x Ø50mm branch fitting; 87.5° swept entry, lateral branch junction	No	7		
49	Ø110mm x Ø110mm x Ø110mm fitting; 87.5° swept entry, lateral branch junction	No	7		
50	Ø110mm x Ø56mm fitting; concentric reducer	No	2		
51	Ø110mm straight pan collars/connector	No	6		
52	Ø56mm vent one way valve	No	3		
	WASTE TRAPS				
53	50mm 'Dutton' flexi rubber "P" trap complete with coupling clamps.	No	6		
	PROVISIONAL SUM				
	Allow the amount for adjustment of Mechanical engineering services to be used at the discretion of the principal agent and deducted in whole or in part if not required:				
54	For Decommissioning and Removal of existing damaged piping and fittings including making good on chased walls and openings.		Item		25 000.00
55	For Unblocking existing main lines		Item		15 000.00
56	For Supply and Installation of any other item not included in the bill required to complete				15.000.00
	installations.		Item		15 000.00
	Carried to Collection			R	
	Section No. 3 Bill No. 8 Plumbing and Drainage				



Section No. 3				
Bill No. 8				
Plumbing and Drainage				
COLLECTION				
Total Brought Forward from Page No.	Page No 118 119 120 121 122 123		Amount	
Carried Forward to Summary of Section No. 3		R		
Section No. 3 Bill No. 8 Plumbing and Drainage				



ltem No			Quantity	Rate	Amount
	SECTION NO. 9	Ï			
	BILL NO. 9				
	ELECTRICAL INSTALLATION				
	GENERAL PURPOSE POWER OUTLETS AND LIGHTING				
	CONDUITS				
	Supply and installation of galvanised steel conduit complete with all accessories including couplings, bending and fixings as specified:				
1	20mm - surface mounted	m	20		
	CONDUIT BOXES				
	Supply and install conduit boxes complete with all accessories including conduit terminations				
2	60mm round, 25mm deep for 20mm conduit mounted flush in wall or fixed to surface	No	13		
	Steel outlet boxes excluding covers:				
3	100mm x 50mm x 50mm conduit box.	No	1		
4	100mm x 100mm x 50mm conduit box.	No	1		
	WIRING AND CONDUCTORS				
	Supply and install PVC insulated copper conductors in required colours, drawn into conduit or trunking:				
5	2.5mm ²	m	800		
6	4mm²	m	400		
	Carried to Collection			R	
	Section No. 3 Bill No. 9 Electrical Installation				



7	2.5mm ² B.C.E.W.	m	600		
	LIGHT SWITCHES				
	Supply, install and connect flush mounted light switch complete with cover plate and all accessories:				
8	16A 1 lever 1 way.	No	1		
	<u>LUMINAIRES</u>				
0	Supply, install and connect luminaires mounted as specified, complete with lamps, control gear and all accessories:	No	12		
9	18W surface mounted bulkhead LED light fitting.	No	13		
	SOCKET OUTLETS				
	Supply, install and connect Switched socket outlets mounted flush in wall or as specified, complete with cover plates and all accessories:				
10	16A Double switch socket outlet (White).	No	1		
	<u>ISOLATORS</u>				
	Supply and install Isolators mounted as specified complete with cover plates and all accessories.				
11	Double pole	No	1		
	UNIT SUPPLY CABLE				
	Supply, install and connect reticulation cables installed in existing sleeves.				
12	6 mm² 3-core PVC/SWA/PVC Cable	m	30		
13	6 mm ² 3-core PVC/SWA/PVC Cable Terminations	No	2		
	Carried to Collection			R	
	Section No. 3 Bill No. 9 Electrical Installation				



	DISTRIBUTION BOARD				
14	Unit Distribution Board	No	1		
	Carried to Collection			R	
	Section No. 3 Bill No. 9 Electrical Installation				
	Licented Installation				



Section No. 3				
Bill No. 9				
Electrical Installation				
COLLECTION				
Total Brought Forward from Page No.	Page No		Amount	
	126 127			-
				_
Carried Forward to Summary of Section No. 3		R		
Section No. 3 Bill No. 9 Electrical Installation				



Item No		Quantity	Rate	Amount
	SECTION NO. 10			
	BILL NO. 10			
	GLAZING			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	GLAZING TO STEEL			
	4mm Clear float glass			
	4mm Obscure glass			
1	Panes exceeding 0,1m2 and not exceeding 0,5m2	2	1	
	MIRRORS			
	8 mm Float glass silver backed mirror detail with bevelled edges glued to and including 16mm superwood frame fixed with chrome cupped mirror screws to wall all in accordance with Architects detail:			
2	Size 400 mm x 600 mm.	0	4	
	Carried Forward to Summary of Section No. 3		R	
	Section No. 3 Bill No. 10 Glazing			



ltem No		Quantity	Rate	Amount	
	SECTION NO. 11				
	BILL NO. 11				
	<u>PAINTWORK</u>				
	<u>User note</u>				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	The following finishes, including primers and subsequent coats are to be those manufactured by "Plascon Paints" and of the highest type and quality specified.				
	Plascon new work painting specification document to be applied when pricing work accordingly.				
	Attention is drawn to the measurement rules in the measuring system regarding paint colours which read as follows: "4. Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and "Transparent" (in accordance with the Natural Colour System (NCS) adopted by the SA National Standards)" and "5. Paintwork in one colour group may be given as extra over paintwork in another colour group"				
	PAINTWORK ETC TO NEW WORK				
	ON METAL SURFACES				
	Carried to Collection		R		
	Section No. 3 Bill No. 11 Paintwork				=



	One coat alkyd based zinc phosphate primer and two coats premium quality polyurethane enamel paint, on steel				
	ON WOOD				
	Prepare, stop and apply one coat primer and two coats Professional Eggshell Enamel paint on:				
1	General surfaces.	m2	11		
	PAINTWORK TO PREVIOUSLY PAINTED SURFACES				
	SUPPLEMENTARY PREAMBLES				
	PREPARATORY WORK TO EXISTING WORK				
	Previously painted plastered surfaces				
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth				
	Previously painted metal surfaces				
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal				
	Previously painted wood surfaces				
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth				
	Carried to Collection			R	
	Section No. 3 Bill No. 11 Paintwork				



	COLOURS				
	Unless otherwise described paintwork on ceilings shall be deemed to be in the "White" colour group and paintwork on all other components shall be deemed to be in the "Pastel" colour group in accordance with the Natural Colour System (NCS) adopted by the SA National Standards				
	ON FLOATED PLASTER				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth, apply one coat Plascon Professional Plaster/Gypsum Primer(PP 700) and two coats Plascon Professional Low Sheen Pure Acrylic (PEM 1000) paint on existing water based paint surfaces:				
2	On interior walls	m2	56		
3	On interior ceilings	m2	47		
	Remove any loose and flaking residue by means of wire brushing and hydro blast with equipment 200 to 300 bars, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
4	On external walls	m2	106		
	ON METAL				
	Carried to Collection			R	
	Section No. 3 Bill No. 11 Paintwork				-



1		1		II	1	
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or					
	weak spirits of salts, open up cracks and make					
	good with 'Polycell Mendall 90' or 'Polycell Polyfilla					
	Exterior' filler sanded smooth apply one coat					
	'Plascon Universal Undercoat' and two coats					
	<u>'Plascon Velvaglo Polyurethane Enamel' paint</u> on existing enamel based paint surfaces:					
	on existing enamer based paint sonaces.					
5	Doors	m2	11			
6	Pressed steel door frames.	m2	16			
	Tressed steel door frames.	1112	10			
7	On windows	m2	2			
	Remove any loose and flaking residue by means of					
	wire brushing, wash with 'Polycell Sugar Soap' or					
	weak spirits of salts, open up cracks and make					
	good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats					
	"Plascon Wall & All (WAA)" pure acrylic on					
8	On gates and screens	m2	9			
	Spot priming bare metal surfaces, one coat alkyd					
	based universal undercoat and two coats superior					
	<u>quality universal enamel paint, on work in poor</u>					
	condition					
9	Rainwater downpipes not exceeding 300mm girth	m	18			
	ON WOOD					
	Remove any loose and flaking residue by means of					
	wire brushing, sand down, wash with 'Polycell Sugar					
	Soap' or weak spirits of salts, rinse and apply one					
	coat Plascon Oil Wood Primer (UC2/UC17) and two					
	coats Plascon Gloss Enamel (PSB800) paint on existing enamel surfaces:					
	CASING CHAMICISTINGCOS.					
10	On doors	m2	14			
	Carried to Collection			R		
	Section No. 3					
	Bill No. 11					
	Paintwork					



Section No. 3				
Bill No. 11				
Paintwork				
COLLECTION				
Total Brought Forward from Page No.	Page No 130 131 132 133		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 11 Paintwork		R		



ltem No			Quantity	Rate	Amount
	SECTION NO. 12				
	BILL NO. 12				
	EXTERNAL WORKS				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	CONCRETE BLOCK PAVING ETC				
	Take up and remove from site existing precast concrete etc.:				
1	60mm Interlocking paving blocks .	m2	2		
	Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured)				
2	60 mm Interlocking concrete paving blocks	m2	7		
	Re-lay existing concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications				
3	Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	7		
	Carried to Collection Section No. 3 Bill No. 12 External Works			R	



	Filling under floors, steps, paving, etc.				
4	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content.	m3	1		
	Compaction of surfaces				
5	Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content.	m2	8		
	Concrete paving blocks shall comply with the requirements SANS1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three months)				
6	60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SANS 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	2		
	<u>Treatment of existing paving blocks</u>				
7	Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	65		
	FENCING				
	"CLEARVUE" or similar approved galvanised barbed/spiked wire fencing				
	TEMPORARY CONTAINER RENTAL				
					_
	Carried to Collection			R	
	Section No. 3 Bill No. 12 External Works				



	General				
	The following prefabricated structures have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers.				
	Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels: Note: Site must not slope more than 200mm over the				
	area of the temporary building units.				
8	3 000 x 6 000mm High unit				
0	Deliver container to site and removal from site upon completion	No	1		
9	Monthly rental	No	2		
	Carried to Collection			R	\vdash
	Section No. 3 Bill No. 12 External Works				



Section No. 3			
Bill No. 12			
External Works			
COLLECTION			
Total Brought Forward from Page No.	Page No 135 136 137		Amount
Carried Forward to Summary of Section No. 3		R	
Section No. 3 Bill No. 12 External Works			



	SECTION SUMMARY - Croesus			
Bill No		Page No		Amount
1	Preliminaries	105		
2	Alteration	110		
3	Roof Covering	113		
4	Carpentry and Joinery	114		
5	Ironmongery	115		
6	Metalwork	116		
7	Tiling	117		
8	Plumbing and Drainage	124		
9	Electrical Installation	128		
10	Glazing	129		
11	Paintwork	134		
12	External Works	138		
	Camaia di La Pia al Camana		5	
	Carried to Final Summary Section No. 3		R	
	Section No. 3			



em No		Amount	
10	SECTION NO. 1		
	BILL NO. 1		
	PRELIMINARIES AND GENERAL		
1	Preliminaries and Generals - Roodepoort Station Corner Albertina Sisulu Road & Station Street, Roodepoort (ERF 1042, Roodepoort).		
	Carried Forward to Summary of Section No. 4		
	Section No. 4 Bill No. 1 Preliminaries		



ltem No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO.2			
	DEMOLITIONS AND ALTERATIONS			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
1	The alterations to the electrical and air conditioning reticulation installations shall be executed by selected sub-contractors (as elsewhere provided) and the Contractor shall be responsible for the co-ordination of such work with his own.	Item		
2	Prices for the demolition of any portion of the structure shall include for its demolition complete with all surface finishes such as plaster, screeds, etc., all attached items of joinery such as skirtings, etc. and all reinforcement, conduit, pipes, lintels, etc. built into that portion of the structure and the removal from site thereof.	Item		
3	Prices for the removal of doors and frames shall include for the removal of fanlights, ironmongery, architraves and other associated trim.	Item		
4	Prices for the removal of windows shall include for the removal of glass, louvres, etc. attached to the windows.	Item		
5	The Contractor is advised to take all dimensions affecting the existing building on the site as he will be held solely responsible for all new work being of the correct size.	Item		
	Carried to Collection		R	
	Section No. 4 Bill No. 2 Alteration			



6	All sizes for building up or forming openings are net and the Contractor must allow in his prices for extra labour and material, cutting and bonding new to existing brickwork, building square jambs, building cavities solid and removing old sills as necessary, and for making good junction of new plaster with old including all extra patching to work disturbed beyond the net size of the openings, which are to be formed or built up.	Item		
7	All materials and workmanship in building up, making good etc., are to match existing and where new materials abut existing, they are to be neatly joined to same.	ltem		
8	The contractor is advised to visit the site to acquaint himself with the types of construction and finishes so that he may price "to match existing" items where called for.	ltem		
9	"Making good" existing work where disturbed or damaged shall mean the provision of the necessary new material to match existing and the necessary workmanship so that a complete and perfect restoration is achieved to the satisfaction of the Architect.	Item		
10	"Making good" where abutting walls etc. are removed shall mean the provision of the necessary material and workmanship in filling the gaps to match surrounding finishes so that a complete and perfect surface, is obtained to the satisfaction of the Architect.	Item		
11	The rates for "taking out", "taking down" of windows, doors etc., from brickwork to remain are to include for making good all work disturbed to match surrounding finishes.	ltem		
12	Contractor to allow for removal of rubble, accumulated rubbish on site.	Item		
	Carried to Collection		R	_
	Section No. 4 Bill No. 2 Alteration			



13	Contractor to allow for full photographic survey of site internally and externally upon receipt of possession of site. Photos to be sent to Principal Agent and signed off before performing any work. Temporary barricades, screens, roofs, etc including removal		ltem		
14	Temporary wire mesh fencing as hoarding from construction site, total height 3m with temp partition.	m	42		
15	Extra over fencing for gate 813 x 2032mm high, including steel frame, padlock, primer and two coats paint	No	1		
	Taking down and removing roofs, floors, panelling, ceilings, partitions, etc				
	Taking up and removing floor coverings and preparing screeds for new floor coverings				
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
16	Tiles to floors	m2	9		
17	Tiles to walls	m2	11		
	Taking out and removing piping, sanitary fittings, etc, including cutting off as necessary, disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
18	Vitreous china WC pan with cistern	No	1		
19	Vitreous china wash hand basin, including short lengths of piping, etc	No	1		
20	Urinal bowl fixed to walls.	No	1		
	Carried to Collection Section No. 4 Bill No. 2			R	
	Alteration				



	LANDSCAPING				
	Pruning of existing trees and shrubs				
	MAKING GOOD OF FINISHES, ETC				
	<u>Treatment of existing tiles</u>				
21	Existing tiled floors to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	58		
22	Existing tiled walls to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	216		
	Treatment of existing painted and face brick walls				
23	Existing face and painted walls to be powerwashed with high pressure water including soap. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	100		
	Making good cement screeds				
24	25mm Thick on floors in patches	m2	1		
	Making good gypsum plasterboard ceilings and timber brandering				
25	Ceilings in patches	m2	2		
	Making good internal cement plaster				
26	Walls in patches	m2	6		
	Carried to Collection Section No. 4 Bill No. 2 Alteration			R	<u> </u>



Section No. 4				
Bill No. 2				
Alteration				
COLLECTION				
Total Brought Forward from Page No.	Page No 141 142 143 144		Amount	
Carried Forward to Summary of Section No. 4 Section No. 4 Bill No. 2 Alteration		R		



ltem No		Quantity	Rate	Amount	
	SECTION NO. 3				
	BILL NO 3				
	ROOF COVERINGS				
	<u>User note</u>				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. Where battens for roof coverings form part of the plate nailed timber roof truss design it shall be included under the roof construction in the "Carpentry and Joinery"				
	trade and not under this trade				
	PROFILED METAL SHEETING AND ACCESSORIES				
	Carried to Collection		R		_
	Section No. 4 Bill No. 3 Roof Covering				_



<u>Us</u>	ser note				
	ofiled metal sheeting is available in various icknesses				
ar ga	sually Z275 spelter galvanising is used in inland areas and Z600 spelter galvanising for coastal areas. However alvanised sheeting is generally not used in coastal eas				
de de	Then the pitch of troughed roof covering is less than 5 egrees or if dustproofing is required then the escription of roof coverings "with side laps sealed" is to e used				
	there roof coverings are fixed on top of rigid board sulation to purlins etc they are to be described as such				
av	ote that besides galvanised steel, sheeting is also railable in corten steel, stainless steel, copper and uminium				
	5mm Z275 spelter galvanised corrugated sheet eel and accessories, fixed to timber purlins or rails				
<u>SI</u>	ERVICING OF EXISTING STEEL ROOFS				
lo	ontractors to check all flashings and roof coverings to cate leaks and allow for replacement of flashing and eaning of existing gutters and downpipes as required.				
Ro	oof covering with pitches not exceeding 25 degrees	m2	56		
SI	ERVICING OF EXISTING CONCRETE ROOFS				
ro of	ontractors to check all ridge, hip and valley tiles and of coverings to locate leaks and allow for replacement flashing and cleaning of existing gutters and ownpipes as required.				
	Carried to Collection			R	
Bil	ection No. 4 I No. 3 pof Covering				

1



Section No. 4			
Bill No. 3			
Roof Covering			
COLLECTION			
Total Brought Forward from Page No.	Page No 146 147		Amount
Carried Forward to Summary of Section No. 4		R	
Section No. 4 Bill No. 3 Roof Covering			



Item No			Quantity	Rate	Amount
	SECTION NO. 4	"			
	BILL NO 4				
	CARPENTRY AND JOINERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	SUPPLEMENTARY PREAMBLES				
	DOORS ETC				
	SUPPLEMENTARY PREAMBLES				
	SEMI- SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES				
1	40 mm Door size 813 mm x 2032 mm with commercial veneer backing.	No	2		
2	40 mm Door size 912 mm x 2955 mm with commerial veneer.	No	1		
	SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES				
	Carried Forward to Summary of Section No. 4			R	
	Section No. 4 Bill No. 4 Carpentry and Joinery				



Item No			Quantity	Rate	Amount
	SECTION NO. 5				
	BILL NO.5				
	IRONMONGERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	NOTE: Prices are to include for fixing ironmongery to softwood, hardwood or pressed metal door frames, etc.				
	Locks and furniture:				
1	Supply (PC : R200) and installation of door handle.	No	14		
2	Supply (PC : R450) and installation of WC indicator bolt.	No	7		
3	Supply (PC : R50) and installation of door stop plugged and screwed to brickwork or concrete.	No	7		
4	Supply (PC : R2500) and installation of door closer fixed to frame.	No	1		
	Supply and fix the following ironmongery:				
5	32 mm Diameter stainless steel rear grab rail (Code SR2) from Chairman Industries bolted to wall with 6 mm diameter stainless steel bolts, all as the manufacturer's				
	instructions.	No	1		
6	32 mm Diameter stainless steel side grab rail (Code DL2) from Chairman Industries ditto.	No	1		
	Carried Forward to Summary of Section No. 4			R	
	Section No. 4 Bill No. 5 Ironmongery				



Item No		Quantity	Rate	Amount
	SECTION NO. 6			
	BILL NO. 6			
	<u>METALWORK</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	STEEL WELDED SCREENS, GATES, ETC			
	Screens and gates			
1	Service steel 900 x 2100mm entrance doors including grinding off welded shut locks, repairs to hinges, locks etc.	2		
	GALVANISED STEEL WINDOWS, DOORS, ETC			
	Windows with mesh burglar screens to opening sashes			
	PRESSED STEEL DOORS AND FRAMES			
	1,2 mm Thick pressed steel double rebated door frame to suit half brick wall for door size:			
	1,2 mm Thick pressed steel double rebated door frame to suit one brick wall for door size:			
	ROLLER SHUTTER DOORS			
	Carried Forward to Summary of Section No. 4		R	
	Section No. 4 Bill No. 6 Metalwork			



ltem No			Quantity	Rate	Amount
	SECTION NO. 7				
	BILL NO. 7				
	TILING				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	WALL TILES				
	Ceramic tiles (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall tile grout including all square cutting and waste to:				
1	Walls.	m2	11		
2	Walls in narrow widths not exceeding 300mm.	m2	2		
	FLOOR TILES				
	Ceramic floor tiles (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor tile grout including all square cutting and waste to:				
3	Floors.	m2	9		
	Carried to Collection Section No. 4			R	
	Bill No. 7 Tiling				



DIVIDING STRIPS			
Carried to Collection	R		
Section No. 4 Bill No. 7			
Tiling			
		1	l



Section No. 4				
Bill No. 7				
Tiling				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	152			
	153			
Carried Forward to Summary of Section No. 4		R		
Section No. 4 Bill No. 7 Tiling				
				ł



ltem No		Quantity	Rate	Amount	
"	SECTION NO. 8				
	BILL NO. 8				
	PLUMBING AND DRAINAGE				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	All rates supplied in this Bill of Quantities will be deemed to include scaffolding to any height and fixing of cold and hot water pipes up to and including roof height. All pipes suspended from concrete slabs, roof, ceiling, etc. shall be deemed to include in the rates, all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete slab. For the complete supply, delivery and installation of supply piping, as specified, piping to include piping between geysers on roof. All cold and hot water pipes are to be chased into walls except where pipes are to be surface-mounted on wall face or run in ceiling voids or inside ducts, and fixed with standard type pipe saddlers and brackets at 1000mm maximum.				
	Carried to Collection		R		_
	Section No. 4 Bill No. 8 Plumbing and Drainage				_



	These bills of quantities form part of and must be read in conjunction with the Technical Specifications and Drawings, which contain the full descriptions of the work to be done and material and equipment to be used. Unless otherwise described in these bills of quantities, reference should be made to the Technical Specifications for the full meaning of descriptions of work to be done and materials and equipment to be used in this service. All materials, equipment, fixings, brackets, etc, are to be supplied by the Contractor unless otherwise stated. RAINWATER DISPOSAL Gratings, covers, etc				
1	Precast concrete stormwater inlet 370mm x 600mm				
'	frame	No	1		
	SANITARY FITTINGS				
	Wash Hand Basins				
2	Surface mounted 500mm x 500mm white glazed semi- recessed wash hand vanity basin (PC: R 1000) with single tap hole complete with single lever tap (PC: R500) and including angle valves and chrome connectors including pop up waste, connected in position complete with an approved waterproof sealer.	No	1		
	<u>Toilets</u>				
3	Close-coupled WC suite (PC : R1 500) comprising pan with double flap heavy duty wooden seat and matching 9 litre cistern.	No	1		
4	Paraplegic close-coupled WC suite (PC: R4 000) comprising pan with matching 9 litre cistern and purpose made CP side flush lever (left or right) supplied				
	with purpose made urea seat and cover plate.	No	1		
	Carried to Collection			R	
	Section No. 4 Bill No. 8 Plumbing and Drainage				



	Bowl Urinals				
5	Stainless bowl urinal (PC: 1500) including hanger brackets, trap and associated parts fitted complete including urinal flush valve with shut of valve including all necessary connections to urinal.	No	1		
	<u>Taps</u>				
6	Supply and installation of tap (PC R300)	No	2		
	<u>Traps</u>				
	SOIL DRAINAGE				
	Extra over heavy duty (Class 34) 110mm diameter uPVC sewer and drain pipes for fittings				
7	Roding eye cover oval	No	1		
	REPAIR AND MAINTENANCE				
8	Service existing Water Closet pan and cistern including unblocking if required and supply new lids to cisterns and toilet seats.	No	7		
9	Service existing Wash Hand Basin including unblocking if required.	No	4		
10	Service existing urinal including flush mechanism including unblocking if required.	No	1		
	COLD WATER RETICULATION INSTALLATION				
	Supply and install Pexial Pex multilayer pipes in compliance with SANS ISO 15874				
11	Ø32mm pipe	m	10		
12	Ø26mm pipe	m	3		
13	Ø20mm pipe	m	3		
					_
	Carried to Collection			R	
	Section No. 4 Bill No. 8 Plumbing and Drainage				
	Plumbing and Drainage				



14	Ø16mm pipe	m	3		
	<u>FITTINGS</u>				
	Supply and install PP-R multilayer faser fibre pipes in compliance with SANS ISO 15874 part 2 PN 20 SDR 7.4 Blue and Red colour – 20 x 2.8mm capillary brass threaded type fittings.				
15	Ø16mm Equal T-piece	No	4		
16	Ø20mm Equal T-piece	No	4		
17	Ø26mm Equal T-piece	No	4		
18	Ø32mm Equal T-piece	No	4		
19	Ø20mm Ø20mm Ø16mm UN-Equal T-piece	No	4		
20	Ø26mm Ø26mm Ø20mm Equal T-piece	No	4		
21	Ø32mm Ø36mm Ø26mm UN-Equal T-piece	No	6		
22	Reducer: Ø32mm x Ø26mm	No	6		
23	Reducer: Ø26mm x Ø20mm	No	6		
24	Reducer: Ø20mm x Ø16mm	No	6		
25	Reducer: Ø32mm x Ø26mm	No	6		
26	Ø50mm Female couplings	No	6		
27	Ø40mm Female couplings	No	6		
28	Ø32mm Female couplings	SUM	5		
29	Ø26mm Female couplings	No	5		
30	Ø20mm Female couplings	No	5		
31	Ø16mm Female couplings	No	5		
	Carried to Collection			R	+
	Section No. 4 Bill No. 8 Plumbing and Drainage				+



32	Ø32mm Elbow: 90°	No	5		
33	Ø26mm Elbow: 90°	No	6		
34	Ø20mm Elbow: 90°	No	6		
35	Pipe clamps and hangers	SUM	1		
	THREADED VALVES				
36	Ø32mm isolating gate valve on cold water main pipes	No	1		
37	Ø26mm isolating gate valve on cold water main pipes	No	2		
38	Ø20mm isolating gate valve on cold water main pipes	No	2		
39	Ø16mm isolating gate valve on cold water main pipes	No	4		
	SANITARY DRAINAGE INSTALLATION				
	SANITARY DRAINAGE PIPING				
	HDP butt welded including electro fusion couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2:2004				
	PIPING				
40	Ø56mm	m	15		
41	Ø75mm	m	20		
42	Ø110mm	m	20		
	PIPE FITTINGS				
43	Ø56mm fitting; 90°elbow	No	30		
44	Ø110mm fitting; 45°elbow	No	7		
	Carried to Collection			R	
	Section No. 4 Bill No. 8 Plumbing and Drainage				<u> </u>



45	Ø110mm fitting; 95°elbow, with Ø50mm vent horn inspection	No	7		
46	Ø110mm fitting; 95°elbow, plain	No	7		
47	Ø56mm x Ø56mm x Ø56mm fitting; 90° Equal T- Piece	No	14		
48	Ø110mm x Ø110mm x Ø50mm branch fitting; 87.5° swept entry, lateral branch junction	No	7		
49	Ø110mm x Ø110mm x Ø110mm fitting; 87.5° swept entry, lateral branch junction	No	7		
50	Ø110mm x Ø56mm fitting; concentric reducer	No	2		
51	Ø110mm straight pan collars/connector	No	6		
52	Ø56mm vent one way valve	No	3		
	WASTE TRAPS				
53	50mm 'Dutton' flexi rubber "P" trap complete with coupling clamps.	No	6		
	PROVISIONAL SUM				
	Allow the amount for adjustment of Mechanical engineering services to be used at the discretion of the principal agent and deducted in whole or in part if not required:				
54	For Decommissioning and Removal of existing damaged piping and fittings including making good on chased walls and openings.		Item		25 000.00
55	For Unblocking existing main lines		Item		15 000.00
56	For Supply and Installation of any other item not included in the bill required to complete				1.5000
	installations.		Item		15 000.00
	Carried to Collection			R	
	Section No. 4 Bill No. 8 Plumbing and Drainage				



Section No. 4				
Bill No. 8				
Plumbing and Drainage				
COLLECTION				
Total Brought Forward from Page No.	Page No 155 156 157 158 159 160		Amount	
Carried Forward to Summary of Section No. 4 Section No. 4 Bill No. 8		R		=
Plumbing and Drainage				



ltem No		Quantity	Rate	Amount
	SECTION NO. 9			
	BILL NO. 9			
	ELECTRICAL INSTALLATION			
	GENERAL PURPOSE POWER OUTLETS AND LIGHTING			
	CONDUITS			
	Supply and installation of galvanised steel conduit complete with all accessories including couplings, bending and fixings as specified:			
1	20mm - surface mounted	30		
	CONDUIT BOXES			
	Supply and install conduit boxes complete with all accessories including conduit terminations			
2	60mm round, 25mm deep for 20mm conduit mounted flush in wall or fixed to surface No.	15		
	Steel outlet boxes excluding covers:			
3	100mm x 50mm x 50mm conduit box.	3		
4	100mm x 100mm x 50mm conduit box.	1		
	WIRING AND CONDUCTORS			
	Supply and install PVC insulated copper conductors in required colours, drawn into conduit or trunking:			
5	2.5mm² m	1 200		
6	4mm² n	600		
	Carried to Collection		R	
	Section No. 4 Bill No. 9 Electrical Installation			



7	2.5mm ² B.C.E.W.	m	900		
	LIGHT SWITCHES				
	Supply, install and connect flush mounted light switch complete with cover plate and all accessories:				
8	16A 1 lever 1 way.	No	3		
	<u>LUMINAIRES</u>				
	Supply, install and connect luminaires mounted as specified, complete with lamps, control gear and all accessories:				
9	18W surface mounted bulkhead LED light fitting.	No	15		
	SOCKET OUTLETS				
	Supply, install and connect Switched socket outlets mounted flush in wall or as specified, complete with cover plates and all accessories:				
10	16A Double switch socket outlet (White).	No	1		
	<u>ISOLATORS</u>				
	Supply and install Isolators mounted as specified complete with cover plates and all accessories.				
11	Double pole	No	1		
	UNIT SUPPLY CABLE				
	Supply, install and connect reticulation cables installed in existing sleeves.				
12	6 mm² 3-core PVC/SWA/PVC Cable	m	30		
13	6 mm ² 3-core PVC/SWA/PVC Cable Terminations	No	2		
	Carried to Collection			R	
	Section No. 4 Bill No. 9 Electrical Installation				



	DISTRIBUTION BOARD						1
14	Unit Distribiuution Board		No	1			
		Carried to Collection			R		
	Section No. 4 Bill No. 9						-
	Electrical Installation						
						j l	i



Section No. 4				
Bill No. 9				
Electrical Installation				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	162			L
	163			
	164			r
Carried Forward to Summary of Section No. 4		R		<u></u>
Section No. 4 Bill No. 9 Electrical Installation				
1	1	1	ii l	



Item No		Quantity	Rate	Amount
	SECTION NO. 10			
	BILL NO. 10			
	GLAZING			
	<u>User note</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	GLAZING TO STEEL			
	4mm Obscure glass			
1	Panes exceeding 0,1m2 and not exceeding 0,5m2	2 1		
	MIRRORS			
	8 mm Float glass silver backed mirror detail with bevelled edges glued to and including 16mm superwood frame fixed with chrome cupped mirror screws to wall all in accordance with Architects detail:			
2	Size 400 mm x 600 mm.	4		
	Carried Forward to Summary of Section No. 4		R	
	Section No. 4 Bill No. 10 Glazing			



	Quantity	Rate	Amount	
SECTION NO. 11				
BILL NO. 11				
<u>PAINTWORK</u>				
<u>User note</u>				
NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities. The following finishes, including primers and subsequent coats are to be those manufactured by "Plascon Paints" and of the highest type and quality specified. Plascon new work painting specification document to be applied when pricing work accordingly.				
Attention is drawn to the measurement rules in the measuring system regarding paint colours which read as follows: "4. Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and "Transparent" (in accordance with the Natural Colour System (NCS) adopted by the SA National Standards)" and "5. Paintwork in one colour group may be given as extra over paintwork in another colour group"				
PAINTWORK ETC TO NEW WORK				
ON WOOD				
Carried to Collection		R		
Section No. 4 Bill No. 11 Paintwork				



Ì	Prepare, stop and apply one coat primer and two coats Professional Eggshell Enamel paint on:				
1	General surfaces.	m2	11		
	PAINTWORK TO PREVIOUSLY PAINTED SURFACES				
	SUPPLEMENTARY PREAMBLES				
	PREPARATORY WORK TO EXISTING WORK				
	Previously painted plastered surfaces				
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth				
	Previously painted metal surfaces				
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal				
	Previously painted wood surfaces				
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth				
	COLOURS				
	Unless otherwise described paintwork on ceilings shall be deemed to be in the "White" colour group and paintwork on all other components shall be deemed to be in the "Pastel" colour group in accordance with the Natural Colour System (NCS) adopted by the SA National Standards				
	Count ad to Callage to				
	Carried to Collection			R	<u> </u>
	Section No. 4 Bill No. 11 Paintwork				



	ON FLOATED PLASTER				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth, apply one coat Plascon Professional Plaster/Gypsum Primer(PP 700) and two coats Plascon Professional Low Sheen Pure Acrylic (PEM 1000) paint on existing water based paint surfaces:				
2	On interior walls	m2	54		
3	On interior ceilings	m2	58		
	Remove any loose and flaking residue by means of wire brushing and hydro blast with equipment 200 to 300 bars, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
4	On external walls	m2	100		
	ON METAL				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth apply one coat 'Plascon Universal Undercoat' and two coats 'Plascon Velvaglo Polyurethane Enamel' paint on existing enamel based paint surfaces:				
5	Doors	m2	8		
6	Pressed steel door frames.	m2	16		
7	On windows	m2	1		
	Carried to Collection Section No. 4			R	<u></u>
	Bill No. 11 Paintwork				



	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
8	On gates and screens	m2	6		
	Spot priming bare metal surfaces, one coat alkyd based universal undercoat and two coats superior quality universal enamel paint, on work in poor condition				
9	Columns and beams	m2	20		
10	Rainwater downpipes not exceeding 300mm girth	m	20		
	ON WOOD				
	Remove any loose and flaking residue by means of wire brushing, sand down, wash with 'Polycell Sugar Soap' or weak spirits of salts, rinse and apply one coat Plascon Oil Wood Primer (UC2/UC17) and two coats Plascon Gloss Enamel (PSB800) paint on existing enamel surfaces:				
11	On doors	m2	14		
	Carried to Collection			R	
	Section No. 4 Bill No. 11 Paintwork				



Section No. 4				
Bill No. 11				
Paintwork				
COLLECTION				
Total Brought Forward from Page No.	Page No 167 168 169 170		Amount	
Carried Forward to Summary of Section No. 4		R		
Section No. 4 Bill No. 11 Paintwork			_	



ltem No			Quantity	Rate	Amount
	SECTION NO. 12				
	BILL NO. 12				
	EXTERNAL WORKS				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	CONCRETE BLOCK PAVING ETC				
	Take up and remove from site existing precast concrete etc.:				
1	60mm Interlocking paving blocks .	m2	3		
	Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured)				
2	60 mm Interlocking concrete paving blocks	m2	7		
	Re-lay existing concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications				
3	Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	7		
	Carried to Collection			R	
	Section No. 4 Bill No. 12 External Works				



	Filling under floors, steps, paving, etc.				
4	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content.	m3	2		
	Compaction of surfaces				
5	Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content.	m2	10		
	Concrete paving blocks shall comply with the requirements SANS1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three months)				
6	60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SANS 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	3		
	Treatment of existing paving blocks				
7	Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	68		
	<u>FENCING</u>				
	"CLEARVUE" or similar approved galvanised barbed/spiked wire fencing				
	TEMPORARY CONTAINER RENTAL				
	Carried to Collection			R	
	Section No. 4 Bill No. 12 External Works				



	<u>General</u>				
	The following prefabricated structures have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers.				
	Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels: Note: Site must not slope more than 200mm over the area of the temporary building units.				
	3 000 x 6 000mm High unit				
8	Deliver container to site and removal from site upon completion	No	1		
9	Monthly rental	No	1		
	Carried to Collection			R	
	Section No. 4 Bill No. 12 External Works				



Section No. 4				
Bill No. 12				
External Works				
COLLECTION				
Total Brought Forward from Page No.	Page No 172 173 174		Amount	
Carried Forward to Summary of Section No. 4		R		
Section No. 4 Bill No. 12 External Works				



	SECTION SUMMARY - Roodepoort Station			
Bill No		Page No		Amount
1	Preliminaries	140		
2	Alteration	145		
3	Roof Covering	148		
4	Carpentry and Joinery	149		
5	Ironmongery	150		
6	Metalwork	151		
7	Tiling	154		
8	Plumbing and Drainage	161		
9	Electrical Installation	165		
10	Glazing	166		
11	Paintwork	171		
12	External Works	175		
			_	
	Carried to Final Summary		R	
	Section No. 4			



tem No		Amount	
l	SECTION NO. 1		
	BILL NO. 1		
	PRELIMINARIES AND GENERAL		
1	Preliminaries and Generals - Roodepoort Clinic 7 Rex Road, Roodepoort (ERF 1762, Roodepoort).		
	Carried Forward to Summary of Section No. 5		
	Carried Forward to Summary of Section No. 5 R Section No. 5		_
	Bill No. 1 Preliminaries		



ltem No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO.2			
	DEMOLITIONS AND ALTERATIONS			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
1	The alterations to the electrical and air conditioning reticulation installations shall be executed by selected sub-contractors (as elsewhere provided) and the Contractor shall be responsible for the co-ordination of such work with his own.	Item		
2	Prices for the demolition of any portion of the structure shall include for its demolition complete with all surface finishes such as plaster, screeds, etc., all attached items of joinery such as skirtings, etc. and all reinforcement, conduit, pipes, lintels, etc. built into that portion of the structure and the removal from site thereof.	Item		
3	Prices for the removal of doors and frames shall include for the removal of fanlights, ironmongery, architraves and other associated trim.	Item		
4	Prices for the removal of windows shall include for the removal of glass, louvres, etc. attached to the windows.	Item		
5	The Contractor is advised to take all dimensions affecting the existing building on the site as he will be held solely responsible for all new work being of the correct size.	Item		
	Carried to Collection		R	
	Section No. 5 Bill No. 2 Alteration			



6	All sizes for building up or forming openings are net and the Contractor must allow in his prices for extra labour and material, cutting and bonding new to existing brickwork, building square jambs, building cavities solid and removing old sills as necessary, and for making good junction of new plaster with old including all extra patching to work disturbed beyond the net size of the openings, which are to be formed or built up.	Item		
7	All materials and workmanship in building up, making good etc., are to match existing and where new materials abut existing, they are to be neatly joined to same.	ltem		
8	The contractor is advised to visit the site to acquaint himself with the types of construction and finishes so that he may price "to match existing" items where called for.	ltem		
9	"Making good" existing work where disturbed or damaged shall mean the provision of the necessary new material to match existing and the necessary workmanship so that a complete and perfect restoration is achieved to the satisfaction of the Architect.	Item		
10	"Making good" where abutting walls etc. are removed shall mean the provision of the necessary material and workmanship in filling the gaps to match surrounding finishes so that a complete and perfect surface, is obtained to the satisfaction of the Architect.	Item		
11	The rates for "taking out", "taking down" of windows, doors etc., from brickwork to remain are to include for making good all work disturbed to match surrounding finishes.	ltem		
12	Contractor to allow for removal of rubble, accumulated rubbish on site.	Item		
	Carried to Collection		R	
	Section No. 5 Bill No. 2 Alteration			



13	Contractor to allow for full photographic survey of site				
	internally and externally upon receipt of possession of site. Photos to be sent to Principal Agent and signed off before				
	performing any work.		Item		
	Temporary barricades, screens, roofs, etc including				
	removal				
14	Temporary wire mesh fencing as hoarding from construction site, total height 3m with temp partition.	m	42		
15	Extra over fencing for gate 813 x 2032mm high,				
	including steel frame, padlock, primer and two coats paint	No	1		
	Taking up and removing floor coverings and preparing screeds for new floor coverings				
16	Torch on waterproofing to roofs	m2	3		
	Hacking up/off and removing ceramic tiles including removing mortar bed or adhesive from concrete or brickwork and preparing surfaces for new screed, plaster, tile finish, etc				
17	Tiles to floors	m2	6		
18	Tiles to walls	m2	4		
	Taking out and removing piping, sanitary fittings, etc, including cutting off as necessary, disconnecting piping from fittings and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
19	Vitreous china WC pan with cistern	No	1		
20	Vitreous china wash hand basin, including short lengths of piping, etc	No	1		
21	Urinal bowl fixed to walls.	No	1		
	Carried to Collection			R	
	Section No. 5 Bill No. 2 Alteration				



	LANDSCAPING				
	Pruning of existing trees and shrubs				
22	Trimming tree branches of tree for tree not exceeding 500mm. (View on site to define scope).	No	1		
	MAKING GOOD OF FINISHES, ETC				
	<u>Treatment of existing tiles</u>				
23	Existing tiled floors to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	42		
24	Existing tiled walls to be powerwashed deep cleaned with appropriate chemicals and high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	76		
	Treatment of existing painted and face brick walls				
25	Existing face and painted walls to be powerwashed with high pressure water including soap. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	76		
	Making good cement screeds				
26	25mm Thick on floors in patches	m2	2		
	Making good gypsum plasterboard ceilings and timber brandering				
27	Ceilings in patches	m2	1		
	Making good internal cement plaster				
28	Walls in patches	m2	2		
	Carried to Collection			R	
	Section No. 5 Bill No. 2 Alteration				



Section No. 5				
Bill No. 2				
Alteration				
COLLECTION				
Total Brought Forward from Page No.	Page No 178 179 180 181		Amount	
Carried Forward to Summary of Section No. 5		R		
Section No. 5 Bill No. 2 Alteration				



Item No			Quantity	Rate	Amount	
	SECTION NO. 3					
	BILL NO. 3					
	WATERPROOFING					
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.					
	WATERPROOFING TO ROOFS, ETC					
	Prime with bitumen primer and "torch on" two layers of Derbigum SP or equal approved membrane 4 mm thick, with a ten year guarantee, all in accordance with the manufacturers' instructions, to:					
1	Roofs including turn-ups and turn-downs not exceeding 300 mm high.	m2	3			
2	Sides of concrete upstands	m2	1			
3	Provide additional sheet dressed into Fullbore outlet	No	1			
	Protective roofing paint					
4	Apply two coats bituminous aluminium paint on newly laid waterproofing.	m2	13			
						_
	Carried to Collection			R		
	Section No. 5 Bill No. 3 Waterproofing					=



	SERVICING OF WATERPROOFING TO EXISTING CONCRETE ROOFS Contractors to check all torch on waterproofing including to turn ups and locate leaks and clean of existing fullbores and downpipes as required and allow for repainting of waterproofing with two coats bituminous aluminium paint.				
5	Roof covering with pitches not exceeding 25 degrees	m2	42		
	Carried to Collection Section No. 5 Bill No. 3 Waterproofing			R	



Section No. 5				
Bill No. 3				
Waterproofing				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	183			ļ
	184			
Carried Forward to Summary of Section No. 5		R		
Section No. 5 Bill No. 3 Waterproofing				
	1	1	ll .	1



ltem No		Quantity	Rate	Amount
,	SECTION NO. 4			
	BILL NO 4			
	CARPENTRY AND JOINERY			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	SUPPLEMENTARY PREAMBLES			
	DOORS ETC			
	SUPPLEMENTARY PREAMBLES			
	SEMI- SOLID FLUSH PANEL DOORS WITH TWO CONCEALED EDGES TO EACH LEAF HUNG TO STEEL OR TIMBER FRAMES			
1	40 mm Door size 813 mm x 2032 mm with commercial veneer backing.	1		
2	40 mm Door size 912 mm x 2955 mm with commerial veneer.	1		
	Carried Forward to Summary of Section No. 5		R	
	Section No. 5 Bill No. 4 Carpentry and Joinery			
			I	1



ltem No			Quantity	Rate	Amount
	SECTION NO. 5	"			
	BILL NO.5				
	IRONMONGERY				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	NOTE: Prices are to include for fixing ironmongery to softwood, hardwood or pressed metal door frames, etc.				
	Locks and furniture:				
1	Supply (PC : R200) and installation of door handle.	No	8		
2	Supply (PC : R450) and installation of WC indicator bolt.	No	4		
3	Supply (PC: R50) and installation of door stop plugged and screwed to brickwork or concrete.	No	4		
4	Supply (PC : R2500) and installation of door closer fixed to frame.	No	1		
	Supply and fix the following ironmongery:				
5	32 mm Diameter stainless steel rear grab rail (Code SR2) from Chairman Industries bolted to wall with 6 mm diameter stainless steel bolts, all as the manufacturer's instructions.	No	1		
6	32 mm Diameter stainless steel side grab rail (Code DL2) from Chairman Industries ditto.	No	1		
	Carried Forward to Summary of Section No. 5			R	
	Section No. 5 Bill No. 5 Ironmongery				



ltem No		Quantity	Rate	Amount
	SECTION NO. 6			
	BILL NO. 6			
	<u>METALWORK</u>			
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
	STEEL WELDED SCREENS, GATES, ETC			
	Screens and gates			
1	Service steel 900 x 2100mm entrance doors including grinding off welded shut locks, repairs to hinges, locks etc. No	3		
	Carried Forward to Summary of Section No. 5		R	
	Section No. 5 Bill No. 6 Metalwork			



ltem No			Quantity	Rate	Amount
	SECTION NO. 7				
	BILL NO. 7				
	TILING				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	WALL TILES				
	Ceramic tiles (PC R 100-00/m2 supplied and delivered) fixed with "Tal" or a similar approved adhesive all in strict accordance with the manufacturer's instructions on a cement plaster backing (elsewhere measured) with joints grouted in solid in "Tal" or equal approved wall tile grout including all square cutting and waste to:				
1	Walls.	m2	14		
2	Walls in narrow widths not exceeding 300mm.	m2	1		
	FLOOR TILES				
	Ceramic floor tiles (PC R 70-00/m2 supplied and delivered) fixed with "Tal Gold Star 6" or similar approved adhesive in strict accordance with the manufacturer's instructions on power floated concrete floor with joints grouted in solid in "Tal" or equal approved floor tile grout including all square cutting and waste to:				
3	Floors.	m2	6		
	Carried Forward to Summary of Section No. 5			R	
	Section No. 5 Bill No. 7 Tiling				



	Quantity	Rate	Amour
SECTION NO. 8			
BILL NO. 8			
PLUMBING AND DRAINAGE			
NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
All rates supplied in this Bill of Quantities will be deemed to include scaffolding to any height and fixing of cold and hot water pipes up to and including roof height. All pipes suspended from concrete slabs, roof, ceiling, etc. shall be deemed to include in the rates, all necessary hanger brackets, threaded rod (irrespective of the suspension length), nuts, washers, anchors and drilling of holes in the concrete slab. For the complete supply, delivery and installation of supply piping, as specified, piping to include piping between geysers on roof. All cold and hot water pipes are to be chased into walls except where pipes are to be surface-mounted on wall face or run in ceiling voids or inside ducts, and fixed with standard type pipe saddlers and brackets at 1000mm maximum.			
Carried to Collection		R	
Section No. 5 Bill No. 8 Plumbing and Drainage			



	These bills of quantities form part of and must be read in conjunction with the Technical Specifications and Drawings, which contain the full descriptions of the work to be done and material and equipment to be used. Unless otherwise described in these bills of quantities, reference should be made to the Technical Specifications for the full meaning of descriptions of work to be done and materials and equipment to be used in this service. All materials, equipment, fixings, brackets, etc, are to be supplied by the Contractor unless otherwise stated. RAINWATER DISPOSAL Gratings, covers, etc				
1					
ı	Precast concrete stormwater inlet 370mm x 600mm frame	No	1		
	SANITARY FITTINGS				
	Wash Hand Basins				
2	Surface mounted 500mm x 500mm white glazed semi- recessed wash hand vanity basin (PC : R 1000) with single tap hole complete with single lever tap (PC: R500) and including angle valves and chrome connectors including pop up waste, connected in position complete with an approved waterproof sealer.	No	1		
	<u>Toilets</u>				
3	Close-coupled WC suite (PC : R1 500) comprising pan with double flap heavy duty wooden seat and matching 9 litre cistern.	No	1		
4	Paraplegic close-coupled WC suite (PC: R4 000) comprising pan with matching 9 litre cistern and purpose made CP side flush lever (left or right) supplied with purpose made urea seat and cover plate.	No	1		
	Carried to Collection			R	
	Section No. 5 Bill No. 8 Plumbing and Drainage				



1	Bowl Urinals				
5	Stainless bowl urinal (PC: 1500) including hanger brackets, trap and associated parts fitted complete including urinal flush valve with shut of valve including all necessary connections to urinal.	No	1		
	<u>Taps</u>				
6	Supply and installation of tap (PC R300)	No	5		
	<u>Traps</u>				
	SOIL DRAINAGE				
	Extra over heavy duty (Class 34) 110mm diameter uPVC sewer and drain pipes for fittings				
7	Roding eye cover oval	No	1		
	REPAIR AND MAINTENANCE				
8	Service existing Water Closet pan and cistern including unblocking if required and supply new lids to cisterns and toilet seats.	No	4		
9	Service existing Wash Hand Basin including unblocking if required.	No	3		
10	Service existing urinal including flush mechanism including unblocking if required.	No	1		
	COLD WATER RETICULATION INSTALLATION				
	Supply and install Pexial Pex multilayer pipes in compliance with SANS ISO 15874				
11	Ø32mm pipe	m	10		
12	Ø26mm pipe	m	3		
13	Ø20mm pipe	m	3		
	Carried to Collection			R	
	Section No. 5 Bill No. 8 Plumbing and Drainage				



14	Ø16mm pipe	m	3		
	<u>FITTINGS</u>				
	Supply and install PP-R multilayer faser fibre pipes in compliance with SANS ISO 15874 part 2 PN 20 SDR 7.4 Blue and Red colour – 20 x 2.8mm capillary brass threaded type fittings.				
15	Ø16mm Equal T-piece	No	4		
16	Ø20mm Equal T-piece	No	4		
17	Ø26mm Equal T-piece	No	4		
18	Ø32mm Equal T-piece	No	4		
19	Ø20mm Ø20mm Ø16mm UN-Equal T-piece	No	4		
20	Ø26mm Ø26mm Ø20mm Equal T-piece	No	4		
21	Ø32mm Ø36mm Ø26mm UN-Equal T-piece	No	6		
22	Reducer: Ø32mm x Ø26mm	No	6		
23	Reducer: Ø26mm x Ø20mm	No	6		
24	Reducer: Ø20mm x Ø16mm	No	6		
25	Reducer: Ø32mm x Ø26mm	No	6		
26	Ø50mm Female couplings	No	6		
27	Ø40mm Female couplings	No	6		
28	Ø32mm Female couplings	SUM	5		
29	Ø26mm Female couplings	No	5		
30	Ø20mm Female couplings	No	5		
31	Ø16mm Female couplings	No	5		
	Carried to Collection			R	
	Section No. 5 Bill No. 8 Plumbing and Drainage				



32	Ø32mm Elbow: 90°	No	5		
33	Ø26mm Elbow: 90°	No	6		
34	Ø20mm Elbow: 90°	No	6		
35	Pipe clamps and hangers	SUM	1		
	THREADED VALVES				
36	Ø32mm isolating gate valve on cold water main pipes	No	1		
37	Ø26mm isolating gate valve on cold water main pipes	No	2		
38	Ø20mm isolating gate valve on cold water main pipes	No	2		
39	Ø16mm isolating gate valve on cold water main pipes	No	4		
	SANITARY DRAINAGE INSTALLATION				
	SANITARY DRAINAGE PIPING				
	HDP butt welded including electro fusion couplers in the running length, installed in accordance with SANS 10400 and SANS 10252-2:2004				
	<u>PIPING</u>				
40	Ø56mm	m	15		
41	Ø75mm	m	20		
42	Ø110mm	m	20		
	PIPE FITTINGS				
43	Ø56mm fitting; 90°elbow	No	30		
44	Ø110mm fitting; 45°elbow	No	7		
	Carried to Collection			R	
	Section No. 5 Bill No. 8 Plumbing and Drainage				



45	Ø110mm fitting; 95°elbow, with Ø50mm vent horn inspection	No	7		
46	Ø110mm fitting; 95°elbow, plain	No	7		
47	Ø56mm x Ø56mm x Ø56mm fitting; 90° Equal T- Piece	No	14		
48	Ø110mm x Ø110mm x Ø50mm branch fitting; 87.5° swept entry, lateral branch junction	No	7		
49	Ø110mm x Ø110mm x Ø110mm fitting; 87.5° swept entry, lateral branch junction	No	7		
50	Ø110mm x Ø56mm fitting; concentric reducer	No	2		
51	Ø110mm straight pan collars/connector	No	6		
52	Ø56mm vent one way valve	No	3		
	WASTE TRAPS				
53	50mm 'Dutton' flexi rubber "P" trap complete with coupling clamps.	No	6		
	PROVISIONAL SUM				
	Allow the amount for adjustment of Mechanical engineering services to be used at the discretion of the principal agent and deducted in whole or in part if not required:				
54	For Decommissioning and Removal of existing damaged piping and fittings including making good on chased walls and openings.		Item		25 000.00
55	For Unblocking existing main lines		Item		15 000.00
56	For Supply and Installation of any other item not included in the bill required to complete				1.5000
	installations.		Item		15 000.00
	Carried to Collection			R	
	Section No. 5 Bill No. 8 Plumbing and Drainage				



Section No. 5				
Bill No. 8				
Plumbing and Drainage				
COLLECTION				
Total Brought Forward from Page No.	Page No 190 191 192 193 194 195		Amount	
Carried Forward to Summary of Section No. 5		R		
Section No. 5 Bill No. 8 Plumbing and Drainage				_



Item No			Quantity	Rate	Amount	
,	SECTION NO. 9	·				
	BILL NO. 9					
	ELECTRICAL INSTALLATION					
	GENERAL PURPOSE POWER OUTLETS AND LIGHTING					
	CONDUITS					
	Supply and installation of galvanised steel conduit complete with all accessories including couplings, bending and fixings as specified:					
1	20mm - surface mounted	m	10			
	CONDUIT BOXES					
	Supply and install conduit boxes complete with all accessories including conduit terminations					
2	60mm round, 25mm deep for 20mm conduit mounted flush in wall or fixed to surface	No	14			
	Steel outlet boxes excluding covers:					
3	100mm x 50mm x 50mm conduit box.	No	1			
4	100mm x 100mm x 50mm conduit box.	No	1			
	WIRING AND CONDUCTORS					
	Supply and install PVC insulated copper conductors in required colours, drawn into conduit or trunking:					
5	2.5mm ²	m	600			
6	4mm²	m	400			
	Carried to Collection			R		_
	Section No. 5 Bill No. 9 Electrical Installation					=



7	2.5mm ² B.C.E.W.	m	600		
	LIGHT SWITCHES				
	Supply, install and connect flush mounted light switch complete with cover plate and all accessories:				
8	16A 1 lever 1 way.	No	4		
	<u>LUMINAIRES</u>				
	Supply, install and connect luminaires mounted as specified, complete with lamps, control gear and all accessories:				
9	18W surface mounted bulkhead LED light fitting.	No	18		
	SOCKET OUTLETS				
	Supply, install and connect Switched socket outlets mounted flush in wall or as specified, complete with cover plates and all accessories:				
10	16A Double switch socket outlet (White).	No	1		
	<u>ISOLATORS</u>				
	Supply and install Isolators mounted as specified complete with cover plates and all accessories.				
11	Double pole	No	1		
	UNIT SUPPLY CABLE				
	Supply, install and connect reticulation cables installed in existing sleeves.				
12	6 mm² 3-core PVC/SWA/PVC Cable	m	30		
13	6 mm ² 3-core PVC/SWA/PVC Cable Terminations	No	2		
	Carried to Collection			R	
	Section No. 5 Bill No. 9 Electrical Installation				



	DISTRIBUTION BOARD					
14	Unit Distribution Board	No	1			
	C	arried to Collection		R		
	Section No. 5 Bill No. 9					
	Electrical Installation					
			ĺ	I	ıı İ	



Section No. 5				
Bill No. 9				
Electrical Installation				
COLLECTION				
Total Brought Forward from Page No.	Page No 197 198 199		Amount	
Carried Forward to Summary of Section No. 5		R		
Section No. 5 Bill No. 9 Electrical Installation				=



Item No			Quantity	Rate	Amount
	SECTION NO. 10	ľ			
	BILL NO. 10				
	GLAZING				
	<u>User note</u>				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	GLAZING TO STEEL				
	4mm Obscure glass				
1	Panes exceeding 0,1m2 and not exceeding 0,5m2	m2	11		
	MIRRORS				
	8 mm Float glass silver backed mirror detail with bevelled edges glued to and including 16mm superwood frame fixed with chrome cupped mirror screws to wall all in accordance with Architects detail:				
2	Size 400 mm x 600 mm.	No	3		
	Carried Forward to Summary of Section No. 5			R	
	Section No. 5 Bill No. 10 Glazing				



	Quantity	Rate	Amount
SECTION NO. 11			
BILL NO. 11			
PAINTWORK			
<u>User note</u>			
NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.			
The following finishes, including primers and subsequent coats are to be those manufactured by "Plascon Paints" and of the highest type and quality specified.			
Plascon new work painting specification document to be applied when pricing work accordingly.			
Attention is drawn to the measurement rules in the measuring system regarding paint colours which read as follows:			
"4. Paintwork shall be classified in the different colour groups "White", "Pastel", "Deep" and "Transparent" (in accordance with the Natural Colour System (NCS) adopted by the SA National Standards)" and "5. Paintwork in one colour group may be given as			
extra over paintwork in another colour group"			
PAINTWORK ETC TO NEW WORK			
ON WOOD			
Carried to Collection		R	
Section No. 5 Bill No. 11 Paintwork		K	



Ì	Prepare, stop and apply one coat primer and two coats Professional Eggshell Enamel paint on:				
1	General surfaces.	m2	7		
	PAINTWORK TO PREVIOUSLY PAINTED SURFACES				
	SUPPLEMENTARY PREAMBLES				
	PREPARATORY WORK TO EXISTING WORK				
	Previously painted plastered surfaces				
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth				
	Previously painted metal surfaces				
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal				
	Previously painted wood surfaces				
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth				
	COLOURS				
	Unless otherwise described paintwork on ceilings shall be deemed to be in the "White" colour group and paintwork on all other components shall be deemed to be in the "Pastel" colour group in accordance with the Natural Colour System (NCS) adopted by the SA National Standards				
	Carried to Collection			R	
	Section No. 5 Bill No. 11 Paintwork				



	ON FLOATED PLASTER				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth, apply one coat Plascon Professional Plaster/Gypsum Primer(PP 700) and two coats Plascon Professional Low Sheen Pure Acrylic (PEM 1000) paint on existing water based paint surfaces:				
2	On interior walls	m2	19		
3	On interior ceilings	m2	42		
	Remove any loose and flaking residue by means of wire brushing and hydro blast with equipment 200 to 300 bars, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth and apply two coats "Plascon Wall & All (WAA)" pure acrylic on				
4	On external walls	m2	76		
	ON METAL				
	Remove any loose and flaking residue by means of wire brushing, wash with 'Polycell Sugar Soap' or weak spirits of salts, open up cracks and make good with 'Polycell Mendall 90' or 'Polycell Polyfilla Exterior' filler sanded smooth apply one coat 'Plascon Universal Undercoat' and two coats 'Plascon Velvaglo Polyurethane Enamel' paint on existing enamel based paint surfaces:				
5	Doors	m2	11		
6	Pressed steel door frames.	m2	9		
7	On windows	m2	23		
	Carried to Collection Section No. 5			R	
	Bill No. 11 Paintwork				



	ON WOOD				
	Remove any loose and flaking residue by means of wire brushing, sand down, wash with 'Polycell Sugar Soap' or weak spirits of salts, rinse and apply one coat Plascon Oil Wood Primer (UC2/UC17) and two coats Plascon Gloss Enamel (PSB800) paint on existing enamel surfaces:				
8	On doors	m2	7		
	Carried to Collection			R	
	Section No. 5 Bill No. 11				
	Paintwork				



Section No. 5				
Bill No. 11				
Paintwork				
COLLECTION				
Total Brought Forward from Page No.	Page No 202 203 204 205		Amount	
Carried Forward to Summary of Section No. 5		R		
Section No. 5 Bill No. 11 Paintwork				<u> </u>



ltem No			Quantity	Rate	Amount
	SECTION NO. 12				
	BILL NO. 12				
	EXTERNAL WORKS				
	NOTE: The Tenderer is referred to the relevant Clauses in the separate document Model Preambles for Trades (1999 Edition), the Department of Public Works document No. PW 371 Specification of Materials and Methods to be used and to the Supplementary Preambles which are incorporated at the front of these Bills of Quantities.				
	CONCRETE BLOCK PAVING ETC				
	Take up and remove from site existing precast concrete etc.:				
1	60mm Interlocking paving blocks .	m2	2		
	Remove and set-aside existing concrete paving blocks (re-instate elsewhere measured)				
2	60 mm Interlocking concrete paving blocks	m2	6		
	Re-lay existing concrete paving blocks shall comply with the requirements of SABS 1058 - 1985 Specifications				
3	Re-lay existing 60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, light grey coloured laid to falls on and including a new 20 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	6		
	Carried to Collection Section No. 5 Bill No. 12 External Works			R	



	Filling under floors, steps, paving, etc.				
4	Suitable imported filling material (G7) laid under paving in maximum 150 mm thick layers and compacted to 97% modified AASHTO density at optimum moisture content.	m3	1		
	Compaction of surfaces				
5	Rip up, scarify and re-compact earth surface 150 mm deep to 95% modified AASHTO density at optimum moisture content.	m2	8		
	Concrete paving blocks shall comply with the requirements SANS1058:2012 edition specifications (Paving to be inspected and re-sand grouted after three months)				
6	60 mm Interlocking concrete paving blocks (Type SA-A, Ref UTG 2) or similar approved, charcoal grey coloured laid to falls in accordance with SANS 1200 MJ and CMA Concrete block manual on and including a 25 mm bed of washed river sand, application of weed killer, sand filling to joints, compacting and all necessary edge blocks.	m2	2		
	<u>Treatment of existing paving blocks</u>				
7	Existing paving blocks to be powerwashed with high pressure water. Contractor to ensure adequate drainage into stormwater and avoid flooding tenanted areas.	m2	60		
	FENCING				
	"CLEARVUE" or similar approved galvanised barbed/spiked wire fencing				
	TEMPORARY CONTAINER RENTAL				
	Capried to Callegian			R	
	Carried to Collection			К	
	Section No. 5 Bill No. 12 External Works				



	General				
	The following prefabricated structures have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components, assembling, housing etc. Units include fittings such as window blinds, stove, single bowl sink, geysers wash hand basins, urinals, external doors, showers.				
	Allow for the supply, delivery and rental for prefabricated "KWIKSPACE" 40mm polyurethane filled, steel skinned panels to 112mm structurally insulated panels: Note: Site must not slope more than 200mm over the				
	area of the temporary building units.				
8	3 000 x 6 000mm High unit				
O	Deliver container to site and removal from site upon completion	No	1		
9	Monthly rental	No	1		
	Carried to Collection			R	
	Section No. 5 Bill No. 12 External Works				



Section No. 5				
Bill No. 12				
External Works				
COLLECTION				
Total Brought Forward from Page No.	Page No 207 208 209		Amount	
Carried Forward to Summary of Section No. 5 Section No. 5 Bill No. 12 External Works		R		



	SECTION SUMMARY - Roodepoort Rex Clinic				
Bill No		Page No		Amount	
1	Preliminaries	177			_
2	Alteration	182			
3	Waterproofing	185			
4	Carpentry and Joinery	186			-
5	Ironmongery	187			•
6	Metalwork	188			-
7	Tiling	189			-
8	Plumbing and Drainage	196			-
9	Electrical Installation	200			-
10	Glazing	201			-
11	Paintwork	206			-
12	External Works	210			-
					-
					_
	Carried to Final Summary		R		_
	Section No. 5				



	FINAL SUMMARY			
Section No		Page No		Amount
1	Roodepoort ABSA	70		
2	ABSA 2 (Randberg)	104		
3	Croesus	139		
4	Roodepoort Station	176		
5	Roodepoort Rex Clinic	211		
	Sub Total			
	Sub Total		R	
	ADD : V.A.T. at the rate of 15%		R	
	Carried to Form of Tender		R	